

NGDTH 200R

TECHNICAL SPECIFICATION



- ☐ Fuel efficient
- ☐ Low maintenance

- ☐ Easy to operate
- ☐ Low operating cost

200 Meter Drilling depth capacity (Capable to work in Boulder, Mix, Hard Rock & Sandy Formation).

Note: The images provided here are for reference only and do not depict the exact specification outlined in this document.

+91 91732 03112



info@ngedrill.com



C/O NG ENGINEERING, Sr. No. 553, Opp. Guru 308,
Bypass Highway, Mehsana - 384002.



Application	Domestic DTH Borewell Domestic Rotary Borewell
Capacity	900Feet @ 6" (DTH) 700 Feet @ 8.5" (DTH) 100 Feet @ 12" (DTH) (Over-Burden) 700 Feet @ 17.5" (Rotary) Capable to work in Boulder, Mix, Hard Rock & Sandy Formation.
Mast Assembly	27 Feet Sturdy Structural Tubular Mast Fitted with single Motor, SMS Gear box. Lifting Sheave : 2 Sheave Pull up Capacity : 35 Tons. Pull Down Capacity : Up to 5 Tons.
Machine Platform	Length : 21 Feet , Width : 8 Feet MS checkered plate of 6 mm thickness flooring, and main "C" Channel 8"X3" & support Channel 5"X 3".
Rotary Head	Custom made NG STD Rotary head with heavy duty gears and Shafts Driven by hydraulic motor, Available in Mono and Dual motors
Prime Mover	4 Pump NG Power Take Off Device fitted with Truck Engine. (Pneumatic Operated.)
Steel Wire Rope	20 mm 6X36 Steel Core
Drilling Bed	NGE Standard (DTH)

+91 91732 03112



info@ngedrill.com



Sr. No. 553, Opp. Guru 308,
Bypass Highway, Mehsana - 384002.



Hydraulic Systems

Hydraulic Hoses (all parker / gets)
Hydraulic circuit: Dual Circuit
Hydraulic Control Valve : walvoil 180 ltr and 80 ltr
Hydraulic Pump : 50 GPM X 2 Valjen, 25+12 GPM Valjan
Control Panel : left of the table.
Hydraulic Winch : For Drill pipe lifting.
Rod Changer : Manual Quik Changer.

Generator

400 AMP. Suitable for 4mm of welding electrodes.
Single phase power output for Grinding and lighter applications.

Mud Pump

4x4 centrifugal pump Mechanical V belt Driven

Machine Leveling System/actuators

Stabilizers Jack 04 nos.
Mast raising: 02 nos
Feed cylinder: 1 nos
Break out cylinder: 1 nos

Paint job

Epoxy paint, color choice on customer.

Lights

On the plate form, On the mast, At the drilling hole, under the platform.

+91 91732 03112



info@ngedrill.com



Sr. No. 553, Opp. Guru 308,
Bypass Highway, Mehsana - 384002.





+91 91732 03112



info@ngedrill.com



Sr. No. 553, Opp. Guru 308,
Bypass Highway, Mehsana - 384002.





+91 91732 03112



info@ngedrill.com



Sr. No. 553, Opp. Guru 308,
Bypass Highway, Mehsana - 384002.

