

NGDTH 300 R

TECHNICAL SPECIFICATION



- ☐ Fuel efficient
- ☐ Low maintenance

- ☐ Easy to operate
- ☐ Low operating cost

300 Meter drilling depth capacity (capable to work in all types of formation).

Note: The images provided here are for reference only and do not depict the exact specification outlined in this document.

+91 91732 03112

info@ngedrill.com

C/O NG ENGINEERING, Sr. No. 553, Opp. Guru 308,
Bypass Highway, Mehsana - 384002.

Application	Rotary Water Well Drilling / DTH / Odex
Capacity	450 Meter @ 150 MM (DTH) 350 Meter @ 200 MM (DTH) 400 Meter @ 350 MM (Rotary) 350 Meter @ 450MM (Rotary) 250 Meter @ 125MM (Odex) 100 Meter @ 300MM (DTH) (Over-Burden) Capable to work in Boulder, Mix, Hard Rock & Sandy Formation.
Mast Assembly	12 meter Sturdy Structural Tubular Mast Fitted with Dual Motor. 200x100x8 mm Main Pipe and 100x50x5 mm Support Structure. Heavy Duty Fulcrum Fitted with to MRC Cylinders. Heavy Structural Beams. Lifting Sheave : 4 Sheave Pull up Capacity : 40 Tons. Pull Down Capacity : Up to 7 Tons.
Machine Platform	Length : 7 meter, Width : 2.5 meter MS checkered plate of 6 mm thickness flooring, and main "C" Channel mm X & support Channel 5"X 3".
Rotary Head	SMS - OMT 315 Dual Motor Capable of Doing Odex.
Prime Mover	4 Pump SMS Power Take Off Device fitted with Truck Engine. (Pneumatic Operated.)
Steel Wire Rope	20 mm 6X36 Steel Core
Drilling Bed	NGE Standard (DTH) (3 Sleeves.)

+91 91732 03112



info@ngedrill.com



Sr. No. 553, Opp. Guru 308,
Bypass Highway, Mehsana - 384002.



Hy. System

Hy. Hoses (all parker / gets)
Mono Circuit
Hy. Control Valve : walvoil
Hy. Pump : 50 GPM X 2 Valjen
: 25 GPM + 12 GPM
Control Panel : left of the table.
Hy. Winch : For Drill pipe lifting.
Rod Changer : Manual Quik Changer.

Mud Pump

6"x10" Dual Acting Duplex, Reciprocating Mud Pump.

Generator

400 AMP. Suitable for 4mm of welding electrodes.
Single phase power output for Grinding and lighter applications.

Machine Leveling System

Hydraulic Jack (04 nos.),
Length 40" comes with the brackets adjustable stops at every inches.

Paint job

Industrial Epoxy paint, color choice on customer.

Lights

On the plate form, On the mast, At the drilling hole, under the platform.

**Combinations will vary according to our Design feasibility's*

+91 91732 03112



info@ngedrill.com



Sr. No. 553, Opp. Guru 308,
Bypass Highway, Mehsana - 384002.



