Buat repository secret di Github







Buat folder .github/workflows di repo local, dan buat file ci.yml

```
USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ mkdir .github

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ mkdir .github/workflows

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ pwd
/c/Users/USER/BDS-Sanbercode-Devops-Batch-76

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ pwd
/c/Users/USER/BDS-Sanbercode-Devops-Batch-76

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ cd .github/workflows/

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76/.github/workflows (main)
$ dir
ci.yml

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76/.github/workflows (main)
$ ls -aal
total 1
drwxr-xr-x 1 USER 197121   0 Apr 29 14:44 ./
drwxr-xr-x 1 USER 197121   0 Apr 29 14:35 ../
-rw-r--r-- 1 USER 197121 350 Apr 29 14:44 ci.yml

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76/.github/workflows (main)
$ cat ci.yml
name: Simple CI Pipeline

on:
  push:
    branches:
      - main

jobs:
  build:
    runs-on: ubuntu-latest

    steps:
      - name: Checkout repository
        uses: actions/checkout@v4

      - name: Tampilkan pesan
        run: echo "Pipeline berhasil dijalankan"

      - name: Gunakan Secret
        run: echo "Secret key adalah $MY_SECRET_KEY"
```

Lakkukan git add . git commit dan git push. Repo di transfer ke github

```
USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76/.github/workflows (main)
$ pwd
/c/Users/USER/BDS-Sanbercode-Devops-Batch-76/.github/workflows

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76/.github/workflows (main)
$ cd ..

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76/.github (main)
$ cd ..

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ pwd
/c/Users/USER/BDS-Sanbercode-Devops-Batch-76

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ git add .
warning: in the working copy of '.github/workflows/ci.yml', LF will be replaced by CRLF the next time Git touches it

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ gita commit -m "Tugas 13, buat simple ci/cd pipeline dengan my_secret_key"
bash: gita: command not found

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ git commit -m "Tugas 13, buat simple ci/cd pipeline dengan my_secret_key"
[main 56efa21] Tugas 13, buat simple ci/cd pipeline dengan my_secret_key
 1 file changed, 20 insertions(+)
 create mode 100644 .github/workflows/ci.yml

USER@DESKTOP-C641MHG MINGW64 ~/BDS-Sanbercode-Devops-Batch-76 (main)
$ git push
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (5/5), 605 bytes | 605.00 KiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ngebenis/BDS-Sanbercode-Devops-Batch-76.git
   f055698..56efa21  main -> main
```

Isi dari ci.yml di github

1 file changed

Filter files...

.github/workflows

ci.yml

Search within code

.github/workflows/ci.yml

```
@@ -0,0 +1,20 @@
+ name: Simple CI Pipeline
+
+ on:
+   push:
+     branches:
+       - main
+
+ jobs:
+   build:
+     runs-on: ubuntu-latest
+
+     steps:
+       - name: Checkout repository
+         uses: actions/checkout@v4
+
+       - name: Tampilkan pesan
+         run: echo "Pipeline berhasil dijalankan"
+
+       - name: Gunakan Secret
+         run: echo "Secret key adalah $MY_SECRET_KEY"
```

Comments 0

Lock conversation

Comment

Subscribe You're not receiving notifications from this thread.

Masuk ke Actions muncul workflow baru dengan tanda centang hijau, jadi ci/cd berhasil jalan



Di lakukan drilldown tampil pesan Pipeline berhasil dijalankan, nmaun Secret key Adalah kosong, jadi gagal.





Perbaiki file ci.yml-nya direpo lokal seperti ini:

dibagian :

- name: Gunakan Secret
run: echo "Secret key adalah ${{ secrets.MY_SECRET_KEY }}"

LangSwitcher.tsx 9+ ! ci.yml

C: > Users > USER > BDS-Sanbercode-Devops-Batch-76 > .github > workflows > ! ci.yml

You, 31 minutes ago | 1 author (You)

```yaml
name: Simple CI Pipeline

on:
  push:
    branches:
      - main

jobs:
  build:
    runs-on: ubuntu-latest

    steps:
      - name: Checkout repository
        uses: actions/checkout@v4

      - name: Tampilkan pesan
        run: echo "Pipeline berhasil dijalankan"

      - name: Gunakan Secret
        run: echo "Secret key adalah ${{ secrets.MY_SECRET_KEY }}"
```

Lakukan lagi git add . dan git commit lalu git push, hasilnya ci.yml di github berubah menjadi :

Summary

All jobs

build

Run details

Usage

Workflow file

Workflow file for this run

.github/workflows/ci.yml at e079cd0

```yaml
name: Simple CI Pipeline

on:
  push:
    branches:
      - main

jobs:
  build:
    runs-on: ubuntu-latest

    steps:
      - name: Checkout repository
        uses: actions/checkout@v4

      - name: Tampilkan pesan
        run: echo "Pipeline berhasil dijalankan"

      - name: Gunakan Secret
        run: echo "Secret key adalah ${{ secrets.MY_SECRET_KEY }}"
```

Workflow sederhana CI/CD berhasil running, centang hijau.



Hasil yang ditampilkan pada bagian name **Gunakan Secret**, **Secret key adalah *** :**