
## Rational OpenCog Controlled Agent

Nil Geisweiller, Hedra Yusuf

AGI-23









$$C_1 \wedge^{T_1} \ldots \wedge^{T_{i-1}} C_i \ \wedge \ A_i \wedge^{T_i} \ldots \wedge^{T_j} A_j \ \leadsto^{T_i + \cdots + T_{j+1}} \ G$$







$$[C_1 \wedge^{T_1} \dots \wedge^{T_{i-1}} C_i](t) = True \mid False$$



Now Then 
$$C_1 \wedge^{T_1} \dots \wedge^{T_{i-1}} C_i \wedge A_i \wedge^{T_i} \dots \wedge^{T_j} A_j \rightsquigarrow^{T_i + \dots + T_{j+1}} G$$
Context Plan Goal

$$\begin{bmatrix} C_1 \wedge^{T_1} \dots \wedge^{T_{i-1}} C_i \end{bmatrix} (t) = \text{True} \mid \text{False} \\ \mapsto \mathcal{D}ist(Bool)$$

Now Then 
$$C_1 \wedge^{T_1} \dots \wedge^{T_{i-1}} C_i \wedge A_i \wedge^{T_i} \dots \wedge^{T_j} A_j \rightsquigarrow^{T_i + \dots + T_{j+1}} G$$
Context Plan Goal

$$\begin{bmatrix} C_1 \wedge^{T_1} \dots \wedge^{T_{i-1}} C_i \end{bmatrix} (t) = True \mid False \\ \mapsto \mathcal{D}ist(Bool) \\ \mapsto \mathcal{D}ist(\mathcal{D}ist(Bool))$$