AGI-20 Tutorial OpenCog, PLN and Pattern Miner

Nil Geisweiller, Matt Ikle

SingularityNET & OpenCog Foundations







- Install docker
 - Debian/Ubuntu sudo apt install docker.io
 - Arch/Manjaro
 sudo pacman -S docker
- 2 Download docker image (1.6GB) sudo docker pull ngeiswei/opencog:agi20

Framework for AGI

- Hypergraph Database:
 - AtomSpace
 - Atomese: query, rewrite and more
- Mind Agents (cognitive processes):
 - Reasoning: PLN, Miner
 - Learning: MOSES, Miner
 - Decision: OpenPsi (Bach's MicroPsi)
 - Language Processing
 - Attention Allocation






- Probability Theory
- Uncertainty management
- Common sense reasoning
- Mathematical reasoning
- Resource management



Basics




Definitions:

- stv = Simple Truth Value
- Subset A B = P(B|A)
- s = strength = $P(B|A) = \frac{|A \cap B|}{|A|}$
- c = confidence = $\frac{|A|}{|A| + K}$



Truth Value = Second Order Distribution





• Knowledge base:

• Rule base:

$$\frac{\text{(Subset X Y)} \quad \text{(Subset Y Z)}}{\text{(Subset X Z)}} \text{(Deduction)}$$

$$\frac{\text{X } \quad \text{(Subset X Y)}}{\text{Y }} \text{(Modus Ponens)}$$

• Target: C <?>



Example





Basic:

- Deduction
- Modus Ponens
- Conjunction/Disjunction/Negation Introduction
- Universal Instantiation
- .

Advanced is built upon basic

Download docker image: sudo docker pull ngeiswei/opencog:agi20

Advanced:

- Intensional
- Contextual
- Temporal
- Spatial
 - ...

4 D > 4 A > 4 B >

• Knowledge base:

```
(Subset A B)
(Subset A C)
(Subset A D)
(Subset B E)
(Subset C E)
(Subset D E)
```

• Frequent Pattern (minimum support = 3):



```
• Knowledge base:
```

```
(Subset A B)
(Subset A C)
(Subset A D)
(Subset B E)
(Subset C E)
(Subset D E)
...
```

• Frequent Pattern (minimum support = 3):

```
(Subset A X)
```



```
• Knowledge base:
```

```
(Subset A B)
(Subset A C)
(Subset A D)
(Subset B E)
(Subset C E)
(Subset D E)
...
```

• Frequent Pattern (minimum support = 3):

```
(Subset A X)
(Subset X E)
```



```
• Knowledge base:
```

```
(Subset A B)
(Subset A C)
(Subset A D)
(Subset B E)
(Subset C E)
(Subset D E)
```

• • • •

Frequent Pattern (minimum support = 3):

```
(Subset A X)
(Subset X E)
(And (Subset A X) (Subset X E))
```



Brute force algorithm:

- K: knowledge base
- S: minimum support
- C: pattern pool
- P, Q: patterns
- **1** Select P from C
- **2** Select specialization Q of P such that $S \leq \text{support}(Q, \mathcal{K})$
- \bigcirc Add Q to C
- Repeat



$$\frac{S \leq \operatorname{support}(Q, \mathcal{D}) \quad \operatorname{spec}(Q, P)}{S \leq \operatorname{support}(P, \mathcal{D})} \text{ (AP=A Priory Property)}$$

$$\frac{S \leq \operatorname{support}(P, \mathcal{D}) \quad \operatorname{spec}(P, Top)}{S \leq \operatorname{support}(Top, \mathcal{D})} \text{ (AP)}$$

$$\downarrow \qquad \qquad \downarrow$$


$$S \leq \operatorname{support}(Q, \mathcal{D}) \quad \operatorname{spec}(Q, P) \quad \text{(AP)}$$

$$\frac{S \leq \operatorname{support}(P, \mathcal{D})}{S \leq \operatorname{support}(Top, \mathcal{D})} \text{ (AP)}$$

 $\downarrow \downarrow$



surprising: contrary to expectation





$$\frac{P \quad \mathcal{D}}{\exp(P,\mathcal{D})} \text{ (DE)} \quad \frac{?}{\exp(P,\mathcal{D})}$$

$$S \leq \operatorname{support}(P,\mathcal{D}) \qquad \operatorname{jsd}(P,\mathcal{D}))$$

$$\operatorname{surprising}(P,\mathcal{D},\operatorname{jsd}(P,\mathcal{D})) \qquad \text{(S)}$$

コト 4月 ト 4 三 ト 4 日 ト 4 日 ト 4 日

$$\frac{P \quad \mathcal{D}}{\exp(P,\mathcal{D})} \text{ (DE)} \quad \frac{P \quad \mathcal{D}}{\exp(P,\mathcal{D})} \text{ (IS)} \\ \frac{S \leq \operatorname{support}(P,\mathcal{D})}{\operatorname{surprising}(P,\mathcal{D},\operatorname{jsd}(P,\mathcal{D}))} \text{ (S)}$$

1 > 4 A > 4 E > 4 E > 9 Q Q

$$\frac{P \quad \mathcal{D}}{\text{emp}(P,\mathcal{D})} \text{ (DE)} \quad \frac{\vdots \quad \vdots}{\text{est}(P,\mathcal{D})}$$

$$\frac{S \leq \text{support}(P,\mathcal{D})}{\text{surprising}(P,\mathcal{D},\text{jsd}(P,\mathcal{D}))} \text{ (S)}$$

◆ロト ◆部ト ◆草 ト ◆草 ・ 草 ・ 釣り(で)

$$\frac{P \quad \mathcal{D}}{\text{emp}(Q,\mathcal{D})} \text{ (DE) } \frac{\vdots \quad \vdots}{\text{est}(P,\mathcal{D})} \text{ (JSD)}$$

$$\frac{S \leq \text{support}(P,\mathcal{D})}{\text{surprising}(P,\mathcal{D}, \text{jsd}(P,\mathcal{D}))} \text{ (S)}$$

$$\frac{P \quad \mathcal{D}}{\text{emp}(Q,\mathcal{D})} \text{ (DE) } \frac{\vdots \quad \vdots}{\text{est}(P,\mathcal{D})} \text{ (JSD)}$$

$$\frac{S \leq \text{support}(P,\mathcal{D})}{\text{surprising}(P,\mathcal{D}, \text{jsd}(P,\mathcal{D}))} \text{ (S)}$$

Tutorial time