

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <title>Lukona Secondary School Portal</title>
  <script src="https://unpkg.com/react@18/umd/react.production.min.js"></script>
  <script src="https://unpkg.com/react-dom@18/umd/react-dom.production.min.js"></script>
  <script src="https://unpkg.com/@babel/standalone@7.23.5/babel.min.js"></script>
  <style>
    * { box-sizing: border-box; margin: 0; padding: 0; }
    body { font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', sans-serif; background:
#f1f0fb; }
    @keyframes spin { to { transform: rotate(360deg); } }
    @keyframes slideIn { from { transform: translateX(60px); opacity: 0 } to {
transform: translateX(0); opacity: 1 } }
    ::-webkit-scrollbar { width: 6px; height: 6px; }
    ::-webkit-scrollbar-thumb { background: #e2e0f5; border-radius: 3px; }
    select, input, textarea, button { font-family: inherit; }
    input:focus, select:focus, textarea:focus { outline: 2px solid #3C3489; outline-offset: 0;
border-color: #3C3489 !important; }
  </style>
</head>
<body>
  <div id="root"></div>
  <script type="text/babel" data-presets="react">

```

// — Palette & Design Tokens

```

const C = {
  purple: "#3C3489",
  purpleLight: "#5048b8",
  purpleDark: "#2a255f",
  purpleFade: "#eedf9",
  purpleMid: "#6c65c8",
  white: "#ffffff",
  gray50: "#f8f7ff",
  gray100: "#f1f0fb",
  gray200: "#e2e0f5",
  gray400: "#9b97cc",
  gray600: "#6b6899",
  gray800: "#2d2b4e",
  green: "#22c55e",
  greenBg: "#dcfce7",

```

```
yellow: "#f59e0b",
yellowBg: "#fef3c7",
red: "#ef4444",
redBg: "#fee2e2",
blue: "#3b82f6",
blueBg: "#dbeafe",
};
```

```
// — Seed Database
```

```
const SEED = {
  users: [
    { id: 1, name: "Admin User", email: "admin@school.com", password: "admin123", role: "admin" },
    { id: 2, name: "Mr. John Banda", email: "teacher@school.com", password: "teacher123", role: "teacher" },
    { id: 3, name: "Ms. Sarah Zulu", email: "teacher2@school.com", password: "teacher123", role: "teacher" },
    { id: 4, name: "Alice Mwansa", email: "student@school.com", password: "student123", role: "student" },
    { id: 5, name: "Brian Tembo", email: "student2@school.com", password: "student123", role: "student" },
    { id: 6, name: "Chanda Phiri", email: "student3@school.com", password: "student123", role: "student" },
  ],
  students: [
    { id: 1, user_id: 4, grade: "Grade 10", gender: "Female", dob: "2009-03-14", parent_name: "Mary Mwansa", parent_phone: "+260 977 100 001" },
    { id: 2, user_id: 5, grade: "Grade 11", gender: "Male", dob: "2008-07-22", parent_name: "James Tembo", parent_phone: "+260 977 100 002" },
    { id: 3, user_id: 6, grade: "Grade 10", gender: "Female", dob: "2009-11-05", parent_name: "Elisa Phiri", parent_phone: "+260 977 100 003" },
  ],
  teachers: [
    { id: 1, user_id: 2, subject: "Mathematics" },
    { id: 2, user_id: 3, subject: "English" },
  ],
  subjects: [
    { id: 1, name: "Mathematics", grade: "Grade 10", teacher_id: 1 },
    { id: 2, name: "English", grade: "Grade 10", teacher_id: 2 },
    { id: 3, name: "Science", grade: "Grade 10", teacher_id: 1 },
    { id: 4, name: "History", grade: "Grade 11", teacher_id: 2 },
    { id: 5, name: "Geography", grade: "Grade 11", teacher_id: 1 },
  ],
};
```

```
timetable: [
  { id: 1, day: "Monday", period: 1, start_time: "07:30", end_time: "08:30", subject_id: 1, room:
"A1", grade: "Grade 10" },
  { id: 2, day: "Monday", period: 2, start_time: "08:30", end_time: "09:30", subject_id: 2, room:
"A2", grade: "Grade 10" },
  { id: 3, day: "Tuesday", period: 1, start_time: "07:30", end_time: "08:30", subject_id: 3, room:
"Lab", grade: "Grade 10" },
  { id: 4, day: "Tuesday", period: 2, start_time: "08:30", end_time: "09:30", subject_id: 4, room:
"B1", grade: "Grade 11" },
  { id: 5, day: "Wednesday", period: 1, start_time: "07:30", end_time: "08:30", subject_id: 5,
room: "B2", grade: "Grade 11" },
  { id: 6, day: "Wednesday", period: 2, start_time: "08:30", end_time: "09:30", subject_id: 1,
room: "A1", grade: "Grade 10" },
  { id: 7, day: "Thursday", period: 1, start_time: "07:30", end_time: "08:30", subject_id: 2, room:
"A2", grade: "Grade 10" },
  { id: 8, day: "Friday", period: 1, start_time: "07:30", end_time: "08:30", subject_id: 3, room:
"Lab", grade: "Grade 10" },
  { id: 9, day: "Friday", period: 2, start_time: "08:30", end_time: "09:30", subject_id: 4, room:
"B1", grade: "Grade 11" },
],
assignments: [
  { id: 1, title: "Algebra Chapter 3", subject_id: 1, description: "Complete exercises 3.1 to 3.5",
assigned_date: "2026-06-01", due_date: "2026-06-15", statuses: { 1: "Submitted", 2: "In
Progress", 3: "Not Started" } },
  { id: 2, title: "Essay: Climate Change", subject_id: 2, description: "Write a 500-word essay",
assigned_date: "2026-06-05", due_date: "2026-06-20", statuses: { 1: "In Progress", 2: "Not
Started", 3: "Not Started" } },
  { id: 3, title: "Lab Report: Osmosis", subject_id: 3, description: "Submit lab findings report",
assigned_date: "2026-06-08", due_date: "2026-06-18", statuses: { 1: "Not Started", 2: "Not
Started", 3: "Submitted" } },
],
results: [
  { id: 1, student_id: 1, subject_id: 1, term: "Term 1", year: 2026, mark: 78 },
  { id: 2, student_id: 1, subject_id: 2, term: "Term 1", year: 2026, mark: 85 },
  { id: 3, student_id: 1, subject_id: 3, term: "Term 1", year: 2026, mark: 72 },
  { id: 4, student_id: 2, subject_id: 1, term: "Term 1", year: 2026, mark: 90 },
  { id: 5, student_id: 2, subject_id: 4, term: "Term 1", year: 2026, mark: 65 },
  { id: 6, student_id: 3, subject_id: 1, term: "Term 1", year: 2026, mark: 88 },
  { id: 7, student_id: 3, subject_id: 2, term: "Term 1", year: 2026, mark: 76 },
],
attendance: [
  { id: 1, student_id: 1, date: "2026-06-10", status: "Present", reason: "" },
  { id: 2, student_id: 1, date: "2026-06-11", status: "Present", reason: "" },
  { id: 3, student_id: 1, date: "2026-06-12", status: "Late", reason: "Transport delay" },
```

```
{ id: 4, student_id: 2, date: "2026-06-10", status: "Present", reason: "" },
{ id: 5, student_id: 2, date: "2026-06-11", status: "Absent", reason: "Sick" },
{ id: 6, student_id: 3, date: "2026-06-10", status: "Present", reason: "" },
{ id: 7, student_id: 3, date: "2026-06-11", status: "Present", reason: "" },
{ id: 8, student_id: 3, date: "2026-06-12", status: "Present", reason: "" },
],
notices: [
  { id: 1, title: "End of Term Exams", body: "Final examinations will begin on 25th June. All students must report by 07:00.", posted_by: 1, date_posted: "2026-06-10", audience: "all" },
  { id: 2, title: "Sports Day", body: "Annual Sports Day is scheduled for 20th June. Students are encouraged to participate.", posted_by: 1, date_posted: "2026-06-08", audience: "all" },
  { id: 3, title: "Fee Reminder", body: "Second term fees are due by 30th June. Contact the bursar's office for payment arrangements.", posted_by: 1, date_posted: "2026-06-05", audience: "students" },
],
fees: [
  { id: 1, student_id: 1, term: "Term 1", amount_due: 2500, amount_paid: 2500, due_date: "2026-03-31" },
  { id: 2, student_id: 1, term: "Term 2", amount_due: 2500, amount_paid: 1000, due_date: "2026-06-30" },
  { id: 3, student_id: 2, term: "Term 1", amount_due: 2500, amount_paid: 2500, due_date: "2026-03-31" },
  { id: 4, student_id: 2, term: "Term 2", amount_due: 2500, amount_paid: 2500, due_date: "2026-06-30" },
  { id: 5, student_id: 3, term: "Term 1", amount_due: 2500, amount_paid: 1500, due_date: "2026-03-31" },
  { id: 6, student_id: 3, term: "Term 2", amount_due: 2500, amount_paid: 0, due_date: "2026-06-30" },
],
messages: [
  { id: 1, sender_id: 4, receiver_id: 2, subject: "Math homework question", body: "Good day Mr. Banda. I'm confused about exercise 3.3. Could you explain how to approach problem 5?", date_sent: "2026-06-11T09:30:00", read: true },
  { id: 2, sender_id: 2, receiver_id: 4, subject: "Re: Math homework question", body: "Hello Alice. For problem 5, you need to first isolate the variable by dividing both sides. Try that approach and let me know if you still need help.", date_sent: "2026-06-11T14:00:00", read: true },
  { id: 3, sender_id: 5, receiver_id: 2, subject: "Absent yesterday", body: "Good morning sir. I was absent on the 11th due to illness. Please may I get the notes from class?", date_sent: "2026-06-12T08:00:00", read: false },
],
};
```

// — DB Layer (localStorage)

```
function initDB() {
  if (!localStorage.getItem("lukona_db_v3")) {
    localStorage.setItem("lukona_db_v3", JSON.stringify(SEED));
  }
}
function getDB() {
  return JSON.parse(localStorage.getItem("lukona_db_v3") || "{}");
}
function saveDB(db) {
  localStorage.setItem("lukona_db_v3", JSON.stringify(db));
}
function nextId(arr) {
  return arr.length ? Math.max(...arr.map(x => x.id)) + 1 : 1;
}
```

// — Auth

```
function loginUser(email, password) {
  const db = getDB();
  const user = db.users.find(u => u.email === email && u.password === password);
  if (!user) return null;
  const token = btoa(JSON.stringify({ id: user.id, role: user.role, exp: Date.now() + 86400000 }));
  localStorage.setItem("lukona_token", token);
  return user;
}
function getSession() {
  try {
    const token = localStorage.getItem("lukona_token");
    if (!token) return null;
    const payload = JSON.parse(atob(token));
    if (payload.exp < Date.now()) { localStorage.removeItem("lukona_token"); return null; }
    const db = getDB();
    return db.users.find(u => u.id === payload.id) || null;
  } catch { return null; }
}
function logout() {
  localStorage.removeItem("lukona_token");
}
```

// — Toast

```
function ToastContainer({ toasts }) {
  return (
    <div style={{ position:"fixed", bottom:24, right:24, zIndex:9999, display:"flex",
flexDirection:"column", gap:8 }}>
      {toasts.map(t => (
        <div key={t.id} style={{
          background: t.type==="error" ? C.red : t.type==="warn" ? C.yellow : C.purple,
          color: C.white, padding:"12px 20px", borderRadius:10, fontSize:14, fontWeight:500,
          boxShadow:"0 4px 20px rgba(0,0,0,0.2)", minWidth:240, maxWidth:320,
          animation:"slideIn 0.3s ease",
        }}>
          {t.msg}
        </div>
      ))}
    </div>
  );
}
```

```
function useToast() {
  const [toasts, setToasts] = useState([]);
  const show = useCallback((msg, type="success") => {
    const id = Date.now();
    setToasts(p => [...p, { id, msg, type }]);
    setTimeout(() => setToasts(p => p.filter(t => t.id !== id)), 3500);
  }, []);
  return { toasts, show };
}
```

// — Spinner

```
function Spinner() {
  return (
    <div style={{ display:"flex", justifyContent:"center", padding:40 }}>
      <div style={{
        width:36, height:36, border:`3px solid ${C.gray200}`,
        borderTop:`3px solid ${C.purple}`, borderRadius:"50%",
        animation:"spin 0.8s linear infinite",
      }} />
    </div>
  );
}
```

```
}
```

```
// — Badge
```

```
function Badge({ label, color }) {
  const map = {
    green: { bg: C.greenBg, fg: "#15803d" },
    yellow: { bg: C.yellowBg, fg: "#92400e" },
    red: { bg: C.redBg, fg: "#b91c1c" },
    blue: { bg: C.blueBg, fg: "#1d4ed8" },
    purple: { bg: C.purpleFade, fg: C.purple },
  };
  const s = map[color] || map.purple;
  return (
    <span style={{
      background: s.bg, color: s.fg, padding: "2px 10px", borderRadius: 20,
      fontSize: 12, fontWeight: 600, whiteSpace: "nowrap",
    }}>{label}</span>
  );
}
```

```
// — Modal
```

```
function Modal({ title, onClose, children }) {
  return (
    <div style={{
      position: "fixed", inset: 0, background: "rgba(0,0,0,0.45)", zIndex: 1000,
      display: "flex", alignItems: "center", justifyContent: "center", padding: 16,
    }} onClick={e => e.target === e.currentTarget && onClose()}>
      <div style={{
        background: C.white, borderRadius: 16, padding: 28, width: "100%", maxWidth: 520,
        maxHeight: "90vh", overflowY: "auto", boxShadow: "0 20px 60px rgba(0,0,0,0.25)",
      }}>
        <div style={{ display: "flex", justifyContent: "space-between", alignItems: "center",
marginBottom: 20 }}>
          <h3 style={{ margin: 0, color: C.gray800, fontSize: 18, fontWeight: 700 }}>{title}</h3>
          <button onClick={onClose} style={{ background: "none", border: "none", cursor: "pointer",
fontSize: 22, color: C.gray400 }}>×</button>
        </div>
        {children}
      </div>
    </div>
  );
}
```

```
);  
}
```

```
// — Input
```

```
function Input({ label, ...props }) {  
  return (  
    <div style={{ marginBottom:14 }}>  
      {label} && <label style={{ display:"block", fontSize:13, fontWeight:600, color:C.gray600,  
marginBottom:5 }}>{label}</label>  
      <input {...props} style={{  
        width:"100%", padding:"10px 14px", border:`1.5px solid ${C.gray200}`,  
        borderRadius:8, fontSize:14, color:C.gray800, outline:"none",  
        background:C.white, boxSizing:"border-box",  
        ...props.style,  
      }} onFocus={e => e.target.style.borderColor=C.purple}  
        onBlur={e => e.target.style.borderColor=C.gray200} />  
    </div>  
  );  
}
```

```
function Select({ label, children, ...props }) {  
  return (  
    <div style={{ marginBottom:14 }}>  
      {label} && <label style={{ display:"block", fontSize:13, fontWeight:600, color:C.gray600,  
marginBottom:5 }}>{label}</label>  
      <select {...props} style={{  
        width:"100%", padding:"10px 14px", border:`1.5px solid ${C.gray200}`,  
        borderRadius:8, fontSize:14, color:C.gray800, background:C.white,  
        boxSizing:"border-box", cursor:"pointer",  
      }}>  
        {children}  
      </select>  
    </div>  
  );  
}
```

```
function Textarea({ label, ...props }) {  
  return (  
    <div style={{ marginBottom:14 }}>  
      {label} && <label style={{ display:"block", fontSize:13, fontWeight:600, color:C.gray600,  
marginBottom:5 }}>{label}</label>  
      <textarea {...props} rows={4} style={{
```



```

        width:"100%", padding:"10px 14px", border:`1.5px solid ${C.gray200}`,
        borderRadius:8, fontSize:14, color:C.gray800, background:C.white,
        boxSizing:"border-box", resize:"vertical", fontFamily:"inherit",
      }} />
    </div>
  );
}

```

```

function Btn({ children, variant="primary", size="md", ...props }) {
  const base = {
    border:"none", borderRadius:8, cursor:"pointer", fontWeight:600,
    fontSize: size==="sm" ? 13 : 14,
    padding: size==="sm" ? "6px 14px" : "10px 22px",
    transition:"opacity 0.15s",
  };
  const variants = {
    primary: { background:C.purple, color:C.white },
    danger: { background:C.red, color:C.white },
    ghost: { background:C.purpleFade, color:C.purple },
    outline: { background:"none", color:C.purple, border:`1.5px solid ${C.purple}` },
  };
  return (
    <button {...props} style={{ ...base, ...variants[variant], ...props.style }}
      onMouseEnter={e => e.currentTarget.style.opacity="0.85"}
      onMouseLeave={e => e.currentTarget.style.opacity="1"}>
      {children}
    </button>
  );
}

```

// — Page Header

```

function PageHeader({ title, subtitle, action }) {
  return (
    <div style={{ display:"flex", justifyContent:"space-between", alignItems:"flex-start",
marginBottom:24, flexWrap:"wrap", gap:12 }}>
      <div>
        <h2 style={{ margin:0, color:C.gray800, fontSize:22, fontWeight:800 }}>{title}</h2>
        {subtitle && <p style={{ margin:"4px 0 0", color:C.gray600, fontSize:14 }}>{subtitle}</p>}
      </div>
      {action}
    </div>
  );
}

```

```
}
```

```
// — Card
```

```
function Card({ children, style }) {  
  return (  
    <div style={{  
      background:C.white, borderRadius:14, padding:20,  
      boxShadow:"0 2px 12px rgba(60,52,137,0.08)",  
      border:`1px solid ${C.gray100}`,  
      ...style,  
    }}>{children}</div>  
  );  
}
```

```
// — Stat Card
```

```
function StatCard({ icon, label, value, color, sub }) {  
  const bg = { green:C.greenBg, yellow:C.yellowBg, red:C.redBg, purple:C.purpleFade  
}[color]||C.purpleFade;  
  const fg = { green:"#15803d", yellow:"#92400e", red:"#b91c1c", purple:C.purple  
}[color]||C.purple;  
  return (  
    <Card style={{ display:"flex", alignItems:"center", gap:16 }}>  
      <div style={{ width:52, height:52, borderRadius:14, background:bg, display:"flex",  
alignItems:"center", justifyContent:"center", fontSize:24, flexShrink:0 }}>{icon}</div>  
      <div>  
        <div style={{ fontSize:26, fontWeight:800, color:fg, lineHeight:1 }}>{value}</div>  
        <div style={{ fontSize:13, color:C.gray600, marginTop:3, fontWeight:500 }}>{label}</div>  
        {sub && <div style={{ fontSize:12, color:C.gray400, marginTop:2 }}>{sub}</div>  
      </div>  
    </Card>  
  );  
}
```

```
// — Login Page
```

```
function LoginPage({ onLogin }) {  
  const [email, setEmail] = useState("");  
  const [pass, setPass] = useState("");  
  const [err, setErr] = useState("");
```

```

const [loading, setLoading] = useState(false);

function handle(e) {
  e.preventDefault();
  if (!email || !pass) { setErr("Please enter both email and password."); return; }
  setLoading(true);
  setTimeout(() => {
    const user = loginUser(email, pass);
    setLoading(false);
    if (user) onLogin(user);
    else setErr("Invalid email or password.");
  }, 600);
}

return (
  <div style={{
    minHeight:"100vh", background:`linear-gradient(135deg, ${C.purpleDark} 0%, ${C.purple}
50%, ${C.purpleMid} 100%)`,
    display:"flex", alignItems:"center", justifyContent:"center", padding:16,
  }}>
    <div style={{
      background:C.white, borderRadius:20, padding:"40px 36px", width:"100%", maxWidth:420,
      boxShadow:"0 24px 80px rgba(0,0,0,0.3)",
    }}>
      { /* Logo */ }
      <div style={{ textAlign:"center", marginBottom:32 }}>
        <div style={{
          width:72, height:72, borderRadius:20, background:`linear-gradient(135deg, ${C.purple},
${C.purpleMid})`,
          display:"flex", alignItems:"center", justifyContent:"center",
          fontSize:32, margin:"0 auto 14px", color:C.white, fontWeight:900,
        }}>L</div>
        <h1 style={{ margin:0, color:C.gray800, fontSize:24, fontWeight:800,
letterSpacing:"-0.5px" }}>Lukona Secondary</h1>
        <p style={{ margin:"6px 0 0", color:C.gray600, fontSize:14 }}>School Management
Portal</p>
      </div>
      <form onSubmit={handle}>
        <Input label="Email Address" type="email" placeholder="you@school.com" value={email}
onChange={e => setEmail(e.target.value)} />
        <Input label="Password" type="password" placeholder="....." value={pass}
onChange={e => setPass(e.target.value)} />
        {err && <div style={{ background:C.redBg, color:"#b91c1c", padding:"10px 14px",
borderRadius:8, fontSize:13, marginBottom:14 }}>{err}</div>}
      </form>
    </div>
  </div>
)

```

```
<Btn style={{ width:"100%", padding:"13px", fontSize:15, marginTop:4 }}
disabled={loading}>
  {loading ? "Signing in..." : "Sign In"}
</Btn>
</form>
<div style={{ marginTop:24, padding:"16px", background:C.gray50, borderRadius:10,
fontSize:12, color:C.gray600, lineHeight:1.7 }}>
  <strong style={{ color:C.gray800 }}>Demo accounts:</strong><br/>
  Admin: admin@school.com / admin123<br/>
  Teacher: teacher@school.com / teacher123<br/>
```