SQL FUNDAMENTALS: SELECT & FILTERING

1. SELECT *
   FROM employees;

id	first_name	last_name	department	salary	hire_date	city
1	Alice	Green	IT	70000	2020-01-10	Johannesburg
2	Brian	Lee	HR	45 000	2019-03-22	Cape Town
3	Cathy	Zulu	Finance	65 000	2018-07-18	Durban
4	David	Mokoena	Marketing	50 000	2021-11-05	Pretoria
5	Eva	Naidoo	IT	72 000	2017-09-30	Johannesburg

2. SELECT DISTINCT department
   FROM employees;

department
IT
HR
Finance
Marketing

3. SELECT first_name,
   last_name,
   FROM employees
   ORDER BY salary DESC;

first_name	last_name
Eva	Naidoo
Alice	Green
Cathy	Zulu
David	Mokoena
Brain	Lee

4. SELEC

FROM
ORDER

id
5
1
3

5. SEL

FRO
WHE

id
1
5

4. SELECT id,
first_name,
last_name,
salary
FROM employees
ORDER BY salary DESC LIMIT 3;

id	first_name	last_name	salary
5	Eva	Naidoo	72 000
1	Alice	Green	70 000
3	Cathy	Zulu	65 000

5. SELECT id,
first_name,
last_name,
department
FROM employees
WHERE department='IT';

id	first_name	last_name	department
1	Alice	Green	IT
5	Eva	Naidoo	IT

6. SELECT id,
first_name,
last_name,
department,
salary
FROM employees
WHERE salary > 60000 AND department = 'Finance';

id	first_name	last_name	department	salary
3	Cathy	Zulu	Finance	65 000

7. SELECT id,
first_name,
last_name,
department
FROM employees
WHERE department = 'HR' OR department = 'Marketing';

id	first_name	last_name	department
2	Brian	Lee	HR
4	David	Makoena	Marketing

8. SELECT id,
first_name,
last_name,
department
FROM employees
WHERE NOT department = 'IT';

id	first_name	last_name	department
2	Brian	Lee	HR
3	Cathy	Zulu	Finance
4	David	Mokoena	Marketing

9. SELECT id,
first_name,
last_name,
department
FROM employees
WHERE department IN('IT', 'HR', 'Finance');

id	first_name	last_name	department
1	Alice	Green	IT
2	Brian	lee	HR
3	Cathy	Zulu	Finance
5	Eva	Naidoo	IT

10. SELECT id,
first_name,
last_name,
department,
salary,
city
FROM employees
WHERE salary > 65000 AND city = 'Johannesburg';

id	first_name	last_name	department	salary	city
1	Alice	Green	IT	70 000	Johannesburg
2	Eva	Naidoo	IT	72 000	Johannesburg