

Life Prognosis Management Tool

UML Diagram Description

Use Case Diagram

The use case focuses on the interactions between Patients and Admin.

We have two actors:

1. Patient: represents a user who will interact with the system to manage their health information and view survival rates.
2. Admin: represents a privileged user who manages patient registrations and can export statistics.

Use Cases for Patient:

1. Login: the patient can log into the application/system. The login process includes verifying login credentials
2. Complete registration: the patient completes their registration process which was initialized by an admin. (includes)
3. View Survival rate: the patient can view their calculated survival rate, which was calculated in the system (includes).
4. View My Profile: patient can view their profile information
5. Edit My Profile: patient can update their profile information
6. Download .ics Schedule: patient can download their demise schedule in .ics format

Use cases for Admin:

1. Login: the admin can log into the application/system. The login process includes verifying login credentials
2. Initialize Patient Registration: the admin initiates the registration process for a new patient, which includes generating a UUID for the patient.
3. Download Statistics as Excel: the admin can download statistics and patient data in Excel format

Relationships:

Includes: this indicates that a use case contains the behavior of another use case. For example:

- **login** includes **verify login credentials**, meaning verifying credentials is a part of the login process.

- **Complete registration** includes **initialize patient registration**
- **Initialize patient registration** includes **generate UUID**
- **View survival rate** includes **calculate survival rate**

Class diagram

This class diagram represents the structure of the Life Prognosis Management Tool application.

1. **User** (abstract class or interface): this contains common attributes for all users: UUID, firstName, lastName, email, and password. This is an abstract class that Patient and Admin inherit from.
2. **Patient** (extends User): has additional attributes specific to patients: dateOfBirth, isHIVPositive, diagnosisDate, onARTDrugs, ARTStartDate, residentCountry. Methods: estimateSurvivalRate(), updateProfileData(), getProfileData().
3. **Admin** (extends User): this has no additional attributes. Method: getRole().
4. **UserService**: this manages user-related operations. Methods:
 - a. initializePatientRegistration
 - b. createUser
 - c. verifyLoginCredentials
 - d. handleBashCommands
5. **Main**: this represents the Application . It serves as the entry point for the application, and it's where the user accesses all the features of the app.

Methods

 - initiatePatientRegistration(),
 - completePatientRegistration()
 - createUser()
 - verifyLoginCredentials()
 - handleBashCommands()
6. **SummaryStat**: this handles statistical calculations and data with attributes: totalPatients, averageAge, totalOnART, totalHIVPositive. Methods: createStatistics(), saveStatisticsToExcel().

The diagram shows the relationships between these classes:

- Patient and Admin inherit from User.
- UserManager interacts with User objects.
- SummaryStat is used by Admin for generating reports.

Activity Diagram

Our Activity diagram represent workflows of stepwise activities and actions carried out by the admin and patient

Here, we illustrate the flow of activities for both patients and administrators.

1. Patient Flow:

- The process starts with patient registration/login.
- There's a decision point: "Have credentials?" If No: the patient completes registration. If Yes: The patient logs in.
- After login or registration, the patient can perform three actions: View user profile, View Survival rate, or Recalculate survival rate

2. Admin Flow

- The process starts with "Login as admin".
- There's a decision point: "Login successful?" If No: It loops back to login, possibly with a "Wrong Password/Username" message. If Yes: The admin can perform two actions:
- Generate UUID (for new user registration)
- Save to excel (for data export or report generation)

Key Points:

- The diagram clearly separates patient and admin workflows.
- For patients, it shows the registration process and the main functionalities they can access. For admins, it focuses on login security and key administrative tasks.
- The diagram uses standard UML notation with start points (solid circles), end points (circles with a dot inside), decision diamonds, and activity rectangles.
- The horizontal bars represent points where the flow can split into parallel activities or where parallel flows merge.

This activity diagram provides a high-level overview of the system's main processes, showing how users interact with the system and the sequence of possible actions. This will serve as an important tool for understanding the overall flow of the application and guide the development of user interfaces and backend processes.