

Food lovers

KHTN students are food lovers and they have a list of favorite dishes numbered from 1 to M in order from left to right.

There are N days they can go out to eat, on the i -th day they go out to eat, they will eat dishes from position L_i to position R_i and they will get satisfaction level S_i . They can eat a dish multiple times. But KHTN students have a weird hobby, they will not eat all the dishes but always leave at least one dish for others.

Your task is to help them choose dining days that suit the above conditions and achieve the highest level of satisfaction.



Input:

The first line of the input contains two integers N, M ($1 \leq N, M \leq 2 * 10^5$) is the number of days and dishes

Each of the next N lines contains three integers L_i, R_i, S_i ($1 \leq L_i \leq R_i \leq M, 1 \leq S_i \leq 5000$) giving the dishes they will eat from position L_i to position R_i and satisfaction level S_i

Output:

Output the highest level of satisfaction.

Samples Input	Samples Output
4 8 1 3 4 2 8 5 6 7 2 1 4 2	8
3 3 1 1 5 1 1 5 1 3 1 0 0	10

Examples 1: They will go out to eat at day 1,3,4 and there will be 2 dishes left (5 and 8). Level of satisfaction is $4+2+2 = 8$

Examples 2 : They will go out to eat at day 1,2. Level of satisfaction is $5+5 = 10$