PMDA FS Question Export — chlorhexidine gluconate

Generated at: 2026-03-25T08:22:37

Question bank: E:\PharmAppDev\database\PMDA\pmda_question_bank_v7\PMDA_RAG_Reusable_Question_Bank.md

Index dir: E:\PharmAppDev\database\PMDA\pmda_fs_index

Phase summaries


```
{
  "non_ollama": {
    "phase": "non_ollama",
    "count": 111,
    "success": 111,
    "failed": 0,
    "elapsed_seconds_sum": 49999.748,
    "elapsed_seconds_avg": 450.4482,
    "retrieval_seconds_sum": 8521.0097,
    "generation_seconds_sum": 0.003,
    "estimated_context_tokens_sum": 141786,
    "estimated_prompt_tokens_sum": 150703,
    "estimated_answer_tokens_sum": 130477
  },
  "ollama": {
    "phase": "ollama",
    "count": 3,
    "success": 3,
    "failed": 0,
    "elapsed_seconds_sum": 498.3794,
    "elapsed_seconds_avg": 166.1265,
    "retrieval_seconds_sum": 197.1659,
    "generation_seconds_sum": 301.2092,
    "estimated_context_tokens_sum": 1205,
    "estimated_prompt_tokens_sum": 1450,
    "estimated_answer_tokens_sum": 814
  },
  "all": {
    "count": 114,
    "success": 114,
    "failed": 0,
    "elapsed_seconds_sum": 50498.1274
  }
}
```


1. What are the key warnings and contraindications?

Phase: non_ollama | Success: Yes | Elapsed: 38.9334

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the key warning
Question: What are the key warnings and contraindications?
Drug filter: chlorhexidine gluconate
Section hints: contraindication, warning

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=7.0359
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert

0.05

The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
(http://www.info.pmda.go.jp/):
1-medium
Chlorhexidine gluconate
```

```
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7215
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6784
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 28 | section=contraindication | score=6.6687
  22
13.Overdose
Not applicable

14. Application notes
(1) Administration route: Do not use for any purpose other than hand disinfection. (2) When using:

15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

16.Others
Nothing in particular
- chlorhexidine gluconate | interview_form | page 18 | section=contraindication | score=6.6405
  7. Interaction
(1) Concomitant use contraindications and reasons not applicable (2) Precautions for concomitant us
- chlorhexidine gluconate | interview_form | page 19 | section=contraindication | score=6.6062
  - 13 -
14. Application notes
(1) Administration route Do not use for any purpose other than hand disinfection. (2) During use
1) Be careful not to accidentally get it in your eyes while using this drug. If it comes into conta
to do.
2) Be careful as there are reports that chemical skin burns may occur when the solution is in conta
to do.
3) Be careful of fire as it is flammable and explosive.
15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

Sources:
- chlorhexidine gluconate / interview_form / page 2
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 28
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 19
```

2. What are the contraindications?

Phase: non_ollama | Success: Yes | Elapsed: 73.9822

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the contraindic
Question: What are the contraindications?
```

Drug filter: chlorhexidine gluconate
Section hints: contraindication

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=7.0832
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert

0.05

The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
(http://www.info.pmda.go.jp/):
1-medium

Chlorhexidine gluconate
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | interview_form | page 28 | section=contraindication | score=6.7252
  22
13.Overdose
Not applicable

14. Application notes
(1) Administration route: Do not use for any purpose other than hand disinfection. (2) When using:

15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

16.Others
Nothing in particular
- chlorhexidine gluconate | interview_form | page 18 | section=contraindication | score=6.7148
  7. Interaction
(1) Concomitant use contraindications and reasons not applicable (2) Precautions for concomitant us
- chlorhexidine gluconate | interview_form | page 19 | section=contraindication | score=6.6530
  - 13 -
14. Application notes
(1) Administration route Do not use for any purpose other than hand disinfection. (2) During use
1) Be careful not to accidentally get it in your eyes while using this drug. If it comes into conta
to do.
2) Be careful as there are reports that chemical skin burns may occur when the solution is in conta
to do.
3) Be careful of fire as it is flammable and explosive.
15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- Chlorhexidine Gluconate | smpc_label | page 1 | section=contraindication | score=6.6274
  0.5%
[redacted](2[redacted])[redacted]
0.05%[redacted]
([redacted]100[redacted]) 0.05%[redacted]
14.1.2 [redacted]
[redacted]
14.1.3 [redacted]
[redacted]
14.1.4 [redacted]
[redacted]
14.1.5 [redacted]
[redacted]115°C 30[redacted]121°C 20
[redacted]126°C 15[redacted]
14.1.6 [redacted]
14.1.7 [redacted]

```
■■■
```

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0485
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0382
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0088
  Revised December 2023 (7th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Dosage form Regulatory classification of liquid preparations for external use Not applicable specif
Date of manufacturing and marketing approval: February 26
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0025
  September 2021 (1st edition)
Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci
Disinfectant for hands MICROSHIELD■ Skincare Products Dosage form Regulatory classification for ex
[Contains 4% (w/v) as chlorhexidine gluconate]
common name
Japanese name: Chlorhexidine gluconate solution
Western name: Chlorhexidine Gluconate Solution
Date of manufacturing and sales approval Date of NHI price list listing/release date
Date of manufacturing and sales approval: June 26, 2009 (d

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1

4. What are the important precautions before using this drug?

Phase: non_ollama | Success: Yes | Elapsed: 249.033

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the important p
Question: What are the important precautions before using this drug?
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7641
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.4643
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.2964
  -6-

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applicable materials

15.Irritation
Refer to "VIII. Items related to safety (precautions, etc.)", "2. Contraindications and their reaso

16.Others
Not applicable
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.1875
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.1813
```

```
  16
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported. ]
(4) Eyes [There
- chlorhexidine gluconate | interview_form | page 26 | section=warning | score=6.1744
  20
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2.Contraindications and their reasons (including contraindications in principle)
(Do not use in the following cases) Persons with a history of hypersensitivity to chlorhexidine pre

3. Precautions and reasons for use related to efficacy or effect
Not applicable

4. Precautions and reasons related to usage and administration
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 26
```

5. Before using this drug, what should patients be careful about?

Phase: non_ollama | Success: Yes | Elapsed: 372.8305

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Before using this drug,
Question: Before using this drug, what should patients be careful about?
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.6790
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6709
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
```

Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.6674
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution cor

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6495
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6368
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=5.6296
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7

```
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 23
```

6. Who should not use this drug?

Phase: non_ollama | Success: Yes | Elapsed: 520.822

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Who should not use this
Question: Who should not use this drug?
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide
Section hints: contraindication, dosage

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.8609
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.8409
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.8285
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=6.8101
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert

0.05
The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
```

```
(http://www.info.pmda.go.jp/):
1-medium

Chlorhexidine gluconate
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.7978
  Revised December 2023 (7th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Dosage form Regulatory classification of liquid preparations for external use Not applicable specif
Date of manufacturing and marketing approval: February 26
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.7899
  September 2021 (1st edition)
Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci
Disinfectant for hands MICROSHIELD■ Skincare Products Dosage form Regulatory classification for ex
[Contains 4% (w/v) as chlorhexidine gluconate]
common name
Japanese name: Chlorhexidine gluconate solution
Western name: Chlorhexidine Gluconate Solution
Date of manufacturing and sales approval Date of NHI price list listing/release date
Date of manufacturing and sales approval: June 26, 2009 (d

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 2
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
```

7. What should patients avoid while taking this drug?

Phase: non_ollama | Success: Yes | Elapsed: 658.7407

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What should patients avo
Question: What should patients avoid while taking this drug?
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.6910
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lio
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6826
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201
```

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.6806
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution cor

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6607
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6477
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=5.6431
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1

```
- chlorhexidine gluconate / interview_form / page 23
```

8. What are the major adverse reactions and serious adverse events?

Phase: non_ollama | Success: Yes | Elapsed: 673.9816

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the major adver
Question: What are the major adverse reactions and serious adverse events?
Drug filter: chlorhexidine gluconate
Section hints: adverse_event

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=adverse_event | score=7.0219
  Medium Contains 0.1g of chlorhexidine gluconate (
0.1w/v%)

:1) It has been diluted so it can be used as is. [Prevention of measurement/dilution errors] Contai
0.5w/v%) Since it uses a volume-reducing bottle, it can be folded to reduce the volume and be dispo
Ru. (12) Shock and anaphylaxis may occur as serious side effects.
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=7.0194
  1
I. Items related to overview
1. Development history
This agent is a topical disinfectant containing chlorhexidine gluconate as an active ingredient.

“Yakuhan” is a 20% chlorhexidine gluconate solution developed by Yakuhan Pharmaceutical Co., Ltd.
Established standards and test methods, conducted stability tests and bactericidal power tests, and
Sales began on June 13, 2005.

Nichiiko Co., Ltd. began selling this drug on April 16, 2012.

2. Therapeutic and pharmaceutical properties of the product
(1) This agent is a topical disinfectant containing 19.0~21.0w/v% of chlorhexidine gluconate.
Ru.
(2) The packaging standard is a 500mL rectangular volume-reducing c
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=6.9696
  has been done. Additionally, the ``Guidelines for Standard Dialysis Operations and Infection Prev
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=6.8978
  2. Therapeutic and pharmaceutical properties of the product
(1) A preparation containing 1% chlorhexidine gluconate and ethanol, which has an antimicrobial spe
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=6.8659
  In September 2007, ``Hibis Club'' was introduced as ``Hibis Club Disinfectant'' as part of measur
4%" approval and the name was changed.
2. Therapeutic properties of the product
(1) This agent shows almost the same antibacterial effect as the Japanese Pharmacopoeia chlorhexidi
- chlorhexidine gluconate | interview_form | page 24 | section=adverse_event | score=6.8242
  - 19 -

9. Administration to the elderly

10.Pregnant women, delivery women, and lactating women
administration to etc.

11.Administration to children, etc.

12.Clinical test results
influence

13.Overdose

14. Application notes

15.Other notes

16.Others

serious side effects
Shock (frequency unknown), anaphylaxis (frequency unknown):
```

```
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pressure, hiv

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

1) Route of administration
Do not use for any purpose other than hand disinfecti

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 24
```

9. Are there precautions for pediatric patients, elderly patients, pregnancy, or breastfeeding?

Phase: non_ollama | Success: Yes | Elapsed: 809.4957

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there precautions fo
Question: Are there precautions for pediatric patients, elderly patients, pregnancy, or breastfeedi
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide
Section hints: warning, pregnancy

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=6.7493
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7012
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 11 | section=pregnancy | score=6.4888
  14. Application and drug delivery
Precautions Application Precautions (1) Route of Administration: Use only for external use. (2) Whe
1) Be careful not to accidentally get it in your eyes while using this drug. If it gets into your e
If this occurs, immediately rinse thoroughly with water.
2) When using over a wide area or for a long period of time, be careful not to inhale vapor.
3) Proteins such as serum and pus may coagulate and may not penetrate inside.
When using medical instruments etc. that have these on them, wash them thoroughly before use.
4) If used repeatedly on the same area (skin surface), it may cause skin roughness due to degreasin
Please be careful as this
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.3998
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 12 | section=pregnancy | score=6.3872
  (3) Reproductive and developmental toxicity test 17) Fetal test, genetic variability
Chlorhexidine gluconate for 10 days from the 6th to 15th gestation day of pregnant rats.
```

```
10, 25, and 50 mg/kg were administered orally. Regarding the mother body, only the maximum amount g
Slight irritation sensitivity and suppression of weight gain were observed, but no abnormalities we

(4) Other special toxicities 18) Hemolytic and tissue-damaging The minimum tissue-damaging concentr
- chlorhexidine gluconate | interview_form | page 20 | section=pregnancy | score=6.3778
  No particular abnormality was observed except for an increase in giant cells in the nodes19). (3)

Pregnant rats received 10, 25, and 50 mg/kg/day of chlorhexidine gluconate for 10 days from the 6th

When administered orally, slight hypersensitivity and suppression of weight gain were observed in t

1) Tissue damage

The minimum tissue-damaging concentration of chlorhexidine gluconate in chic

Sources:
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 12
- chlorhexidine gluconate / interview_form / page 20
```

10. Show the pages that discuss warnings, contraindications, and precautions.

Phase: non_ollama | Success: Yes | Elapsed: 2612.775

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Show the pages that disc
Question: Show the pages that discuss warnings, contraindications, and precautions.
Drug filter: chlorhexidine gluconate
Section hints: contraindication, warning

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=7.0286
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert

0.05

The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
(http://www.info.pmda.go.jp/):
1-medium

Chlorhexidine gluconate
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.9585
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha
```

```
“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 28 | section=contraindication | score=6.9008
  22
13.Overdose
Not applicable

14. Application notes
(1) Administration route: Do not use for any purpose other than hand disinfection. (2) When using:

15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

16.Others
Nothing in particular
- chlorhexidine gluconate | interview_form | page 19 | section=contraindication | score=6.8414
  - 13 -
14. Application notes
(1) Administration route Do not use for any purpose other than hand disinfection. (2) During use
1) Be careful not to accidentally get it in your eyes while using this drug. If it comes into conta
to do.
2) Be careful as there are reports that chemical skin burns may occur when the solution is in conta
to do.
3) Be careful of fire as it is flammable and explosive.
15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- chlorhexidine gluconate | interview_form | page 20 | section=contraindication | score=6.8164
  15

14. Application notes
(1) Administration Route Do not use for any purpose other than disinfecting hands and skin. (2) Dur
1) Please note that repeated use may cause skin irritation due to degreasing.
2) Organic substances such as serum and pus reduce the bactericidal action, so if these are present
Wash thoroughly before use.
3) Since soap weakens the bactericidal effect of this agent, be sure to thoroughly wash off the soa
before use.
4) Be careful of fire as it is flammable and explosive.
5) There are reports that chemical skin burns may occur when the solution is in contact with the sk
So be careful.
15.Other notes
I
- chlorhexidine gluconate | interview_form | page 19 | section=contraindication | score=6.7879
  14

11. Application notes
14. Application notes
14.1 Precautions when using drugs
14.1.1 This product should not be diluted and should be used as a undiluted solution.
14.1.2 Do not administer orally. If swallowed by mistake, wash the stomach with milk, raw eggs, gel
Take appropriate measures such as
14.1.3 Do not use for any purpose other than hand disinfection.
14.1.4 Take care to avoid contact with eyes. In case of contact with eyes, rinse thoroughly with wa
14.1.5 There are reports of chemical skin burns caused by prolonged skin contact in solution form.
So be careful.
14.2 Precautions after using drugs
If white cloth coated with this agent is bleached with a ch

Sources:
- chlorhexidine gluconate / interview_form / page 2
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 28
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 20
- chlorhexidine gluconate / interview_form / page 19
```

11. What are the active ingredient and excipients?

Phase: non_ollama | Success: Yes | Elapsed: 2553.1092

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the active ingr
```

Question: What are the active ingredient and excipients?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9599
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 11 | section=general | score=5.9554
  5
4. Quantification method of active ingredients
Based on the Japanese drug ``chlorhexidine gluconate solution.''
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.9331
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.9124
  - 4 -
3. Confirmation test for active ingredients
law
4. Quantification method of active ingredients
According to the Japanese Bureau of Medicine's "Chlorhexidine Gluconate Solution Confirmation Test.
- chlorhexidine gluconate | interview_form | page 8 | section=general | score=5.8846
  II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine GLUCONATE SOLUTION DISINFECTION CLOTH 4 x 4 disinfectant cloth (2)
2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
3. Structural formula or demonstrative formula
4.Molecular formula and molecular weight
Molecular for
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8823
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros

```
Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 8
```

12. List the full qualitative composition of the product.

Phase: non_ollama | Success: Yes | Elapsed: 2457.4403

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "List the full qualitativ
Question: List the full qualitative composition of the product.
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=5.9746
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name

2. Common name

(1) Japanese name: Chlorhexidine gluconate

(2) Western name Chlorhexidine Gluconate

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9629
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9491
  Revised November 2024 (5th edition)
```

Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9415
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9192
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9103
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat

Sources:
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1

13. What is the quantitative composition per unit dose?

Phase: non_ollama | Success: Yes | Elapsed: 2337.9698

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What is the quantitative
Question: What is the quantitative composition per unit dose?
Drug filter: chlorhexidine gluconate
Section hints: dosage

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=7.0103
  4

IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form Liquid preparation for external use

(2) Appearance and properties of the preparation Brand name: Chlorhexidine gluconate disinfectant 5

(3)Identification code not applicable

(4) No relevant data on physical properties of the preparation

(5)Other sterility: Not a sterile preparation

2. Composition of the formulation
(1)Content of active ingredient (active ingredient) and additives Brand name: Chlorhexidine glucona
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=7.0034
  4
IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form External liquid (2) Appearance and properties of the preparation Bra
pH:5.5~7.0(1→5)
specific gravity d
20
20:1.009~1.029
Not a sterile preparation
2. Composition of the formulation
(1)Content of active ingredients and additives Brand name: Chlorhexidine gluconate disinfectant sol
100mL
- chlorhexidine gluconate | interview_form | page 6 | section=dosage | score=6.9887
  IV.Items related to formulations
1. Dosage form

(1) Route of administrationExternal use

(2) Distinction of dosage forms, specifications, and properties Distinction of dosage forms: Liquid
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=6.9581
  -4-

IV.Items related to formulations
1.Dosage form
(1) Administration route: Use only for external use. (2) Distinction of dosage forms, appearance an
1) Distinction: External sterilizing disinfectant
2) Specifications: 1 package, Japanese Pharmacopoeia Chlorhexidine gluconate solution 0.09mL
(0.018g as chlorhexidine gluconate)
3) Appearance and properties: non-woven fabric (2 sheets) impregnated with chemical solution (chemi
It is. The chemical solution is colorless to slightly white. (3) Physical properties of the prepara
- chlorhexidine gluconate | interview_form | page 10 | section=dosage | score=6.9548
  IV.Items related to formulations
1.Dosage form
(1) Distinction of dosage form Disinfectant for external skin (2) Appearance and properties of the
1% disinfectant cloth 4×4 “Nipro”
It is a nonwoven fabric impregnated with a chemical solution. The chemical solution is colorless. (
2. Composition of the formulation
(1)Content of active ingredient (active ingredient) and additive Brand name Active ingredient Addit
- chlorhexidine gluconate | interview_form | page 5 | section=dosage | score=6.9531
  (2) Distinction of dosage forms, specifications, and properties Distinction of dosage forms: Liqu
```

```
20
20
2

Sources:
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 10
- chlorhexidine gluconate / interview_form / page 5
```

14. What dosage forms and strengths are available?

Phase: non_ollama | Success: Yes | Elapsed: 2344.8887

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What dosage forms and st
Question: What dosage forms and strengths are available?
Drug filter: chlorhexidine gluconate
Section hints: dosage

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=7.1029
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0924
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0683
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
```

```
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0571
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0262
  Revised December 2023 (7th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Dosage form Regulatory classification of liquid preparations for external use Not applicable specif
Date of manufacturing and marketing approval: February 26
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0211
  September 2021 (1st edition)
Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci
Disinfectant for hands MICROSHIELD■ Skincare Products Dosage form Regulatory classification for ex
[Contains 4% (w/v) as chlorhexidine gluconate]
common name
Japanese name: Chlorhexidine gluconate solution
Western name: Chlorhexidine Gluconate Solution
Date of manufacturing and sales approval Date of NHI price list listing/release date
Date of manufacturing and sales approval: June 26, 2009 (d

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
```

15. Which excipients are present in the 50 mg and 100 mg tablets?

Phase: non_ollama | Success: Yes | Elapsed: 2212.4002

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which excipients are pre
Question: Which excipients are present in the 50 mg and 100 mg tablets?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8448
  September 2021 (1st edition)
Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci
Disinfectant for hands MICROSHIELD■ Skincare Products Dosage form Regulatory classification for ex
[Contains 4% (w/v) as chlorhexidine gluconate]
common name
Japanese name: Chlorhexidine gluconate solution
Western name: Chlorhexidine Gluconate Solution
Date of manufacturing and sales approval Date of NHI price list listing/release date
```

Date of manufacturing and sales approval: June 26, 2009 (d
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8408
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Hand disinfectant (chlorhexidine gluconate formulation) FERMASCRUB 4%FERMASCRUB 4%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 20mL in 100mL
(Contains 4w/v% as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconate (JA
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.7971
  Created in June 2021 (1st edition)
Japan standard product classification number 872619

Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci

External germicidal disinfectant

Dosage form Regulatory classification of disinfectant-impregnated cloth preparations Not applicable
In 1 package,
Contains 0.09mL of Japanese Pharmacopoeia chlorhexidine gluconate solution (0.18g as chlorhexidine
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=5.7272
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.7196
  3
6.Usual names, aliases, abbreviations, symbol numbers
Other name: Chlorhexidine gluconate

7.CAS registration number
18472-51-0(Chlorhexidine Gluconate)
55-56-1(Chlorhexidine)
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.7025
  3
6.Usual names, aliases, abbreviations, symbol numbers
Other name: Chlorhexidine gluconate solution

7.CAS registration number
18472-51-0(Chlorhexidine Gluconate)
55-56-1(Chlorhexidine)

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9

16. Are there differences in excipients between product strengths?

Phase: non_ollama | Success: Yes | Elapsed: 315.1408

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there differences in
Question: Are there differences in excipients between product strengths?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=5.9528
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name

2. Common name

(1) Japanese name: Chlorhexidine gluconate

(2) Western name Chlorhexidine Gluconate

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9296
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lio
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9215
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8988
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines
Bactericidal disinfectant for outer skin
```

```
Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8880
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8544
  Revised December 2023 (7th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Dosage form Regulatory classification of liquid preparations for external use Not applicable specif
Date of manufacturing and marketing approval: February 26

Sources:
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
```

17. What formulation components are listed for this product?

Phase: non_ollama | Success: Yes | Elapsed: 289.1352

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What formulation compone
Question: What formulation components are listed for this product?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=5.9598
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name
2. Common name
```

(1) Japanese name: Chlorhexidine gluconate

(2) Western name Chlorhexidine Gluconate

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9547
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9381
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9300
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.9222
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown
3. Structural formula or demonstrative formula

```
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9050
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201

Sources:
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
```

18. Does the document distinguish the active ingredient from excipients?

Phase: non_ollama | Success: Yes | Elapsed: 275.2806

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Does the document distin
Question: Does the document distinguish the active ingredient from excipients?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9173
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 11 | section=general | score=5.9104
  5
4. Quantification method of active ingredients
Based on the Japanese drug ``chlorhexidine gluconate solution.''
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9019
  Revised November 2024 (5th edition)
```

Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8948
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.8929
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution cor

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8739
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1

19. What pharmaceutical additives are mentioned in the label?

Phase: non_ollama | Success: Yes | Elapsed: 260.2917

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What pharmaceutical addi
Question: What pharmaceutical additives are mentioned in the label?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9166
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9094
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8878
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8784
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
```

```
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=5.8475
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert

0.05

The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
(http://www.info.pmda.go.jp/):
1-medium

Chlorhexidine gluconate
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8446
  Revised December 2023 (7th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Dosage form Regulatory classification of liquid preparations for external use Not applicable specif
Date of manufacturing and marketing approval: February 26

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 2
- chlorhexidine gluconate / interview_form / page 1
```

20. Show the composition section.

Phase: non_ollama | Success: Yes | Elapsed: 244.6056

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Show the composition sec
Question: Show the composition section.
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8875
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=5.8785
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.8501
  4

IV.Items related to formulations

1.Dosage form
```

```
(1) Distinction of dosage form Liquid preparation for external use

(2) Appearance and properties of the preparation Brand name: Chlorhexidine gluconate disinfectant 5

(3)Identification code not applicable

(4) No relevant data on physical properties of the preparation

(5)Other sterility: Not a sterile preparation

2. Composition of the formulation
(1)Content of active ingredient (active ingredient) and additives Brand name: Chlorhexidine glucona
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.8404
  4
IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form External liquid (2) Appearance and properties of the preparation Bra
pH:5.5~7.0(1→5)
specific gravity d
20
20:1.009~1.029
Not a sterile preparation
2. Composition of the formulation
(1)Content of active ingredients and additives Brand name: Chlorhexidine gluconate disinfectant sol
100mL
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=5.8402
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=5.8256
  -Table of Contents-

I. Items related to overview
1.
Development history . . . . . .
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name . . . . . .
2.
common name . . . . . .

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
```

21. Show the excipient information only.

Phase: non_ollama | Success: Yes | Elapsed: 242.5577

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Show the excipient infor
Question: Show the excipient information only.
```

Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9433
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9354
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9116
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9013
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 32 | section=general | score=5.8924
  26
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

```
2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 31 | section=general | score=5.8924
  25
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% Chlorhexidine Gluconate HIBICLENS® (USA): 4w/v% Chlorhexidine Gluconate HIBIS

2.Clinical support information overseas
No applicable materials

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 32
- chlorhexidine gluconate / interview_form / page 31
```

22. Extract the excipient list and dosage form.

Phase: non_ollama | Success: Yes | Elapsed: 244.1245

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Extract the excipient li
Question: Extract the excipient list and dosage form.
Drug filter: chlorhexidine gluconate
Section hints: dosage

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=7.1252
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.1053
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0940
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines
```

```
Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0831
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0457
  Revised December 2023 (7th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Dosage form Regulatory classification of liquid preparations for external use Not applicable specif
Date of manufacturing and marketing approval: February 26
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=7.0414
  September 2021 (1st edition)
Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci
Disinfectant for hands MICROSHIELD■ Skincare Products Dosage form Regulatory classification for ex
[Contains 4% (w/v) as chlorhexidine gluconate]
common name
Japanese name: Chlorhexidine gluconate solution
Western name: Chlorhexidine Gluconate Solution
Date of manufacturing and sales approval Date of NHI price list listing/release date
Date of manufacturing and sales approval: June 26, 2009 (d

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
```

23. Summarize the formulation composition and pharmaceutical properties.

Phase: non_ollama | Success: Yes | Elapsed: 250.7601

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize the formulatio
Question: Summarize the formulation composition and pharmaceutical properties.
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9392
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619
Pharmaceutical interview form
```

Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9313
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9088
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8993
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8823
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=5.8730
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro

```
Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
```

24. List all excipients in the formulation.

Phase: non_ollama | Success: Yes | Elapsed: 256.5903

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "List all excipients in t
Question: List all excipients in the formulation.
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9409
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9286
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9211
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9005
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines
```

```
Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8905
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8541
  Revised December 2023 (7th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Dosage form Regulatory classification of liquid preparations for external use Not applicable specif
Date of manufacturing and marketing approval: February 26

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
```

25. List all inactive ingredients.

Phase: non_ollama | Success: Yes | Elapsed: 256.1878

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "List all inactive ingred
Question: List all inactive ingredients.
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 11 | section=general | score=5.9605
  5
4. Quantification method of active ingredients
Based on the Japanese drug ``chlorhexidine gluconate solution.''
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9540
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown
3. Structural formula or demonstrative formula
```

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9382
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9298
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.9168
  - 4 -
3. Confirmation test for active ingredients
law
4. Quantification method of active ingredients
According to the Japanese Bureau of Medicine's "Chlorhexidine Gluconate Solution Confirmation Test.
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9098
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201

Sources:
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 1

26. What non-active ingredients are listed in this document?

Phase: non_ollama | Success: Yes | Elapsed: 255.8497

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What non-active ingredie
Question: What non-active ingredients are listed in this document?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 11 | section=general | score=5.9707
  5
4. Quantification method of active ingredients
Based on the Japanese drug ``chlorhexidine gluconate solution.''
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9558
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9407
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9328
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.9295
  - 4 -
3. Confirmation test for active ingredients
law
4. Quantification method of active ingredients
According to the Japanese Bureau of Medicine's "Chlorhexidine Gluconate Solution Confirmation Test.
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.9235
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con
2.Common name
```

```
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu

Sources:
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 7
```

27. Which excipients are likely used as diluents, binders, disintegrants, or lubricants?

Phase: non_ollama | Success: Yes | Elapsed: 253.9114

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which excipients are lik
Question: Which excipients are likely used as diluents, binders, disintegrants, or lubricants?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=adverse_event | score=5.7980
  Medium Contains 0.1g of chlorhexidine gluconate (
0.1w/v%)

:1) It has been diluted so it can be used as is. [Prevention of measurement/dilution errors] Contai
0.5w/v%) Since it uses a volume-reducing bottle, it can be folded to reduce the volume and be dispo
Ru. (12) Shock and anaphylaxis may occur as serious side effects.
- chlorhexidine gluconate | interview_form | page 6 | section=indication | score=5.7905
  - 1 -
I. Items related to overview
1. Development history
Chlorhexidine gluconate is a biguanide disinfectant researched and synthesized by ICI Ltd. in the U
Hibisoft Disinfectant 0.2% is an ethanol solution containing 0.2w/v% of chlorhexidine gluconate.
This is a quick-drying hand sanitizer developed by Shiseido with its antibacterial effect and skin
- chlorhexidine gluconate | interview_form | page 16 | section=indication | score=5.7648
  Use 0.05% aqueous solution as chlorhexidine gluconate to disinfect skin wound sites, operating ro

2. Dosage and dosage
See section V.1. Efficacy or effect.
- chlorhexidine gluconate | interview_form | page 13 | section=general | score=5.7429
  - 8 -

12.Titer

13. Possibility of contamination
some foreign matter

14. Containers that require attention
Information regarding containers with special appearance

15.Irritation

16.Others

and use it as the standard solution. Test the sample solution and standard solution using the absor
Amount (mg) of chlorhexidine gluconate (C22H30Cl2N10■2C6H12O7)
= Amount of chlorhexidine gluconate standard solution (mg) × Ar/As

*Chlorhexidine gluconate standard solution:
"Chlorhexidine gluconate solution". However, the content is 19.5~20.5 W/V%,
p-Chloraniline should be 100 ppm or less.
Not applicable.
```

```
Deco
- chlorhexidine gluconate | interview_form | page 6 | section=dosage | score=5.7377
  - 1 -
1. Development history
2.Therapeutic properties of the product
Pharmaceutical properties Microshield■4 (MICROSHIELD■4) is a hand disinfectant developed by Johnso
Dated June 2, 2004, Pharmaceutical and Shokuhou No. 0602009 “Strengthening measures to prevent phar
Based on "About thoroughness", the brand name was changed from Microshield ■4 to Microshield scrub
1) This drug has
- chlorhexidine gluconate | interview_form | page 8 | section=indication | score=5.7324
  11. Active ingredients in the preparation
Conforms to "III. Items related to active ingredients 4. Confirmation test method for active ingred

12. Active ingredients in the formulation
By ultraviolet-visible absorbance measurement. Quantitative method

13. Titer

14. Container material
polypropylene

15. Irritation

16. Others

V.Items related to treatment
1. Efficacy or effect
2. Dosage and dosage
<0.02%> Efficacy/Efficacy Directions/Dose For conjunctival sac cleaning/disinfection Use an aqueous

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 13
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 8
```

28. Which excipients are related to coating, coloring, or preservation?

Phase: non_ollama | Success: Yes | Elapsed: 253.8926

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which excipients are rel
Question: Which excipients are related to coating, coloring, or preservation?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=5.9360
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name

2. Common name

(1) Japanese name: Chlorhexidine gluconate
(2) Western name Chlorhexidine Gluconate
```

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9235
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.8984
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 8 | section=general | score=5.8550
  II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine GLUCONATE SOLUTION DISINFECTION CLOTH 4 x 4 disinfectant cloth (2)
2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
3. Structural formula or demonstrative formula
4.Molecular formula and molecular weight
Molecular for
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8539
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=5.8445
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro

```
Sources:
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
```

29. Which excipients may influence stability or manufacturability?

Phase: non_ollama | Success: Yes | Elapsed: 250.8811

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which excipients may inf
Question: Which excipients may influence stability or manufacturability?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6373
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6275
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6148
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5910
  -Table of Contents-

I. Items related to overview
1.
Development history . . . . . .
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name . . . . . .
2.
common name . . . . . .
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.5807
  3

III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
(2)Solubility
```

```
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient

(7)Other main indication value
- chlorhexidine gluconate | interview_form | page 6 | section=stability | score=7.5768
  (3) Physical properties of the formulation
pH:5.5~7.0(1→20)
Specific gravity d:1.06~1.07

(4) Identification code

(5) Is it sterile?

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Content of active ingredients
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

30. Which excipients may affect solubility, viscosity, or release characteristics?

Phase: non_ollama | Success: Yes | Elapsed: 254.3719

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which excipients may aff
Question: Which excipients may affect solubility, viscosity, or release characteristics?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8849
  Revised August 2018 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci

Topical Disinfectant Japanese Pharmacopoeia Chlorhexidine Gluconate Solution Chlorhexidine Gluconat
```

Dosage form Liquid
No regulatory classification for pharmaceutical preparations
Specifications/Content Contains 19.0~21.0w/v% of chlorhexidine gluconate.
Generic name Japanese name: Chlorhexidine gluconate
Western name: Chlorhexidine Gluconate Date of manufacturing and sales approval Date of drug price l
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8737
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8612
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 32 | section=general | score=5.8527
  26
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 31 | section=general | score=5.8526
  25
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% Chlorhexidine Gluconate HIBICLENS® (USA): 4w/v% Chlorhexidine Gluconate HIBIS

2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 34 | section=general | score=5.8526
  28
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

2.Clinical support information overseas
No applicable materials
Sources:

```
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 32
- chlorhexidine gluconate / interview_form / page 31
- chlorhexidine gluconate / interview_form / page 34
```

31. Summarize excipient composition and likely formulation roles.

Phase: non_ollama | Success: Yes | Elapsed: 256.5359

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize excipient comp
Question: Summarize excipient composition and likely formulation roles.
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8688
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=5.8596
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8421
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Hand disinfectant (chlorhexidine gluconate formulation) FERMASCRUB 4%FERMASCRUB 4%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 20mL in 100mL
(Contains 4w/v% as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconate (JA
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.8386
  4

IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form Liquid preparation for external use

(2) Appearance and properties of the preparation Brand name: Chlorhexidine gluconate disinfectant 5

(3)Identification code not applicable

(4) No relevant data on physical properties of the preparation

(5)Other sterility: Not a sterile preparation

2. Composition of the formulation
(1)Content of active ingredient (active ingredient) and additives Brand name: Chlorhexidine glucona
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.8288
```

```
  4
IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form External liquid (2) Appearance and properties of the preparation Bra
pH:5.5~7.0(1→5)
specific gravity d
20
20:1.009~1.029
Not a sterile preparation
2. Composition of the formulation
(1)Content of active ingredients and additives Brand name: Chlorhexidine gluconate disinfectant sol
100mL
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=5.8221
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
```

32. Are there any warnings related to excipients?

Phase: non_ollama | Success: Yes | Elapsed: 256.1932

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there any warnings r
Question: Are there any warnings related to excipients?
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7257
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6837
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.5118
  -6-

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
```

No applicable materials

15.Irritation
Refer to "VIII. Items related to safety (precautions, etc.)", "2. Contraindications and their reaso

16.Others
Not applicable
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.4128
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.4119
  16
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported.]
(4) Eyes [There
- chlorhexidine gluconate | interview_form | page 26 | section=warning | score=6.4001
  20
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2.Contraindications and their reasons (including contraindications in principle)
(Do not use in the following cases) Persons with a history of hypersensitivity to chlorhexidine pre

3. Precautions and reasons for use related to efficacy or effect
Not applicable

4. Precautions and reasons related to usage and administration
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 11

```
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 26
```

33. Are there any excipient-related contraindications or precautions?

Phase: non_ollama | Success: Yes | Elapsed: 254.9848

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there any excipient-
Question: Are there any excipient-related contraindications or precautions?
Drug filter: chlorhexidine gluconate
Section hints: contraindication, warning

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=7.0164
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert

0.05

The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
(http://www.info.pmda.go.jp/):
1-medium

Chlorhexidine gluconate
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.9598
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 19 | section=contraindication | score=6.7925
  14

11. Application notes
14. Application notes
14.1 Precautions when using drugs
14.1.1 This product should not be diluted and should be used as a undiluted solution.
14.1.2 Do not administer orally. If swallowed by mistake, wash the stomach with milk, raw eggs, gel
Take appropriate measures such as
14.1.3 Do not use for any purpose other than hand disinfection.
14.1.4 Take care to avoid contact with eyes. In case of contact with eyes, rinse thoroughly with wa
14.1.5 There are reports of chemical skin burns caused by prolonged skin contact in solution form.
So be careful.
14.2 Precautions after using drugs
If white cloth coated with this agent is bleached with a ch
- chlorhexidine gluconate | interview_form | page 20 | section=contraindication | score=6.7727
  14. Application notes
```

```
(1) Route of administration
Do not use for any purpose other than disinfecting hands and skin.                |
(2) When in use
1) Please note that repeated use may cause skin irritation due to degreasing.
2) Organic substances such as serum and visceral juices weaken the bactericidal action, so if these
Wash thoroughly before use.
3) Since soap weakens the bactericidal effect of this agent, thoroughly wash off the soap used for
before use.
4) Be careful of fire as it is flammable and explosive.
5 There are reports that chemical skin burns were caused when the solution was in contact with the
So, be careful.

15.
- chlorhexidine gluconate | interview_form | page 12 | section=contraindication | score=6.7648
  2) Do not use instruments that may come into contact with nerves or mucous membranes, such as syr
If disinfected with disinfectant, rinse thoroughly with sterile purified water before use.
3) If a catheter with this drug attached is used for dialysis, it may be difficult to dissolve due
Catheters sterilized with this agent should be thoroughly rinsed with sterile purified water before
4) Organic substances such as serum and pus reduce the bactericidal action, so if they adhere
If so, wash thoroughly before use.
5) Since soaps reduce the bactericidal effect of this agent, do not use the soap u
- chlorhexidine gluconate | interview_form | page 13 | section=contraindication | score=6.7644
  <0.1%> <0.5%>
1) Be careful not to get the undiluted solution or highly concentrated solution in your eyes. In ca
Wash thoroughly with water.
2) Do not use this drug with instruments that may come into contact with nerves or mucous membranes
If disinfected, rinse thoroughly with sterile purified water before use.
3) If a catheter with this drug attached is used for dialysis, it may be difficult to dissolve due
Catheters sterilized with this agent should be thoroughly rinsed with sterile purified water before
4) Organic substances such as serum and pus reduce the bactericidal action, s

Sources:
- chlorhexidine gluconate / interview_form / page 2
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 20
- chlorhexidine gluconate / interview_form / page 12
- chlorhexidine gluconate / interview_form / page 13
```

34. Which excipients may cause hypersensitivity or intolerance?

Phase: non_ollama | Success: Yes | Elapsed: 257.7155

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which excipients may cau
Question: Which excipients may cause hypersensitivity or intolerance?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=5.7998
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 13 | section=general | score=5.7695
  - 8 -

12.Titer
```

```
13. Possibility of contamination
some foreign matter

14. Containers that require attention
Information regarding containers with special appearance

15.Irritation

16.Others

and use it as the standard solution. Test the sample solution and standard solution using the absor
Amount (mg) of chlorhexidine gluconate (C22H30Cl2N10■2C6H12O7)
= Amount of chlorhexidine gluconate standard solution (mg) × Ar/As

*Chlorhexidine gluconate standard solution:
"Chlorhexidine gluconate solution". However, the content is 19.5~20.5 W/V%,
p-Chloraniline should be 100 ppm or less.

Not applicable.

Deco
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=5.7665
  I. Items related to overview

1. Development history

Povidone-iodine preparations are the mainstream for hand and skin disinfection in medical institut
- chlorhexidine gluconate | interview_form | page 6 | section=dosage | score=5.7526
  - 1 -
1. Development history
2.Therapeutic properties of the product
Pharmaceutical properties Microshield■4 (MICROSHIELD■4) is a hand disinfectant developed by Johnso
Dated June 2, 2004, Pharmaceutical and Shokuhou No. 0602009 “Strengthening measures to prevent phar
Based on "About thoroughness", the brand name was changed from Microshield ■4 to Microshield scrub
1) This drug has
- chlorhexidine gluconate | interview_form | page 20 | section=pregnancy | score=5.7336
  No particular abnormality was observed except for an increase in giant cells in the nodes19). (3)

Pregnant rats received 10, 25, and 50 mg/kg/day of chlorhexidine gluconate for 10 days from the 6th

When administered orally, slight hypersensitivity and suppression of weight gain were observed in t

1) Tissue damage

The minimum tissue-damaging concentration of chlorhexidine gluconate in chic
- chlorhexidine gluconate | interview_form | page 6 | section=indication | score=5.7182
  - 1 -
I. Items related to overview
1. Development history
Chlorhexidine is a biguanide disinfectant that was researched and synthesized by ICI in the UK, and
It was first reported in 1954 in Br. J. Pharmacol. 1). According to this, certain types of polydigu
Recognizing that it has a remarkable antibacterial effect on a wide range of microorganisms, includ

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 13
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 20
- chlorhexidine gluconate / interview_form / page 6
```

35. Are there warnings about preservatives, dyes, coating agents, or alcohol-containing excipients?

Phase: non_ollama | Success: Yes | Elapsed: 256.8351

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there warnings about
Question: Are there warnings about preservatives, dyes, coating agents, or alcohol-containing excip
Drug filter: chlorhexidine gluconate
```

Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7047
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6584
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2531
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2519
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2516
  [redacted] .....

6.

```
■■■■■■■■■■■■■■■■■■■■ ..................................................................

7.

■■■■ ...................................................................................

8.

■■■ ....................................................................................

9.

■■■■■■■■ ...............................................................................

10.

■■,■■,■■■■■■■■■ ........................................................................
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2511
  ■■■■■■■■■■■■ ..........................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ..................................................................

7.

■■■■ ...................................................................................

8.

■■■ ....................................................................................

9.

■■■■■■■■ ...............................................................................

10.

■■,■■,■■■■■■■■■ ........................................................................

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
```

36. Are there warnings about sugars, polyols, or sodium content in the formulation?

Phase: non_ollama | Success: Yes | Elapsed: 253.2682

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there warnings about
Question: Are there warnings about sugars, polyols, or sodium content in the formulation?
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7376
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.
"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y
```

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6952
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.4204
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 18 | section=warning | score=6.3436
  - 12 -
(2) Serious side effects and initial symptoms Serious side effects: Shock (less than 0.1%), anaphyl

(3)Other side effects

Frequency unknown
Less than 0.1%
Hypersensitivity *1)

Skin irritation symptoms such as rash and hives *2)

*1) If any of these symptoms occur, immediately stop using the product and do not reuse it. *2) If
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2818
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2804
  [redacted] .....

6.
[redacted] .....

```
7.

■■■■ ..............................................................................

8.

■■■ ................................................................................

9.

■■■■■■■ ............................................................................

10.

■■,■■,■■■■■■■■ ....................................................................

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
```

37. Does the product contain excipients that require caution in sensitive patients?

Phase: non_ollama | Success: Yes | Elapsed: 367.6559

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Does the product contain
Question: Does the product contain excipients that require caution in sensitive patients?
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=5.6503
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name

2. Common name

(1) Japanese name: Chlorhexidine gluconate

(2) Western name Chlorhexidine Gluconate

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.6326
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619
Pharmaceutical interview form
```

Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6256
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.6131
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution cor

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6047
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.5958
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

```
Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat

Sources:
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
```

38. Are there formulation-related warnings for pediatric patients?

Phase: non_ollama | Success: Yes | Elapsed: 463.9905

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there formulation-re
Question: Are there formulation-related warnings for pediatric patients?
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.4845
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.4457
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.2715
  -6-

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applicable materials

15.Irritation
Refer to "VIII. Items related to safety (precautions, etc.)", "2. Contraindications and their reaso

16.Others
Not applicable
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.1704
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
```

```
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.1700
  16
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported. ]
(4) Eyes [There
- chlorhexidine gluconate | interview_form | page 26 | section=warning | score=6.1548
  20
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2.Contraindications and their reasons (including contraindications in principle)
(Do not use in the following cases) Persons with a history of hypersensitivity to chlorhexidine pre

3. Precautions and reasons for use related to efficacy or effect
Not applicable

4. Precautions and reasons related to usage and administration
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 26
```

39. Are there formulation-related warnings for elderly patients?

Phase: non_ollama | Success: Yes | Elapsed: 575.8807

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there formulation-re
Question: Are there formulation-related warnings for elderly patients?
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.4840
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate
```

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.4451
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.2709
  -6-

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applicable materials

15.Irritation
Refer to "VIII. Items related to safety (precautions, etc.)", "2. Contraindications and their reaso

16.Others
Not applicable
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.1701
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.1696
  16
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported.]
(4) Eyes [There
- chlorhexidine gluconate | interview_form | page 26 | section=warning | score=6.1545
  20
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable
2.Contraindications and their reasons (including contraindications in principle)

```
(Do not use in the following cases) Persons with a history of hypersensitivity to chlorhexidine pre

3. Precautions and reasons for use related to efficacy or effect
Not applicable

4. Precautions and reasons related to usage and administration
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 26
```

40. Are there warnings for pregnancy or breastfeeding related to formulation or excipients?

Phase: non_ollama | Success: Yes | Elapsed: 576.2595

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there warnings for p
Question: Are there warnings for pregnancy or breastfeeding related to formulation or excipients?
Drug filter: chlorhexidine gluconate
Section hints: warning, pregnancy

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=6.7480
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.6977
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6506
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 12 | section=pregnancy | score=6.6376
  (3) Reproductive and developmental toxicity test 17) Fetal test, genetic variability
Chlorhexidine gluconate for 10 days from the 6th to 15th gestation day of pregnant rats.
10, 25, and 50 mg/kg were administered orally. Regarding the mother body, only the maximum amount g
Slight irritation sensitivity and suppression of weight gain were observed, but no abnormalities we

(4) Other special toxicities 18) Hemolytic and tissue-damaging The minimum tissue-damaging concentr
- chlorhexidine gluconate | interview_form | page 20 | section=pregnancy | score=6.6281
  No particular abnormality was observed except for an increase in giant cells in the nodes19). (3)

Pregnant rats received 10, 25, and 50 mg/kg/day of chlorhexidine gluconate for 10 days from the 6th

When administered orally, slight hypersensitivity and suppression of weight gain were observed in t

1) Tissue damage
The minimum tissue-damaging concentration of chlorhexidine gluconate in chic
```

```
- chlorhexidine gluconate | interview_form | page 20 | section=pregnancy | score=6.6053
  No particular abnormality was observed except for an increase in the number of giant cells18). (3

Chlorhexidine gluconate 10, 25, or 50 mg/kg/day was orally administered to pregnant rats for 10 day

When administered, slight hypersensitivity and suppression of weight gain were observed in mothers

Sources:
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 12
- chlorhexidine gluconate / interview_form / page 20
- chlorhexidine gluconate / interview_form / page 20
```

41. Are there safety concerns for thyroid disorders, renal dysfunction, or systemic absorption?

Phase: non_ollama | Success: Yes | Elapsed: 578.1456

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there safety concern
Question: Are there safety concerns for thyroid disorders, renal dysfunction, or systemic absorptio
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.8195
  Revised October 2017 (3rd edition)
Japan standard product classification number 872619

Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci

Specifications and contents that do not apply to regulatory categories for external liquid preparat
1,000mL medium
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 250mL
(50g as chlorhexidine gluconate) Generic name: Japanese name: Chlorhexidine gluconate (JAN) Western
Date of manufacturing and marketing approval: February 15, 2013
NHI drug price l
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8167
  September 2021 (1st edition)
Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci
Disinfectant for hands MICROSHIELD■ Skincare Products Dosage form Regulatory classification for ex
[Contains 4% (w/v) as chlorhexidine gluconate]
common name
Japanese name: Chlorhexidine gluconate solution
Western name: Chlorhexidine Gluconate Solution
Date of manufacturing and sales approval Date of NHI price list listing/release date
Date of manufacturing and sales approval: June 26, 2009 (d
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.7709
  Created in June 2021 (1st edition)
Japan standard product classification number 872619

Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci

External germicidal disinfectant

Dosage form Regulatory classification of disinfectant-impregnated cloth preparations Not applicable
In 1 package,
Contains 0.09mL of Japanese Pharmacopoeia chlorhexidine gluconate solution (0.18g as chlorhexidine
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.7667
  Revised October 2017 (3rd edition)
Japan standard product classification number 872619

Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci

Specifications and contents that do not apply to regulatory categories for external liquid preparat
```

```
1,000mL Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL
Generic name: Japanese name: Chlorhexidine Gluconate (JAN) Western name: Chlorhexidine Gluconate (J
Date of manufacturing and sales approval: February 15, 2013 (due to change in brand name)
Date of drug price listing: Dec
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.7640
  Revised April 2023 (8th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci

Dosage form Regulatory classification for external liquid preparations Not applicable standards/con
Contains 0.2g of chlorhexidine gluconate in 100mL
Generic name Japanese name: Chlorhexidine Gluconate Solution Western name: Chlorhexidine Gluconate
Date of manufacturing and sales approval: September 14, 2007 (due to change in brand name)
Date of listing on the NHI drug price standard
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=5.7449
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 6
```

42. Does prolonged use, large-surface application, or mucosal use increase formulation-related safety concerns?

Phase: non_ollama | Success: Yes | Elapsed: 576.7818

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Does prolonged use, larg
Question: Does prolonged use, large-surface application, or mucosal use increase formulation-relate
Drug filter: chlorhexidine gluconate
Section hints: dosage

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=7.0628
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
```

Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.9903
  September 2021 (1st edition)
Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci
Disinfectant for hands MICROSHIELD■ Skincare Products Dosage form Regulatory classification for ex
[Contains 4% (w/v) as chlorhexidine gluconate]
common name
Japanese name: Chlorhexidine gluconate solution
Western name: Chlorhexidine Gluconate Solution
Date of manufacturing and sales approval Date of NHI price list listing/release date
Date of manufacturing and sales approval: June 26, 2009 (d
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.9872
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Hand disinfectant (chlorhexidine gluconate formulation) FERMASCRUB 4%FERMASCRUB 4%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 20mL in 100mL
(Contains 4w/v% as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconate (JA
- chlorhexidine gluconate | interview_form | page 8 | section=dosage | score=6.9839
  2
II. Items related to name

1. Brand name
(1) Japanese name: Stericlone® Liquid 5

(2) Western name: STERICLON® SOLUTION 5

(3) Origin of name: The brand name Stericlone was derived from Steri...lize (to disinfect) and chlo

2. Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate solution (JAN)

(2) Western name (nomenclature): Chlorhexidine Gluconate (JAN, USAN) Chlorhexidine Gluconate Soluti

(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4. Molecular fo
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=6.9666
  4

IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form Liquid preparation for external use

(2) Appearance and properties of the preparation Brand name: Chlorhexidine gluconate disinfectant 5

(3)Identification code not applicable

(4) No relevant data on physical properties of the preparation

(5)Other sterility: Not a sterile preparation

```
2. Composition of the formulation
(1)Content of active ingredient (active ingredient) and additives Brand name: Chlorhexidine glucona
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=6.9591
  4
IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form External liquid (2) Appearance and properties of the preparation Bra
pH:5.5~7.0(1→5)
specific gravity d
20
20:1.009~1.029
Not a sterile preparation
2. Composition of the formulation
(1)Content of active ingredients and additives Brand name: Chlorhexidine gluconate disinfectant sol
100mL

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
```

43. Summarize special-population precautions relevant to formulation and excipients.

Phase: non_ollama | Success: Yes | Elapsed: 459.8869

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize special-popula
Question: Summarize special-population precautions relevant to formulation and excipients.
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.9668
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6696
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.5066
  -6-

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applicable materials

15.Irritation
Refer to "VIII. Items related to safety (precautions, etc.)", "2. Contraindications and their reaso

16.Others
```

Not applicable
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.4088
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.4012
  16
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported.]
(4) Eyes [There
- chlorhexidine gluconate | interview_form | page 26 | section=warning | score=6.3931
  20
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2.Contraindications and their reasons (including contraindications in principle)
(Do not use in the following cases) Persons with a history of hypersensitivity to chlorhexidine pre

3. Precautions and reasons for use related to efficacy or effect
Not applicable

4. Precautions and reasons related to usage and administration
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 26

44. What storage conditions and stability precautions are described?

Phase: non_ollama | Success: Yes | Elapsed: 365.1602

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What storage conditions
Question: What storage conditions and stability precautions are described?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: warning, stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6092
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.5997
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.5982
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5700
  -Table of Contents-

I. Items related to overview
1.
Development history . . . . . .
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name . . . . . .
2.
common name . . . . . .
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.5562
  3

III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient
```

```
(7)Other main indication value
- chlorhexidine gluconate | interview_form | page 6 | section=stability | score=7.5558
  (3) Physical properties of the formulation
pH:5.5~7.0(1→20)
Specific gravity d:1.06~1.07

(4) Identification code

(5) Is it sterile?

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Content of active ingredients
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

45. Which formulation components may be sensitive to light, heat, moisture, or oxidation?

Phase: non_ollama | Success: Yes | Elapsed: 250.4036

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which formulation compon
Question: Which formulation components may be sensitive to light, heat, moisture, or oxidation?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8182
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=5.8088
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.7992
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
```

Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Hand disinfectant (chlorhexidine gluconate formulation) FERMASCRUB 4%FERMASCRUB 4%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 20mL in 100mL
(Contains 4w/v% as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconate (JA
- Chlorhexidine Gluconate | smpc_label | page 2 | section=general | score=5.7924
  Candida albicans
TIMM 1623
0.004
within 30 seconds
*100 times diluted solution of 5% chlorhexidine gluconate solution "Metal"
Indicates the bactericidal effect of liquid (0.05w/v%).
19. Physical and chemical knowledge regarding active ingredients
Common name: Chlorhexidine Gluconate Solution
Chemical name: 1,1′-Hexamethylenebis[5-(4-chlorophenyl)biguanide],di-D-
gluconate
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76
Properties: Chlorhexidine gluconate solution is a colorless to slightly yellow clear liquid with no
1mL of liquid is 5mL or less of ethanol (99.5) or 3mL of acetone.
It
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.7806
  4

IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form Liquid preparation for external use

(2) Appearance and properties of the preparation Brand name: Chlorhexidine gluconate disinfectant 5

(3)Identification code not applicable

(4) No relevant data on physical properties of the preparation

(5)Other sterility: Not a sterile preparation

2. Composition of the formulation
(1)Content of active ingredient (active ingredient) and additives Brand name: Chlorhexidine glucona
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=5.7731
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 1
- Chlorhexidine Gluconate / smpc_label / page 2
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23

46. Are there packaging or container considerations relevant to stability?

Phase: non_ollama | Success: Yes | Elapsed: 246.0959

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there packaging or c
Question: Are there packaging or container considerations relevant to stability?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6242
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6143
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.5908
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5730
  -Table of Contents-

I. Items related to overview
1.
Development history . . . . . .
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name . . . . . .
2.
common name . . . . . .
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.5701
  3

III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available
```

```
(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient

(7)Other main indication value
- chlorhexidine gluconate | interview_form | page 6 | section=stability | score=7.5574
  (3) Physical properties of the formulation
pH:5.5~7.0(1→20)
Specific gravity d:1.06~1.07

(4) Identification code

(5) Is it sterile?

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Content of active ingredients
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

47. Summarize formulation-related stability data and storage instructions.

Phase: non_ollama | Success: Yes | Elapsed: 242.5534

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize formulation-re
Question: Summarize formulation-related stability data and storage instructions.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6342
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6246
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
```

However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6162
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5920
  -Table of Contents-

I. Items related to overview
1.
Development history ·
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name ·
2.
common name ·
- chlorhexidine gluconate | interview_form | page 6 | section=stability | score=7.5801
  (3) Physical properties of the formulation
pH:5.5~7.0(1→20)
Specific gravity d:1.06~1.07

(4) Identification code

(5) Is it sterile?

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Content of active ingredients
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.5779
  3

III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.
(3) Hygroscopicity No applicable data available

```
(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient

(7)Other main indication value

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 8
```

48. What formulation details are most relevant for generic development?

Phase: non_ollama | Success: Yes | Elapsed: 238.065

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What formulation details
Question: What formulation details are most relevant for generic development?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=5.9298
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name

2. Common name

(1) Japanese name: Chlorhexidine gluconate

(2) Western name Chlorhexidine Gluconate

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9095
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lio
```

```
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9019
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8814
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8677
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8536
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros

Sources:
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 8
```

49. Which excipients or formulation characteristics may be critical quality attributes?

Phase: non_ollama | Success: Yes | Elapsed: 234.2292

python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which excipients or form
Question: Which excipients or formulation characteristics may be critical quality attributes?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8082
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Hand disinfectant (chlorhexidine gluconate formulation) FERMASCRUB 4%FERMASCRUB 4%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 20mL in 100mL
(Contains 4w/v% as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconate (JA
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.7915
  4

IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form Liquid preparation for external use

(2) Appearance and properties of the preparation Brand name: Chlorhexidine gluconate disinfectant 5

(3)Identification code not applicable

(4) No relevant data on physical properties of the preparation

(5)Other sterility: Not a sterile preparation

2. Composition of the formulation
(1)Content of active ingredient (active ingredient) and additives Brand name: Chlorhexidine glucona
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.7828
  4
IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form External liquid (2) Appearance and properties of the preparation Bra
pH:5.5~7.0(1→5)
specific gravity d
20
20:1.009~1.029
Not a sterile preparation
2. Composition of the formulation
(1)Content of active ingredients and additives Brand name: Chlorhexidine gluconate disinfectant sol
100mL
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=5.7815
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.

```
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=5.7760
  -Table of Contents-

I. Items related to overview
1.
Development history · · ·
```

```
Not applicable

4. Precautions and reasons related to usage and administration
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm
- chlorhexidine gluconate | interview_form | page 21 | section=warning | score=6.3744
  15
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported. ]

3. Precautions
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.3468
  6. Important basic precautions, their reasons and treatment methods
(1) In order to predict reactions such as shock and anaphylaxis, please conduct a thorough intervie

(Explanation) *1 In order to al
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2815
  ■■■■■■■■■■■■ ..............................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ..............................................................................

7.

■■■■ ..............................................................................................

8.

■■■ ...............................................................................................

9.

■■■■■■■ ...........................................................................................

10.

■■,■■,■■■■■■■■ ...................................................................

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 26
- chlorhexidine gluconate / interview_form / page 21
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 5
```

51. Which sample documents contain excipient information?

Phase: non_ollama | Success: Yes | Elapsed: 229.8473

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which sample documents c
Question: Which sample documents contain excipient information?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
```

- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9668
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9581
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.9551
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution cor

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9337
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9224
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u
Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

```
Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 32 | section=general | score=5.9196
  26
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

2.Clinical support information overseas
No applicable materials

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 32
```

52. Which document is better for excipient details: label or patient guide?

Phase: non_ollama | Success: Yes | Elapsed: 330.2133

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which document is better
Question: Which document is better for excipient details: label or patient guide?
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.6537
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lio
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6461
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6257
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines
Bactericidal disinfectant for outer skin
```

```
Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6121
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=5.5976
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- chlorhexidine gluconate | interview_form | page 18 | section=dosage | score=5.5960
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 18
```

53. Summarize composition, excipients, stability, and formulation-related safety risks.

Phase: non_ollama | Success: Yes | Elapsed: 330.4066

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize composition, e
Question: Summarize composition, excipients, stability, and formulation-related safety risks.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6218
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6123
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6003
  -18-
X. Items related to administrative matters
```

1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5879
  -Table of Contents-

I. Items related to overview
1.
Development history · · ·

```
100mL of this product contains 0.5g of chlorhexidine gluconate.

(2) Additive polyoxyethylene nonylphenyl ether, red No. 2

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5.

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
```

54. Summarize the pharmacokinetics of this drug.

Phase: non_ollama | Success: Yes | Elapsed: 331.7248

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize the pharmacoki
Question: Summarize the pharmacokinetics of this drug.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.5180
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.5115
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 μCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.4915
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4835
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
```

```
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4.
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4608
  9

VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply.

(2) Blood levels confirmed in clinical trials do not apply.

(3) No data applicable to the toxic range

(4) Effects of food and concomitant medications Not applicable

2. Pharmacokinetic parameters
(1) Analysis method not applicable

(2) Absorption rate constant No relevant data available

(3) Disappearance rate constant not applicable

(4) Clearance not applicable

(5) Distribution volume not applicable

(6) No other relevant materials

3.Population analysis
(1) No relevant data for analysis method

(2) Parameter variation factors No applicable data
- chlorhexidine gluconate | interview_form | page 9 | section=pk | score=7.4287
  <W> Glucodin W ■Ethanol solution 0.5%

<B> Glucodin B ■Ethanol solution 0.5%

<R> Glucodin R ■Ethanol solution 0.5%
VI. Items related to drug efficacy and pharmacology
1. Pharmacologically relevant
compound or group of compounds

2. Pharmacological effects

(1) Site of action/Mechanism of action (1) Chlorhexidine gluconate solution acts on a wide range of

Sources:
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
- chlorhexidine gluconate / interview_form / page 14
- chlorhexidine gluconate / interview_form / page 9
```

55. What are the key pharmacokinetic parameters such as Cmax, Tmax, AUC, and half-life?

Phase: non_ollama | Success: Yes | Elapsed: 332.8159

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the key pharmac
Question: What are the key pharmacokinetic parameters such as Cmax, Tmax, AUC, and half-life?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
```

- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=7.5061
  - 14 -

4) Disappearance rate constant

5) Clearance

6) Distribution volume

7) Plasma protein binding rate

3.Absorption

4. Distribution
1) Blood-brain barrier passage
hypersexuality

2) Transferability to the fetus

3)[redacted]
sex

4) Migration into cerebrospinal fluid

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Reference: (Overseas results) 6) Absorption of chlorhexidine gluconate was investig
After leaving it for 3 hours, the concentrations in blood and feces were measured. 6 hours after
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.4804
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.4700
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 µCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.4572
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4504
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration

```
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4.
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4304
  9

VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply.

(2) Blood levels confirmed in clinical trials do not apply.

(3) No data applicable to the toxic range

(4) Effects of food and concomitant medications Not applicable

2. Pharmacokinetic parameters
(1) Analysis method not applicable

(2) Absorption rate constant No relevant data available

(3) Disappearance rate constant not applicable

(4) Clearance not applicable

(5) Distribution volume not applicable

(6) No other relevant materials

3.Population analysis
(1) No relevant data for analysis method

(2) Parameter variation factors No applicable data

Sources:
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
- chlorhexidine gluconate / interview_form / page 14
```

56. Describe the time course of plasma concentrations.

Phase: non_ollama | Success: Yes | Elapsed: 336.2767

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Describe the time course
Question: Describe the time course of plasma concentrations.
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- Chlorhexidine Gluconate | smpc_label | page 2 | section=general | score=5.8444
  Candida albicans
TIMM 1623
0.004
within 30 seconds
*100 times diluted solution of 5% chlorhexidine gluconate solution "Metal"
Indicates the bactericidal effect of liquid (0.05w/v%).
19. Physical and chemical knowledge regarding active ingredients
Common name: Chlorhexidine Gluconate Solution
Chemical name: 1,1′-Hexamethylenebis[5-(4-chlorophenyl)biguanide],di-D-
gluconate
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76
Properties: Chlorhexidine gluconate solution is a colorless to slightly yellow clear liquid with no
1mL of liquid is 5mL or less of ethanol (99.5) or 3mL of acetone.
```

It
- chlorhexidine gluconate | interview_form | page 7 | section=adverse_event | score=5.8291
  1
I. Items related to overview

1. Development history
Chlorhexidine gluconate is a biguanide disinfectant that has a broad antimicrobial spectrum against
- chlorhexidine gluconate | interview_form | page 6 | section=stability | score=5.8027
  (3) Physical properties of the formulation
Specific gravity d: approx. 1.00 to 1.01

(4) Identification code

(5) Sterile or non-sterile preparations

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Active ingredient content■0.05%■
100mL of this product contains 0.05g of chlorhexidine gluconate.
<0.1%>
100mL of this product contains 0.1g of chlorhexidine gluconate.
<0.5%>
100mL of this product contains 0.5g of chlorhexidine gluconate.

(2) Additive polyoxyethylene nonylphenyl ether, red No. 2

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5.
- chlorhexidine gluconate | interview_form | page 13 | section=indication | score=5.7970
  Enterobacter cloacae IFO 13595

7.81

Serratia marcescens IFO 12498

31.3

Note 1) MIC (μg/mL) indicates the concentration of chlorhexidine gluconate. (2) No relevant data or
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=5.7865
  1
I. Items related to overview

1. Development history
This agent is a topical disinfectant containing chlorhexidine gluconate as an active ingredient. “5
We established the product rating and test method, conducted stability tests, and bactericidal powe
Sales began on August 3, 2017. (Approval application based on Pharmaceutical Notification No. 481 (
Nichi-Iko Co., Ltd. began selling it on January 1, 2006.
On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P
On Ju
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=5.7848
  I. Items related to overview

1. Development history

Povidone-iodine preparations are the mainstream for hand and skin disinfection in medical instituti

Sources:
- Chlorhexidine Gluconate / smpc_label / page 2
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 6

```
- chlorhexidine gluconate / interview_form / page 13
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
```

57. What population pharmacokinetic analyses are reported?

Phase: non_ollama | Success: Yes | Elapsed: 345.1715

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What population pharmaco
Question: What population pharmacokinetic analyses are reported?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=7.5300
  - 14 -

4) Disappearance rate constant

5) Clearance

6) Distribution volume

7) Plasma protein binding rate

3.Absorption

4. Distribution
1) Blood-brain barrier passage
hypersexuality

2) Transferability to the fetus

3)■■■■■■■
sex

4) Migration into cerebrospinal fluid

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Reference: (Overseas results) 6) Absorption of chlorhexidine gluconate was investig
After leaving it for 3 hours, the concentrations in blood and feces were measured. 6 hours after
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.5000
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.4897
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 µCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
```

```
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.4749
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4682
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4.
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4466
  9

VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply.

(2) Blood levels confirmed in clinical trials do not apply.

(3) No data applicable to the toxic range

(4) Effects of food and concomitant medications Not applicable

2. Pharmacokinetic parameters
(1) Analysis method not applicable

(2) Absorption rate constant No relevant data available

(3) Disappearance rate constant not applicable

(4) Clearance not applicable

(5) Distribution volume not applicable

(6) No other relevant materials

3.Population analysis
(1) No relevant data for analysis method

(2) Parameter variation factors No applicable data

Sources:
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
- chlorhexidine gluconate / interview_form / page 14
```

58. Summarize absorption, distribution, metabolism, and excretion.

Phase: non_ollama | Success: Yes | Elapsed: 245.6255

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize absorption, di
Question: Summarize absorption, distribution, metabolism, and excretion.
```

Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8416
  Revised October 2007 (3rd edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

0.05% Glucodin R water
0.1% Glucodin R water
0.5% Glucodin R water
Glucodine R Water

Dosage form liquid drug specifications/content
0.05%: Contains 0.05g of chlorhexidine gluconate in 100mL.
0.1%: Contains 0.1 g of chlorhexidine gluconate in 100mL.
0.5%: Contains 0.5 g of chlorhexidine gluconate in 100mL.
Generic name Japanese name: Chlorhexidine gluconate Western name: Chlorhexidine Gluconate Date of m
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8196
  3

III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient

(7)Other main indication value
- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=5.7806
  - 14 -

4) Disappearance rate constant

5) Clearance

6) Distribution volume

7) Plasma protein binding rate

3.Absorption

4. Distribution
1) Blood-brain barrier passage
hypersexuality

2) Transferability to the fetus

3)■■■■■■■
sex

4) Migration into cerebrospinal fluid

```
Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Reference: (Overseas results) 6) Absorption of chlorhexidine gluconate was investig
After leaving it for 3 hours, the concentrations in blood and feces were measured. 6 hours after
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=5.7497
  2. Therapeutic properties of the product
(1) This agent is a quick-drying hand rub that contains chlorhexidine gluconate as an active ingred
3. Pharmaceutical properties of the product
(1) This drug is an ethanol solution containing 0.2g of chlorhexidine gluconate. (2) Contains a hum
(3) Packaging specifications include portable 60mL (poly: spray), 500mL (poly: square type), 1L (po
There is 5L (poly).
4.Characteristics that should be known regarding proper use
Materials related to proper use,
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.7427
  3
6.Usual names, aliases, abbreviations, symbol numbers
Other name: Chlorhexidine gluconate

7.CAS registration number
18472-51-0(Chlorhexidine Gluconate)
55-56-1(Chlorhexidine)
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=5.7363
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 18
```

59. What is known about oral absorption and bioavailability?

Phase: non_ollama | Success: Yes | Elapsed: 248.7366

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What is known about oral
Question: What is known about oral absorption and bioavailability?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9204
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown
3. Structural formula or demonstrative formula
```

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.8956
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 8 | section=general | score=5.8518
  II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine GLUCONATE SOLUTION DISINFECTION CLOTH 4 x 4 disinfectant cloth (2)
2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
3. Structural formula or demonstrative formula
4.Molecular formula and molecular weight
Molecular for
- chlorhexidine gluconate | interview_form | page 8 | section=dosage | score=5.8322
  2
II. Items related to name

1. Brand name
(1) Japanese name: Stericlone® Liquid 5

(2) Western name: STERICLON® SOLUTION 5

(3) Origin of name: The brand name Stericlone was derived from Steri...lize (to disinfect) and chlo

2. Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate solution (JAN)

(2) Western name (nomenclature): Chlorhexidine Gluconate (JAN, USAN) Chlorhexidine Gluconate Soluti

(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4. Molecular fo
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=5.8087
  1
I. Items related to overview
1. Development history
This agent is a topical disinfectant containing chlorhexidine gluconate as an active ingredient.

“Yakuhan” is a 20% chlorhexidine gluconate solution developed by Yakuhan Pharmaceutical Co., Ltd.
Established standards and test methods, conducted stability tests and bactericidal power tests, and
Sales began on June 13, 2005.

Nichiiko Co., Ltd. began selling this drug on April 16, 2012.

2. Therapeutic and pharmaceutical properties of the product
(1) This agent is a topical disinfectant containing 19.0~21.0w/v% of chlorhexidine gluconate.

```
Ru.
(2) The packaging standard is a 500mL rectangular volume-reducing c
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.8083
  - 2 -
1.Selling name
1)Japanese name
2) Western name
3) Origin of the name
2.Common name
1) Japanese name (nomenclature)
2) Western name (nomenclature)
3) Stem
3. Structural formula or demonstrative formula
4.Molecular formula and molecular weight
5.Chemical name (nomenclature)
6.Usual name, alias, abbreviation
number, symbol number
7.CAS registration number
Micro shield scrab solution 4 %Micro:Very small. Shield: protect, block. Chlorhexidine Gluconate So

Molecular formula: C22H30Cl2N10■2C6H12O7 (chlorhexidine gluconate)
Molecular weight: 897.77 (chlorhexidine gluconate)
1,1’-hexamethylenebis[5-(4-chlorophenyl)biguanide] digluconate(IUPAC)
Other name:

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 7
```

60. What are the metabolism pathways and major enzymes involved?

Phase: non_ollama | Success: Yes | Elapsed: 249.0126

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the metabolism
Question: What are the metabolism pathways and major enzymes involved?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 32 | section=general | score=5.8715
  26
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 31 | section=general | score=5.8715
  25
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% Chlorhexidine Gluconate HIBICLENS® (USA): 4w/v% Chlorhexidine Gluconate HIBIS

2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 34 | section=general | score=5.8714
  28
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

2.Clinical support information overseas
```

```
No applicable materials
- chlorhexidine gluconate | interview_form | page 5 | section=stability | score=5.7278
  6. Common names, aliases, abbreviations,
symbol number

7. CAS Registration Number
55-56-1(Chlorhexidine)
18472-51-0(Chlorhexidine Gluconate)

III. Items related to active ingredients
1. Regulatory classification of active ingredients
common medicine

2. Physicochemical properties

(1) Appearance/Properties Chlorhexidine gluconate usually exists as an aqueous solution, and its 20

(2) Solubility
Miscible with water or acetic acid (100). 1mL of 20w/v% solution is 5mL of ethanol (99.5)
It is miscible with less than 3 mL of acetone, but becomes cloudy when increasing the amount of sol

(3) Hygrosco
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.7175
  -3-

III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Characteristics: Colorless to slightly yellow, clear liquid with no odor and bitter
1 mL is miscible with less than 5 mL of ethanol (99.5) or less than 3 mL of acetone, but the solver
becomes cloudy when increasing the amount of (3) No relevant data on hygroscopicity (4) No relevant
pH: The pH of a solution of 5.0mL of this product dissolved i
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.7164
  - 3 -
1.Physicochemical properties
1) Appearance/properties
2) Solubility
3) Hygroscopicity
4) Melting point (decomposition point),
boiling point, freezing point
5) Acid-base dissociation constant
6) Partition coefficient
7)Other main indications
value
2. Various conditions for active ingredients
stability under

JP Chlorhexidine Gluconate Solution, a colorless to slightly yellow clear liquid obtained as a 20%
This product is miscible with water or acetic acid (100). 1 mL of this product is less than 5 mL of
Or, it is miscible with less than 3 mL of acetone, but becomes cloudy when the amount of solvent is

Sources:
- chlorhexidine gluconate / interview_form / page 32
- chlorhexidine gluconate / interview_form / page 31
- chlorhexidine gluconate / interview_form / page 34
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 8
```

61. What transporters are mentioned in the pharmacokinetic section?

Phase: non_ollama | Success: Yes | Elapsed: 248.9491

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What transporters are me
Question: What transporters are mentioned in the pharmacokinetic section?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk
Top retrieved evidence:
```

- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=7.5245
  - 14 -

4) Disappearance rate constant

5) Clearance

6) Distribution volume

7) Plasma protein binding rate

3.Absorption

4. Distribution
1) Blood-brain barrier passage
hypersexuality

2) Transferability to the fetus

3)[redacted]
sex

4) Migration into cerebrospinal fluid

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Reference: (Overseas results) 6) Absorption of chlorhexidine gluconate was investig
After leaving it for 3 hours, the concentrations in blood and feces were measured. 6 hours after
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.4927
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.4882
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 μCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
- chlorhexidine gluconate | interview_form | page 21 | section=pk | score=7.4844
  - 16 -

6. Excretion
1) Excretion site and route

2) Excretion rate

3) Excretion rate

7. Regarding transporters
Information to do

8. Removal rate by dialysis etc.

<Reference>7)

```
After oral administration of 14C-labeled chlorhexidine gluconate, it was detected in feces and urin
The total amount detected over the 7 days is shown in the table below. There was little absorption

Animal species Dose (mg/kg) Urine (%) Feces (%) Rat
5
0.4
99.5
mouse
8
3.7
101.6
dog
5
0.8
102.0

Almost 100% in feces (listed in the table above).

No applicable materials.

No applicable materials.

Not applicable.
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.4688
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4622
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4.

Sources:
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 21
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
```

62. Are there pharmacokinetic data in renal or hepatic impairment?

Phase: non_ollama | Success: Yes | Elapsed: 246.2225

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there pharmacokineti
Question: Are there pharmacokinetic data in renal or hepatic impairment?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=7.5211
  - 14 -
4) Disappearance rate constant
```

5) Clearance

6) Distribution volume

7) Plasma protein binding rate

3.Absorption

4. Distribution
1) Blood-brain barrier passage
hypersexuality

2) Transferability to the fetus

3)[redacted]
sex

4) Migration into cerebrospinal fluid

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Reference: (Overseas results) 6) Absorption of chlorhexidine gluconate was investig
After leaving it for 3 hours, the concentrations in blood and feces were measured. 6 hours after
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.4956
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.4823
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 μCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.4679
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4649
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors

```
4.
- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=7.4535
  - 14 -
5. Distribution
(1) Passage through the blood-brain barrier No relevant data (2) Passage through the blood-placenta
6. Metabolism
(1) No relevant data on metabolic site and metabolic pathway (2) No relevant data on molecular spec
7. Excretion
5% or 4% labeled ch

Sources:
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
- chlorhexidine gluconate / interview_form / page 19
```

63. Summarize pharmacokinetics in special populations.

Phase: non_ollama | Success: Yes | Elapsed: 241.1912

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize pharmacokineti
Question: Summarize pharmacokinetics in special populations.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.5087
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 μCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.5065
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.4810
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4742
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
```

```
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4.
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4520
  9

VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply.

(2) Blood levels confirmed in clinical trials do not apply.

(3) No data applicable to the toxic range

(4) Effects of food and concomitant medications Not applicable

2. Pharmacokinetic parameters
(1) Analysis method not applicable

(2) Absorption rate constant No relevant data available

(3) Disappearance rate constant not applicable

(4) Clearance not applicable

(5) Distribution volume not applicable

(6) No other relevant materials

3.Population analysis
(1) No relevant data for analysis method

(2) Parameter variation factors No applicable data
- chlorhexidine gluconate | interview_form | page 9 | section=pk | score=7.4211
  <W> Glucodin W ■Ethanol solution 0.5%

<B> Glucodin B ■Ethanol solution 0.5%

<R> Glucodin R ■Ethanol solution 0.5%
VI. Items related to drug efficacy and pharmacology
1. Pharmacologically relevant
compound or group of compounds

2. Pharmacological effects

(1) Site of action/Mechanism of action (1) Chlorhexidine gluconate solution acts on a wide range of

Sources:
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
- chlorhexidine gluconate / interview_form / page 14
- chlorhexidine gluconate / interview_form / page 9
```

64. What are the key PK findings?

Phase: non_ollama | Success: Yes | Elapsed: 240.9374

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the key PK find
Question: What are the key PK findings?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=7.2829
  - 14 -

4) Disappearance rate constant
```

5) Clearance

6) Distribution volume

7) Plasma protein binding rate

3.Absorption

4. Distribution
1) Blood-brain barrier passage
hypersexuality

2) Transferability to the fetus

3)[redacted]
sex

4) Migration into cerebrospinal fluid

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Reference: (Overseas results) 6) Absorption of chlorhexidine gluconate was investig
After leaving it for 3 hours, the concentrations in blood and feces were measured. 6 hours after
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.2506
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.2447
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 µCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
- chlorhexidine gluconate | interview_form | page 21 | section=pk | score=7.2375
  - 16 -

6. Excretion
1) Excretion site and route

2) Excretion rate

3) Excretion rate

7. Regarding transporters
Information to do

8. Removal rate by dialysis etc.

<Reference>7)
After oral administration of 14C-labeled chlorhexidine gluconate, it was detected in feces and urin
The total amount detected over the 7 days is shown in the table below. There was little absorption

Animal species Dose (mg/kg) Urine (%) Feces (%) Rat
5

```
0.4
99.5
mouse
8
3.7
101.6
dog
5
0.8
102.0

Almost 100% in feces (listed in the table above).

No applicable materials.

No applicable materials.

Not applicable.
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.2255
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.2186
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4.

Sources:
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 21
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
```

65. What does the interview form say about storage and stability?

Phase: non_ollama | Success: Yes | Elapsed: 251.2593

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What does the interview
Question: What does the interview form say about storage and stability?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6220
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6125
```

- 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6045
-18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5811
-Table of Contents-

I. Items related to overview
1.
Development history · · ·

```
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

66. Which section of the interview form describes composition and formulation?

Phase: non_ollama | Success: Yes | Elapsed: 260.5525

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which section of the int
Question: Which section of the interview form describes composition and formulation?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=6.5744
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name

2. Common name

(1) Japanese name: Chlorhexidine gluconate

(2) Western name Chlorhexidine Gluconate

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=6.5653
  -2-

II. Items related to name
```

1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=6.5526
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.5449
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=6.5380
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=6.5250
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

```
Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201

Sources:
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
```

67. Show evidence from the pharmacokinetics section.

Phase: non_ollama | Success: Yes | Elapsed: 276.0486

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Show evidence from the p
Question: Show evidence from the pharmacokinetics section.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.5041
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.5005
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 μCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 an
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
- chlorhexidine gluconate | interview_form | page 21 | section=pk | score=7.4916
  - 16 -

6. Excretion
1) Excretion site and route

2) Excretion rate

3) Excretion rate

7. Regarding transporters
Information to do

8. Removal rate by dialysis etc.

<Reference>7)
After oral administration of 14C-labeled chlorhexidine gluconate, it was detected in feces and urin
The total amount detected over the 7 days is shown in the table below. There was little absorption

Animal species Dose (mg/kg) Urine (%) Feces (%) Rat
5
0.4
99.5
```

mouse
8
3.7
101.6
dog
5
0.8
102.0

Almost 100% in feces (listed in the table above).

No applicable materials.

No applicable materials.

Not applicable.
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.4794
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4718
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4.
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4499
  9

VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply.

(2) Blood levels confirmed in clinical trials do not apply.

(3) No data applicable to the toxic range

(4) Effects of food and concomitant medications Not applicable

2. Pharmacokinetic parameters
(1) Analysis method not applicable

(2) Absorption rate constant No relevant data available

(3) Disappearance rate constant not applicable

(4) Clearance not applicable

(5) Distribution volume not applicable

(6) No other relevant materials

3.Population analysis
(1) No relevant data for analysis method

(2) Parameter variation factors No applicable data

```
Sources:
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 21
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
- chlorhexidine gluconate / interview_form / page 14
```

68. Summarize the stability data of the active ingredient.

Phase: non_ollama | Success: Yes | Elapsed: 299.6889

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize the stability
Question: Summarize the stability data of the active ingredient.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6605
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6520
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6401
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.6129
  -Table of Contents-

I. Items related to overview
1.
Development history . . . . . .
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name . . . . . .
2.
common name . . . . . .
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6045
  3

III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
```

```
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient

(7)Other main indication value
- chlorhexidine gluconate | interview_form | page 6 | section=stability | score=7.5946
  (3) Physical properties of the formulation
pH:5.5~7.0(1→20)
Specific gravity d:1.06~1.07

(4) Identification code

(5) Is it sterile?

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Content of active ingredients
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

69. Summarize the stability data of the finished formulation.

Phase: non_ollama | Success: Yes | Elapsed: 318.6604

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize the stability
Question: Summarize the stability data of the finished formulation.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6419
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
```

- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6324
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6151
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5965
  -Table of Contents-

I. Items related to overview
1.
Development history · · ·

```
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient

(7)Other main indication value

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 8
```

70. What stability results are reported under long-term storage conditions?

Phase: non_ollama | Success: Yes | Elapsed: 331.0345

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What stability results a
Question: What stability results are reported under long-term storage conditions?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6387
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6314
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6293
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5946
  -Table of Contents-

I. Items related to overview
1.
```

Development history · · ·

71. What accelerated stability studies are reported?

Phase: non_ollama | Success: Yes | Elapsed: 318.3583

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What accelerated stabili
Question: What accelerated stability studies are reported?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6504
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6411
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6290
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.6019
  -Table of Contents-

I. Items related to overview
1.
Development history . . . . . .
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name . . . . . .
2.
common name . . . . . .
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.5918
  3

III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2
```

```
(6) No relevant data for distribution coefficient

(7)Other main indication value
- chlorhexidine gluconate | interview_form | page 6 | section=stability | score=7.5884
  (3) Physical properties of the formulation
pH:5.5~7.0(1→20)
Specific gravity d:1.06~1.07

(4) Identification code

(5) Is it sterile?

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Content of active ingredients
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

72. What stress conditions were tested, such as heat, humidity, and light?

Phase: non_ollama | Success: Yes | Elapsed: 307.0682

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What stress conditions w
Question: What stress conditions were tested, such as heat, humidity, and light?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=5.8479
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- chlorhexidine gluconate | interview_form | page 18 | section=dosage | score=5.8463
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8454
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=5.8414
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert
0.05
```

```
The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
(http://www.info.pmda.go.jp/):
1-medium

Chlorhexidine gluconate
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=5.8361
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 22 | section=general | score=5.8249
  It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of

-17-

Sources:
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 2
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 22
```

73. What changes occur under light exposure or photostability testing?

Phase: non_ollama | Success: Yes | Elapsed: 291.4997

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What changes occur under
Question: What changes occur under light exposure or photostability testing?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=6.4496
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=6.4398
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 7 | section=adverse_event | score=6.4059
  Medium Contains 0.1g of chlorhexidine gluconate (
0.1w/v%)

:1) It has been diluted so it can be used as is. [Prevention of measurement/dilution errors] Contai
0.5w/v%) Since it uses a volume-reducing bottle, it can be folded to reduce the volume and be dispo
Ru. (12) Shock and anaphylaxis may occur as serious side effects.
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=6.4050
  -18-
```

```
X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=6.3974
  4
IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form External liquid (2) Appearance and properties of the preparation Bra
pH:5.5~7.0(1→5)
specific gravity d
20
20:1.009~1.029
Not a sterile preparation
2. Composition of the formulation
(1)Content of active ingredients and additives Brand name: Chlorhexidine gluconate disinfectant sol
100mL
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=6.3906
  -Table of Contents-

I. Items related to overview
1.
Development history . . . . . .
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name . . . . . .
2.
common name . . . . . .

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 4
```

74. Are there any notable degradation risks or changes in appearance?

Phase: non_ollama | Success: Yes | Elapsed: 266.8551

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there any notable de
Question: Are there any notable degradation risks or changes in appearance?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8527
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=5.8431
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
```

1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.8131
  4

IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form Liquid preparation for external use

(2) Appearance and properties of the preparation Brand name: Chlorhexidine gluconate disinfectant 5

(3)Identification code not applicable

(4) No relevant data on physical properties of the preparation

(5)Other sterility: Not a sterile preparation

2. Composition of the formulation
(1)Content of active ingredient (active ingredient) and additives Brand name: Chlorhexidine glucona
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as
- chlorhexidine gluconate | interview_form | page 9 | section=dosage | score=5.8018
  4
IV.Items related to formulations

1.Dosage form
(1) Distinction of dosage form External liquid (2) Appearance and properties of the preparation Bra
pH:5.5~7.0(1→5)
specific gravity d
20
20:1.009~1.029
Not a sterile preparation
2. Composition of the formulation
(1)Content of active ingredients and additives Brand name: Chlorhexidine gluconate disinfectant sol
100mL
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.7913
  3

III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient

(7)Other main indication value
- chlorhexidine gluconate | interview_form | page 20 | section=indication | score=5.7688
  15
X. Items related to administrative matters

1.Regulatory classification
Preparation: Chlorhexidine gluconate scrub 4% "Nichiiko" No active ingredient: No chlorhexidine glu
2. Validity period
Validity period: 3 years
3. Storage method in packaged state
Store at room temperature
4.Precautions for handling

```
20. Handling precautions
Use the product as soon as possible after opening the container, even if it is within the expiratio
5.Materials for patients
Medication guide for patients: Lost bookmark: Yes Other materials for patients: No
6.Same ingredients/same efficacy drugs
Same ingredients: Chlorhexidine gluconate disinfectant 5% "Nichiiko", chlorhexidine gluconate disi

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 20
```

75. What storage conditions and shelf-life are recommended?

Phase: non_ollama | Success: Yes | Elapsed: 244.1054

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What storage conditions
Question: What storage conditions and shelf-life are recommended?
Drug filter: chlorhexidine gluconate
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.0455
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.0361
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.0321
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=6.9965
  -Table of Contents-

I. Items related to overview
1.
Development history · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · ·
2.
Therapeutic and pharmaceutical properties of the product 1

II. Items related to name
1.
Sales name · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · ·
2.
common name · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · ·
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=6.9870
  3
```

```
III. Items related to active ingredients

1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear

(2)Solubility
Miscible with water or acetic acid (100). 1mL of this product is 5mL or less of ethanol (99.5) or 3
However, it becomes cloudy when the amount of solvent is increased.

(3) Hygroscopicity No applicable data available

(4) Melting point (decomposition point), boiling point, freezing point No relevant data available

(5) Acid-base dissociation constant
pKa=10.3, 2.2

(6) No relevant data for distribution coefficient

(7)Other main indication value
- chlorhexidine gluconate | interview_form | page 6 | section=stability | score=6.9818
  (3) Physical properties of the formulation
pH:5.5~7.0(1→20)
Specific gravity d:1.06~1.07

(4) Identification code

(5) Is it sterile?

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Content of active ingredients
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

76. Are there data on post-reconstitution or post-preparation stability?

Phase: non_ollama | Success: Yes | Elapsed: 233.0585

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there data on post-r
Question: Are there data on post-reconstitution or post-preparation stability?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
```

- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6118
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6019
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.5878
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5679
  -Table of Contents-

I. Items related to overview
1.
Development history · · ·

```
(5) Is it sterile?

(6) Acid value, iodine value, etc.

2. Composition of the formulation

(1) Content of active ingredients
When quantifying this product, use chlorhexidine gluconate (C22H30Cl2N10■
Contains 2C6H12O7)19.0~21.0w/v%.

(2) Additives

(3) Composition and volume of attached solution

3. Dissolve before use.
Preparation method of formulation

4. Dispersibility of suspensions and emulsions
caution against

5. Under various conditions of formulation
Stability When stored at room temperature for 3 years, 4-chloroaniline was gradually produced, and

Sources:
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

77. Summarize stability, storage, and packaging-related precautions.

Phase: non_ollama | Success: Yes | Elapsed: 232.6776

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize stability, sto
Question: Summarize stability, storage, and packaging-related precautions.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: warning, stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.5974
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.5879
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.5805
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
```

Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5621
  -Table of Contents-

I. Items related to overview
1.
Development history · · ·

```
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 6
```

78. Summarize the Risk Management Plan for this drug.

Phase: non_ollama | Success: Yes | Elapsed: 232.707

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize the Risk Manag
Question: Summarize the Risk Management Plan for this drug.
Drug filter: chlorhexidine gluconate
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=6.9674
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=6.5686
  2
6.RMP Overview
Not applicable
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=6.5653
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-
- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=6.5111
  5. Clinical results..................................................................... 6

VI. Items related to pharmacology ................................................. 9

1. Pharmacologically relevant compound or group of compounds ....................................

2. Pharmacological effects ..................................................................... 9
- chlorhexidine gluconate | interview_form | page 8 | section=rmp | score=6.4073
  2
(3) Since there is no need to prepare disinfectants, sterile cotton balls, sterile cotton swabs, or

4. Characteristics that should be known regarding proper use
Is there a material or optimal us
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=6.3329
  Table of contents

I. Items related to overview
1. Development history ............................ 1
2. Therapeutic properties of the product .......... 1
3. Pharmaceutical properties of the product ................ 1
4.Characteristics that should be known regarding proper use...... 1
5. Approval conditions and restrictions on distribution and use
..................................... 1
6.RMP overview ............................... 1

II. Items related to name
```

```
1. Brand name ............................... 2
2.Common name ............................... 2
3. Structural formula or demonstrative formula ..... 2
4.Molecular formula and molecular weight................... 2
5.Chemical name

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 4
```

79. What are the important identified risks in the RMP?

Phase: non_ollama | Success: Yes | Elapsed: 232.1769

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the important i
Question: What are the important identified risks in the RMP?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=7.3189
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1805
  2
6.RMP Overview
Not applicable
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1804
  VIII. Items related to safety (precautions, etc.)
1. Warning details and reasons ................ 12
2. Contraindications and their reasons .......... 12
3. Precautions related to efficacy or effects and their reasons
..................................... 12
4. Precautions and reasons related to usage and administration
.................................................. 12
5.Important basic precautions and their reasons...... 12
6. Caution regarding patients with specific backgrounds
..................................... 12
7. Interaction ............................... 13
- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=7.1148
  5. Clinical results..................................................................... 6

VI. Items related to pharmacology ............................................... 9

1. Pharmacologically relevant compound or group of compounds ....................................

2. Pharmacological effects ..................................................................... 9
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.0920
  10.Patients with specific backgrounds ............................... 13

11. Others ................................................................ 13

VIII. Items regarding safety (precautions, etc.) 14
```

```
1. Warning details and reasons ..... 14

2. Contraindications and their reasons ..... 14

3. Precautions related to efficacy or effectiveness and their reasons... 14

4. Precautions and reasons related to usage and administration... 14

5.Important basic precautions and their reasons..... 14

6. Precautions regarding patients with specific backgrounds ..... 14

7. Interaction .....
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=6.9232
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
```

80. What are the important potential risks in the RMP?

Phase: non_ollama | Success: Yes | Elapsed: 232.4303

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the important p
Question: What are the important potential risks in the RMP?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=7.3191
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1810
  2
6.RMP Overview
Not applicable
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1807
  VIII. Items related to safety (precautions, etc.)
1. Warning details and reasons ..... 12
2. Contraindications and their reasons ..... 12
3. Precautions related to efficacy or effects and their reasons
..... 12
4. Precautions and reasons related to usage and administration
..... 12
5.Important basic precautions and their reasons..... 12
6. Caution regarding patients with specific backgrounds
```

```
..... 12
7. Interaction ..... 13
- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=7.1152
  5. Clinical results..... 6

VI. Items related to pharmacology ..... 9

1. Pharmacologically relevant compound or group of compounds .....

2. Pharmacological effects ..... 9
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.0922
  10.Patients with specific backgrounds ..... 13

11. Others ..... 13

VIII. Items regarding safety (precautions, etc.) 14

1. Warning details and reasons ..... 14

2. Contraindications and their reasons ..... 14

3. Precautions related to efficacy or effectiveness and their reasons... 14

4. Precautions and reasons related to usage and administration... 14

5.Important basic precautions and their reasons..... 14

6. Precautions regarding patients with specific backgrounds ..... 14

7. Interaction .....
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=6.9235
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
```

81. What important missing information is listed in the RMP?

Phase: non_ollama | Success: Yes | Elapsed: 232.57

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What important missing i
Question: What important missing information is listed in the RMP?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=7.3208
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
```

application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1853
  2
6.RMP Overview
Not applicable
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1831
  VIII. Items related to safety (precautions, etc.)
1. Warning details and reasons 12
2. Contraindications and their reasons 12
3. Precautions related to efficacy or effects and their reasons
..... 12
4. Precautions and reasons related to usage and administration
..... 12
5.Important basic precautions and their reasons..... 12
6. Caution regarding patients with specific backgrounds
..... 12
7. Interaction 13
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1684
  7. Preparation method and stability after dissolution 5

8. Changes in combination with other drugs (physicochemical changes) 5

9. Dissolution properties 5

10. Containers/Packaging 6

11.Materials provided separately..... 6

12.Others 6

V. Items related to treatment 7

1.Efficacy or effect 7

2. Precautions related to efficacy or effectiveness 7

3. Dosage and dosage .....
- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=7.1187
  5. Clinical results..... 6

VI. Items related to pharmacology 9

1. Pharmacologically relevant compound or group of compounds .....

2. Pharmacological effects 9
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=6.9260
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 7

82. What routine pharmacovigilance activities are described in the RMP?

Phase: non_ollama | Success: Yes | Elapsed: 236.301

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What routine pharmacovig
Question: What routine pharmacovigilance activities are described in the RMP?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=7.3118
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1696
  2
6.RMP Overview
Not applicable
- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=7.1057
  5. Clinical results..................................................................... 6

VI. Items related to pharmacology ..................................................... 9

1. Pharmacologically relevant compound or group of compounds ....................................

2. Pharmacological effects ............................................................... 9
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=6.9330
  Table of contents

I. Items related to overview
1. Development history ............................. 1
2. Therapeutic properties of the product .......... 1
3. Pharmaceutical properties of the product ................ 1
4.Characteristics that should be known regarding proper use...... 1
5. Approval conditions and restrictions on distribution and use
..................................... 1
6.RMP overview ............................... 1

II. Items related to name
1. Brand name ................................ 2
2.Common name ............................... 2
3. Structural formula or demonstrative formula ..... 2
4.Molecular formula and molecular weight................... 2
5.Chemical name
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=6.9168
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=6.9086
  7. Preparation method and stability after dissolution ............. 5

8. Changes in combination with other drugs (physicochemical changes) ...... 5

9. Dissolution properties ............................................................ 5

10. Containers/Packaging ............................................... 6
```

```
11.Materials provided separately..................................... 6

12.Others ..................................................................... 6

V. Items related to treatment 7

1.Efficacy or effect ..................................................... 7

2. Precautions related to efficacy or effectiveness ................................ 7

3. Dosage and dosage ................

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 4
```

83. What additional pharmacovigilance activities are described?

Phase: non_ollama | Success: Yes | Elapsed: 245.5571

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What additional pharmaco
Question: What additional pharmacovigilance activities are described?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=5.7771
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=5.7751
  has been done. Additionally, the ``Guidelines for Standard Dialysis Operations and Infection Prev
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=5.7403
  2. Therapeutic properties of the product
(1) This agent is a quick-drying hand rub that contains chlorhexidine gluconate as an active ingred
3. Pharmaceutical properties of the product
(1) This drug is an ethanol solution containing 0.2g of chlorhexidine gluconate. (2) Contains a hum
(3) Packaging specifications include portable 60mL (poly: spray), 500mL (poly: square type), 1L (po
There is 5L (poly).
4.Characteristics that should be known regarding proper use
Materials related to proper use,
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.7303
  3
6.Usual names, aliases, abbreviations, symbol numbers
Other name: Chlorhexidine gluconate

7.CAS registration number
18472-51-0(Chlorhexidine Gluconate)
55-56-1(Chlorhexidine)
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.7129
  3
6.Usual names, aliases, abbreviations, symbol numbers
Other name: Chlorhexidine gluconate solution
7.CAS registration number
```

```
18472-51-0(Chlorhexidine Gluconate)
55-56-1(Chlorhexidine)
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=5.7065
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name

2. Common name

(1) Japanese name: Chlorhexidine gluconate

(2) Western name Chlorhexidine Gluconate

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 4
```

84. What routine risk minimization activities are described?

Phase: non_ollama | Success: Yes | Elapsed: 259.5997

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What routine risk minimi
Question: What routine risk minimization activities are described?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=5.7827
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 6 | section=adverse_event | score=5.7474
  2. Therapeutic properties of the product
(1) This agent is a quick-drying hand rub that contains chlorhexidine gluconate as an active ingred
```

3. Pharmaceutical properties of the product
(1) This drug is an ethanol solution containing 0.2g of chlorhexidine gluconate. (2) Contains a hum
(3) Packaging specifications include portable 60mL (poly: spray), 500mL (poly: square type), 1L (po
There is 5L (poly).
4.Characteristics that should be known regarding proper use
Materials related to proper use,
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.7328
  3
6.Usual names, aliases, abbreviations, symbol numbers
Other name: Chlorhexidine gluconate

7.CAS registration number
18472-51-0(Chlorhexidine Gluconate)
55-56-1(Chlorhexidine)
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.7153
  3
6.Usual names, aliases, abbreviations, symbol numbers
Other name: Chlorhexidine gluconate solution

7.CAS registration number
18472-51-0(Chlorhexidine Gluconate)
55-56-1(Chlorhexidine)
- chlorhexidine gluconate | interview_form | page 4 | section=general | score=5.7087
  I. Items related to overview
1. Development history
Chlorhexidine gluconate was developed by Davis in 1954 at the British laboratory of I.C.I.
It is a bactericidal disinfectant that has been reported as

2. Product features and usefulness

II. Items related to name
1. Brand name

(1) Japanese name: Chlorhexidine gluconate solution 20% “Yakuhan”

(2) Western name Chlorhexidine Gluconate Solution 20% "YAKUHAN"

(3) Origin of the name

2. Common name

(1) Japanese name: Chlorhexidine gluconate

(2) Western name Chlorhexidine Gluconate

3. Structural formula or demonstrative formula

4. Molecular formula and molecular weight
C22H30Cl2N10■2C6H12O7:897.76

5. Chemical name
2, 4, 11, 13-Tetraazatet
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.6982
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7

```
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
```

85. What additional risk minimization materials are planned for patients or healthcare professionals?

Phase: non_ollama | Success: Yes | Elapsed: 454.5152

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What additional risk min
Question: What additional risk minimization materials are planned for patients or healthcare profes
Drug filter: chlorhexidine gluconate
Doc type filter: patient_guide

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.6432
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lio
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6357
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6158
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.6043
  Created in September 2024 (1st edition)
```

```
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 32 | section=general | score=5.5896
  26
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 31 | section=general | score=5.5896
  25
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% Chlorhexidine Gluconate HIBICLENS® (USA): 4w/v% Chlorhexidine Gluconate HIBIS

2.Clinical support information overseas
No applicable materials

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 32
- chlorhexidine gluconate / interview_form / page 31
```

86. What effectiveness-related concerns are included in the RMP?

Phase: non_ollama | Success: Yes | Elapsed: 463.7201

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What effectiveness-relat
Question: What effectiveness-related concerns are included in the RMP?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=7.5576
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
```

- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=7.3499
  5. Clinical results..... 6

VI. Items related to pharmacology 9

1. Pharmacologically relevant compound or group of compounds .....

2. Pharmacological effects 9
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1809
  Table of contents

I. Items related to overview
1. Development history 1
2. Therapeutic properties of the product 1
3. Pharmaceutical properties of the product 1
4.Characteristics that should be known regarding proper use..... 1
5. Approval conditions and restrictions on distribution and use
..... 1
6.RMP overview 1

II. Items related to name
1. Brand name 2
2.Common name 2
3. Structural formula or demonstrative formula 2
4.Molecular formula and molecular weight..... 2
5.Chemical name
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1625
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1619
  7. Preparation method and stability after dissolution 5

8. Changes in combination with other drugs (physicochemical changes) 5

9. Dissolution properties 5

10. Containers/Packaging 6

11.Materials provided separately..... 6

12.Others 6

V. Items related to treatment 7

1.Efficacy or effect 7

2. Precautions related to efficacy or effectiveness 7

3. Dosage and dosage .....
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1608
  2
6.RMP Overview
Not applicable

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7

87. What does the interview form or RMP say about RMP-related risks?

Phase: non_ollama | Success: Yes | Elapsed: 465.3466

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What does the interview
Question: What does the interview form or RMP say about RMP-related risks?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=7.5372
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=7.3225
  5. Clinical results..................................................................... 6

VI. Items related to pharmacology ..................................................... 9

1. Pharmacologically relevant compound or group of compounds ....................................

2. Pharmacological effects ..................................................................... 9
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1664
  Table of contents

I. Items related to overview
1. Development history ............................. 1
2. Therapeutic properties of the product .......... 1
3. Pharmaceutical properties of the product ................ 1
4.Characteristics that should be known regarding proper use...... 1
5. Approval conditions and restrictions on distribution and use
..................................... 1
6.RMP overview ............................... 1

II. Items related to name
1. Brand name ................................ 2
2.Common name ............................... 2
3. Structural formula or demonstrative formula ..... 2
4.Molecular formula and molecular weight................... 2
5.Chemical name
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1501
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1440
  7. Preparation method and stability after dissolution ............. 5

8. Changes in combination with other drugs (physicochemical changes) ...... 5

9. Dissolution properties ..................................................................... 5
10. Containers/Packaging ..................................................... 6
```

```
11.Materials provided separately..................................... 6

12.Others ..................................................................... 6

V. Items related to treatment 7

1.Efficacy or effect ..................................................... 7

2. Precautions related to efficacy or effectiveness ................................ 7

3. Dosage and dosage ................
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1339
  2
6.RMP Overview
Not applicable

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
```

88. What are the important identified risks and potential risks in the RMP documents?

Phase: non_ollama | Success: Yes | Elapsed: 466.6454

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the important i
Question: What are the important identified risks and potential risks in the RMP documents?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=7.3007
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.1633
  VIII. Items related to safety (precautions, etc.)
1. Warning details and reasons ................ 12
2. Contraindications and their reasons .......... 12
3. Precautions related to efficacy or effects and their reasons
..................................... 12
4. Precautions and reasons related to usage and administration
.................................................. 12
5.Important basic precautions and their reasons...... 12
6. Caution regarding patients with specific backgrounds
..................................... 12
7. Interaction ............................... 13
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1469
  2
6.RMP Overview
Not applicable
- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=7.0868
  5. Clinical results.................................................................... 6
```

```
VI. Items related to pharmacology ................................................. 9

1. Pharmacologically relevant compound or group of compounds ....................................

2. Pharmacological effects ..................................................................... 9
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=7.0792
  10.Patients with specific backgrounds ............................... 13

11. Others ..................................................................... 13

VIII. Items regarding safety (precautions, etc.) 14

1. Warning details and reasons ........................................... 14

2. Contraindications and their reasons ............................... 14

3. Precautions related to efficacy or effectiveness and their reasons... 14

4. Precautions and reasons related to usage and administration... 14

5.Important basic precautions and their reasons...... 14

6. Precautions regarding patients with specific backgrounds ...... 14

7. Interaction ...............................................
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=6.9041
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 4
- chlorhexidine gluconate / interview_form / page 7
```

89. Summarize the full RMP including risks, monitoring, and risk minimization actions.

Phase: non_ollama | Success: Yes | Elapsed: 466.6993

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize the full RMP i
Question: Summarize the full RMP including risks, monitoring, and risk minimization actions.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: rmp

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 6 | section=rmp | score=7.5395
  1
I. Items related to overview

1. Development history
This agent is a hand disinfectant containing chlorhexidine gluconate solution as an active ingredie

“Chlorhexidine gluconate scrub 4% “ORY”” was developed by Oriental Pharmaceutical Co., Ltd.
We planned the project, established standards and test methods, conducted stability tests and bacte
Sales began on August 25, 2008. (Accepted based on Pharmaceutical Food and Food Safety No. 0331015
application)

On June 1, 2009, Oriental Pharmaceutical Industry Co., Ltd. changed its company name to Nichi-Iko P

On June 1, 2012, Nichi-Iko Pharma Co., Lt
```

```
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1502
  4.Characteristics that should be known regarding proper use
Materials related to proper use, guidelines for promoting optimal use, etc. Title, reference RMP No
5. Approval conditions and restrictions on distribution and use
(1) Approval conditions not applicable (2) Restrictions on distribution and use not applicable
6.RMP overview
Not applicable
-2-
- chlorhexidine gluconate | interview_form | page 7 | section=rmp | score=7.1210
  2
6.RMP Overview
Not applicable
- chlorhexidine gluconate | interview_form | page 3 | section=rmp | score=7.0652
  5. Clinical results..................................................................... 6

VI. Items related to pharmacology ................................................. 9

1. Pharmacologically relevant compound or group of compounds ....................................

2. Pharmacological effects ..................................................................... 9
- chlorhexidine gluconate | interview_form | page 8 | section=rmp | score=6.9874
  2
(3) Since there is no need to prepare disinfectants, sterile cotton balls, sterile cotton swabs, or

4. Characteristics that should be known regarding proper use
Is there a material or optimal us
- chlorhexidine gluconate | interview_form | page 4 | section=rmp | score=6.9065
  Table of contents

I. Items related to overview
1. Development history ............................. 1
2. Therapeutic properties of the product .......... 1
3. Pharmaceutical properties of the product ................ 1
4.Characteristics that should be known regarding proper use...... 1
5. Approval conditions and restrictions on distribution and use
..................................... 1
6.RMP overview ............................... 1

II. Items related to name
1. Brand name ................................ 2
2.Common name ............................... 2
3. Structural formula or demonstrative formula ..... 2
4.Molecular formula and molecular weight................... 2
5.Chemical name

Sources:
- chlorhexidine gluconate / interview_form / page 6
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 3
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 4
```

90. What recent safety label changes mention this drug?

Phase: non_ollama | Success: Yes | Elapsed: 464.3256

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What recent safety label
Question: What recent safety label changes mention this drug?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9092
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe
```

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9014
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.8956
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution cor

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8810
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8688
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat

```
- chlorhexidine gluconate | interview_form | page 8 | section=general | score=5.8517
  II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine GLUCONATE SOLUTION DISINFECTION CLOTH 4 x 4 disinfectant cloth (2)
2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
3. Structural formula or demonstrative formula
4.Molecular formula and molecular weight
Molecular for

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 8
```

91. What new safety changes were issued for this drug?

Phase: non_ollama | Success: Yes | Elapsed: 276.4173

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What new safety changes
Question: What new safety changes were issued for this drug?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.9333
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9251
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.9212
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.9032
```

```
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8906
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=5.8836
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 23
```

92. Are there safety warnings about fulminant hepatitis, severe skin reactions, or interstitial pneumonia?

Phase: non_ollama | Success: Yes | Elapsed: 276.6475

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there safety warning
Question: Are there safety warnings about fulminant hepatitis, severe skin reactions, or interstiti
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.9561
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y
```

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6541
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.4825
  -6-

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applicable materials

15.Irritation
Refer to "VIII. Items related to safety (precautions, etc.)", "2. Contraindications and their reaso

16.Others
Not applicable
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.3921
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.3886
  16
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported.]
(4) Eyes [There
- chlorhexidine gluconate | interview_form | page 26 | section=warning | score=6.3785
  20
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2.Contraindications and their reasons (including contraindications in principle)
(Do not use in the following cases) Persons with a history of hypersensitivity to chlorhexidine pre

3. Precautions and reasons for use related to efficacy or effect
Not applicable
4. Precautions and reasons related to usage and administration

```
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 26
```

93. Are there severe skin reaction warnings in recent safety notices?

Phase: non_ollama | Success: Yes | Elapsed: 279.0054

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there severe skin re
Question: Are there severe skin reaction warnings in recent safety notices?
Drug filter: chlorhexidine gluconate
Doc type filter: safety_notice
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=7.5643
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres

Sources:
- chlorhexidine gluconate / safety_notice / page 1
```

94. Which safety notices mention liver dysfunction or hepatitis?

Phase: non_ollama | Success: Yes | Elapsed: 274.4363

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which safety notices men
Question: Which safety notices mention liver dysfunction or hepatitis?
Drug filter: chlorhexidine gluconate
Doc type filter: safety_notice

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.1347
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.
"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y
```

```
The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres

Sources:
- chlorhexidine gluconate / safety_notice / page 1
```

95. Are there warnings related to pregnancy, fetal risk, or oligohydramnios?

Phase: non_ollama | Success: Yes | Elapsed: 267.4064

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there warnings relat
Question: Are there warnings related to pregnancy, fetal risk, or oligohydramnios?
Drug filter: chlorhexidine gluconate
Section hints: warning, pregnancy

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 12 | section=pregnancy | score=6.9063
  (3) Reproductive and developmental toxicity test 17) Fetal test, genetic variability
Chlorhexidine gluconate for 10 days from the 6th to 15th gestation day of pregnant rats.
10, 25, and 50 mg/kg were administered orally. Regarding the mother body, only the maximum amount g
Slight irritation sensitivity and suppression of weight gain were observed, but no abnormalities we

(4) Other special toxicities 18) Hemolytic and tissue-damaging The minimum tissue-damaging concentr
- chlorhexidine gluconate | interview_form | page 20 | section=pregnancy | score=6.8931
  No particular abnormality was observed except for an increase in giant cells in the nodes19). (3)

Pregnant rats received 10, 25, and 50 mg/kg/day of chlorhexidine gluconate for 10 days from the 6th

When administered orally, slight hypersensitivity and suppression of weight gain were observed in t

1) Tissue damage

The minimum tissue-damaging concentration of chlorhexidine gluconate in chic
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=6.7664
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7092
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6641
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 20 | section=pregnancy | score=6.6153
  No particular abnormality was observed except for an increase in the number of giant cells18). (3

Chlorhexidine gluconate 10, 25, or 50 mg/kg/day was orally administered to pregnant rats for 10 day

When administered, slight hypersensitivity and suppression of weight gain were observed in mothers

Sources:
- chlorhexidine gluconate / interview_form / page 12
- chlorhexidine gluconate / interview_form / page 20
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / safety_notice / page 1
```

```
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 20
```

96. Are there warnings about HBV reactivation or immunologic risks?

Phase: non_ollama | Success: Yes | Elapsed: 269.3812

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there warnings about
Question: Are there warnings about HBV reactivation or immunologic risks?
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7174
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6738
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2653
  ■■■■■■■■■■■■ ..............................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ..............................................................................

7.

■■■■ ..............................................................................

8.

■■■ ..............................................................................

9.

■■■■■■■■ ..............................................................................

10.

■■,■■,■■■■■■■■■ ..............................................................
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2640
  ■■■■■■■■■■■■ ..............................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ..............................................................................

7.

■■■■ ..............................................................................

8.

■■■ ..............................................................................
9.
```

```
■■■■■■■■ ..............................................................................................

10.

■■,■■,■■■■■■■■■ ...................................................................
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2637
  ■■■■■■■■■■■■ ..............................................................................................

6.

■■■■■■■■■■■■■■■■■■■■■ ..............................................................................................

7.

■■■■■ ..............................................................................................

8.

■■■■ ..............................................................................................

9.

■■■■■■■■ ..............................................................................................

10.

■■,■■,■■■■■■■■■ ...................................................................
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2632
  ■■■■■■■■■■■■ ..............................................................................................

6.

■■■■■■■■■■■■■■■■■■■■■ ..............................................................................................

7.

■■■■■ ..............................................................................................

8.

■■■■ ..............................................................................................

9.

■■■■■■■■ ..............................................................................................

10.

■■,■■,■■■■■■■■■ ...................................................................

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
```

97. Are there metabolism-related warnings such as CYP2D6 ultrarapid metabolizer risk?

Phase: non_ollama | Success: Yes | Elapsed: 293.7013

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there metabolism-rel
Question: Are there metabolism-related warnings such as CYP2D6 ultrarapid metabolizer risk?
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
```

- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.9599
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.9154
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.4906
  -6-

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applicable materials

15.Irritation
Refer to "VIII. Items related to safety (precautions, etc.)", "2. Contraindications and their reaso

16.Others
Not applicable
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.3994
  16
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported.]
(4) Eyes [There
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.3980
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 26 | section=warning | score=6.3856

```
  20
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2.Contraindications and their reasons (including contraindications in principle)
(Do not use in the following cases) Persons with a history of hypersensitivity to chlorhexidine pre

3. Precautions and reasons for use related to efficacy or effect
Not applicable

4. Precautions and reasons related to usage and administration
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 26
```

98. Are there warnings about thyroid dysfunction or systemic iodine absorption?

Phase: non_ollama | Success: Yes | Elapsed: 319.927

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there warnings about
Question: Are there warnings about thyroid dysfunction or systemic iodine absorption?
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7203
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6773
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2680
  ■■■■■■■■■■■■ ..............................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ......................................................................

7.

■■■■ ......................................................................................

8.
```

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2667
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2664
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2660
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

```
■■■■■■■ ..............................................................................

10.

■■,■■,■■■■■■■■ ...................................................................

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
```

99. Are there formulation-related precautions for pregnancy or breastfeeding?

Phase: non_ollama | Success: Yes | Elapsed: 374.0796

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there formulation-re
Question: Are there formulation-related precautions for pregnancy or breastfeeding?
Drug filter: chlorhexidine gluconate
Section hints: warning, pregnancy

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.9613
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 23 | section=pregnancy | score=6.7632
  15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- chlorhexidine gluconate | interview_form | page 11 | section=pregnancy | score=6.7444
  14. Application and drug delivery
Precautions Application Precautions (1) Route of Administration: Use only for external use. (2) Whe
1) Be careful not to accidentally get it in your eyes while using this drug. If it gets into your e
If this occurs, immediately rinse thoroughly with water.
2) When using over a wide area or for a long period of time, be careful not to inhale vapor.
3) Proteins such as serum and pus may coagulate and may not penetrate inside.
When using medical instruments etc. that have these on them, wash them thoroughly before use.
4) If used repeatedly on the same area (skin surface), it may cause skin roughness due to degreasin
Please be careful as this
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6619
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 12 | section=pregnancy | score=6.6489
  (3) Reproductive and developmental toxicity test 17) Fetal test, genetic variability
Chlorhexidine gluconate for 10 days from the 6th to 15th gestation day of pregnant rats.
10, 25, and 50 mg/kg were administered orally. Regarding the mother body, only the maximum amount g
Slight irritation sensitivity and suppression of weight gain were observed, but no abnormalities we

(4) Other special toxicities 18) Hemolytic and tissue-damaging The minimum tissue-damaging concentr
- chlorhexidine gluconate | interview_form | page 20 | section=pregnancy | score=6.6392
  No particular abnormality was observed except for an increase in giant cells in the nodes19). (3)

Pregnant rats received 10, 25, and 50 mg/kg/day of chlorhexidine gluconate for 10 days from the 6th

When administered orally, slight hypersensitivity and suppression of weight gain were observed in t
```

```
1) Tissue damage

The minimum tissue-damaging concentration of chlorhexidine gluconate in chic

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 23
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 12
- chlorhexidine gluconate / interview_form / page 20
```

100. Are there warnings related to thyroid disorders or systemic absorption?

Phase: non_ollama | Success: Yes | Elapsed: 445.3946

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Are there warnings relat
Question: Are there warnings related to thyroid disorders or systemic absorption?
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7248
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6835
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.5107
  -6-

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applicable materials

15.Irritation
Refer to "VIII. Items related to safety (precautions, etc.)", "2. Contraindications and their reaso

16.Others
Not applicable
- chlorhexidine gluconate | interview_form | page 22 | section=warning | score=6.4145
  16
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2. Contraindications and their reasons (including contraindications in principle)
(Do not use on the following patients or areas) (1) Patients with a history of hypersensitivity to
[If used directly on the auditory nerve or central nervous system, hearing loss or nerve damage may
(3) Mucosal surfaces such as the vagina, bladder, and oral cavity [Shock and anaphylaxis may occur
Similar symptoms have been reported. ]
(4) Eyes [There
- chlorhexidine gluconate | interview_form | page 11 | section=warning | score=6.4121
```

```
  -6-

8.Dissolution
Not applicable

9. Biological test methods
Not applicable

10. Confirmation test method for active ingredients in preparations
(1) Color reaction with methanol, bromine test solution and 8N sodium hydroxide test solution. (2)

11. Determination of active ingredients in preparations
Potentiometric titration method

12.Titer
Not applicable

13.Contaminants that may be mixed in
No applicable materials

14. Information regarding containers that require caution and containers with special appearance
No applica
- chlorhexidine gluconate | interview_form | page 26 | section=warning | score=6.3997
  20
VIII. Items related to safety (precautions, etc.)

1. Warning details and reasons
Not applicable

2.Contraindications and their reasons (including contraindications in principle)
(Do not use in the following cases) Persons with a history of hypersensitivity to chlorhexidine pre

3. Precautions and reasons for use related to efficacy or effect
Not applicable

4. Precautions and reasons related to usage and administration
Not applicable

5. Careful administration details and reasons
(Use with caution in the following cases) Persons with drug hypersensitivity

6.Important basic precautions, their reasons and treatm

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 22
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 26
```

101. Show evidence from the contraindications section.

Phase: non_ollama | Success: Yes | Elapsed: 508.1023

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Show evidence from the c
Question: Show evidence from the contraindications section.
Drug filter: chlorhexidine gluconate
Section hints: contraindication

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=7.0674
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert

0.05

The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
(http://www.info.pmda.go.jp/):
```

1-medium

Chlorhexidine gluconate
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | interview_form | page 28 | section=contraindication | score=6.7079
  22
13.Overdose
Not applicable

14. Application notes
(1) Administration route: Do not use for any purpose other than hand disinfection. (2) When using:

15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

16.Others
Nothing in particular
- chlorhexidine gluconate | interview_form | page 18 | section=contraindication | score=6.6931
  7. Interaction
(1) Concomitant use contraindications and reasons not applicable (2) Precautions for concomitant us
- chlorhexidine gluconate | interview_form | page 19 | section=contraindication | score=6.6387
  - 13 -
14. Application notes
(1) Administration route Do not use for any purpose other than hand disinfection. (2) During use
1) Be careful not to accidentally get it in your eyes while using this drug. If it comes into conta
to do.
2) Be careful as there are reports that chemical skin burns may occur when the solution is in conta
to do.
3) Be careful of fire as it is flammable and explosive.
15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- Chlorhexidine Gluconate | smpc_label | page 1 | section=contraindication | score=6.6190
  0.5%
[redacted](2[redacted])[redacted]
0.05%[redacted]
([redacted]100[redacted]) 0.05%[redacted]
14.1.2 [redacted]
[redacted]
14.1.3 [redacted]
[redacted]
14.1.4 [redacted]
[redacted]
14.1.5 [redacted]
[redacted]115°C 30[redacted]121°C 20
[redacted]126°C 15[redacted]
14.1.6 [redacted]
14.1.7 [redacted]
[redacted]7vol%[redacted]
14.1.8 [redacted]
[redacted]([redacted]0.3%[redacted])[redacted]
[redacted]([redacted]14.1.7[redacted])[redacted]
[redacted]
14.1.9 [redacted]
[redacted]
- chlorhexidine gluconate | interview_form | page 20 | section=contraindication | score=6.6087
  15

14. Application notes
(1) Administration Route Do not use for any purpose other than disinfecting hands and skin. (2) Dur
1) Please note that repeated use may cause skin irritation due to degreasing.

```
2) Organic substances such as serum and pus reduce the bactericidal action, so if these are present
Wash thoroughly before use.
3) Since soap weakens the bactericidal effect of this agent, be sure to thoroughly wash off the soa
before use.
4) Be careful of fire as it is flammable and explosive.
5) There are reports that chemical skin burns may occur when the solution is in contact with the sk
So be careful.
15.Other notes
I

Sources:
- chlorhexidine gluconate / interview_form / page 2
- chlorhexidine gluconate / interview_form / page 28
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 19
- Chlorhexidine Gluconate / smpc_label / page 1
- chlorhexidine gluconate / interview_form / page 20
```

102. Show evidence from the warnings section.

Phase: non_ollama | Success: Yes | Elapsed: 551.3426

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Show evidence from the w
Question: Show evidence from the warnings section.
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.9861
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6967
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 18 | section=warning | score=6.3439
  - 12 -
(2) Serious side effects and initial symptoms Serious side effects: Shock (less than 0.1%), anaphyl

(3)Other side effects

Frequency unknown
Less than 0.1%
Hypersensitivity *1)

Skin irritation symptoms such as rash and hives *2)

*1) If any of these symptoms occur, immediately stop using the product and do not reuse it. *2) If
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2837
  ■■■■■■■■■■■■ ..............................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ..............................................................................

7.

■■■■ ..............................................................................
8.
```

```
■■■ ..............................................................................................

9.

■■■■■■■ ..........................................................................................

10.

■■,■■,■■■■■■■■■ ..................................................................
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2824
  ■■■■■■■■■■■■ ....................................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ..............................................................................

7.

■■■■■ ............................................................................................

8.

■■■ ..............................................................................................

9.

■■■■■■■ ..........................................................................................

10.

■■,■■,■■■■■■■■■ ..................................................................
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2821
  ■■■■■■■■■■■■ ....................................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ..............................................................................

7.

■■■■■ ............................................................................................

8.

■■■ ..............................................................................................

9.

■■■■■■■ ..........................................................................................

10.

■■,■■,■■■■■■■■■ ..................................................................

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
```

103. Give the answer with citations and show the exact page references.

Phase: non_ollama | Success: Yes | Elapsed: 568.8091

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Give the answer with cit
Question: Give the answer with citations and show the exact page references.
```

Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.8970
  Revised November 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

External disinfectant Chlorhexidine Gluconate Disinfectant Solution Chlorhexidine Gluconate Disinfe

Standards and contents without regulatory classification for external liquid preparations
Chlorhexidine gluconate solution 25mL in 100mL
(5w/v% as chlorhexidine gluconate) Contains Generic name Japanese name: Chlorhexidine gluconate lic
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8901
  Revised January 2024 (5th edition)
Japan standard product classification number: 872619

Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201

Hand disinfectant chlorhexidine gluconate preparation Chlorhexidine gluconate scrub 4% "Nichi-Iko"

Standards and contents without regulatory classification for liquid dosage forms
Contains 20mL of chlorhexidine gluconate solution in 100mL (chlorhexidine
4.0w/v% as ruconate) Generic name Japanese name: Chlorhexidine gluconate liquid Western name: Chlor
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8671
  Created in December 2016 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form

Created in accordance with the Japanese Association of Hospital Pharmacists' IF writing guidelines

Bactericidal disinfectant for outer skin

Japanese Pharmacy Chlorhexidine Gluconate Solution Chlorhexidine Gluconate Solution 20% "Yakuhan"

Dosage form liquid drug specifications/content
Contains 19.0~21.0 w/v% of chlorhexidine gluconate.
Generic name: Japanese name: Chlorhexidine Gluconate Western name: Chlorhexidine Gluconate Date of
February 24, 2005
February 24, 2005
July 8, 201
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8591
  Created in September 2024 (1st edition)
Japanese standard product classification number
872619

Pharmaceutical interview form
Created in accordance with the Japan Society of Hospital Pharmacists' IF writing guidelines 2018 (u

Disinfectant (chlorhexidine gluconate preparation) Chlorhexidine Gluconate Disinfectant Solution 5%

Dosage form

External liquid

Specifications and contents that do not apply to the regulatory category of the preparation
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 25mL in 100mL
(Contains 5g (5w/v%) as chlorhexidine gluconate) Generic name Japanese name: Chlorhexidine Gluconat
- chlorhexidine gluconate | interview_form | page 1 | section=dosage | score=5.8288
  Revised December 2023 (7th edition)
Japan standard product classification number 872619
Pharmaceutical interview form
Created in accordance with the Japan Association of Hospital Pharmacists' IF writing guidelines 201
Dosage form Regulatory classification of liquid preparations for external use Not applicable specif

```
Date of manufacturing and marketing approval: February 26
- chlorhexidine gluconate | interview_form | page 1 | section=general | score=5.8228
  Revised October 2017 (3rd edition)
Japan standard product classification number 872619

Pharmaceutical interview form
Created in accordance with the IF writing guidelines 2013 of the Japan Society of Hospital Pharmaci

Specifications and contents that do not apply to regulatory categories for external liquid preparat
1,000mL medium
Japanese Pharmacopoeia Chlorhexidine Gluconate Solution 250mL
(50g as chlorhexidine gluconate) Generic name: Japanese name: Chlorhexidine gluconate (JAN) Western
Date of manufacturing and marketing approval: February 15, 2013
NHI drug price l

Sources:
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
- chlorhexidine gluconate / interview_form / page 1
```

104. Show the supporting evidence and source page files for the PK answer.

Phase: non_ollama | Success: Yes | Elapsed: 583.3488

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Show the supporting evid
Question: Show the supporting evidence and source page files for the PK answer.
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 21 | section=pk | score=7.4698
  - 16 -

6. Excretion
1) Excretion site and route

2) Excretion rate

3) Excretion rate

7. Regarding transporters
Information to do

8. Removal rate by dialysis etc.

<Reference>7)
After oral administration of 14C-labeled chlorhexidine gluconate, it was detected in feces and urin
The total amount detected over the 7 days is shown in the table below. There was little absorption

Animal species Dose (mg/kg) Urine (%) Feces (%) Rat
5
0.4
99.5
mouse
8
3.7
101.6
dog
5
0.8
102.0

Almost 100% in feces (listed in the table above).
No applicable materials.
```

No applicable materials.

Not applicable.
- chlorhexidine gluconate | interview_form | page 9 | section=pk | score=7.4074
  <W> Glucodin W ■Ethanol solution 0.5%

<B> Glucodin B ■Ethanol solution 0.5%

<R> Glucodin R ■Ethanol solution 0.5%
VI. Items related to drug efficacy and pharmacology
1. Pharmacologically relevant
compound or group of compounds

2. Pharmacological effects

(1) Site of action/Mechanism of action (1) Chlorhexidine gluconate solution acts on a wide range of
- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=7.2624
  - 14 -

4) Disappearance rate constant

5) Clearance

6) Distribution volume

7) Plasma protein binding rate

3.Absorption

4. Distribution
1) Blood-brain barrier passage
hypersexuality

2) Transferability to the fetus

3)■■■■■■■
sex

4) Migration into cerebrospinal fluid

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Reference: (Overseas results) 6) Absorption of chlorhexidine gluconate was investig
After leaving it for 3 hours, the concentrations in blood and feces were measured. 6 hours after
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.2328
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.2284
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 μCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of

```
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.2091
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl

Sources:
- chlorhexidine gluconate / interview_form / page 21
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 16
```

105. Which pages were used to answer the question on stability?

Phase: non_ollama | Success: Yes | Elapsed: 591.6656

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Which pages were used to
Question: Which pages were used to answer the question on stability?
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: stability

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=7.6259
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros
- chlorhexidine gluconate | interview_form | page 9 | section=stability | score=7.6168
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
1 mL of chlorhexidine gluconate solution is miscible with up to 5 mL of ethanol (99.5) or up to 3 m
However, when the amount of solvent is increased, it becomes cloudy. (3) No relevant data for hygro
- chlorhexidine gluconate | interview_form | page 23 | section=stability | score=7.6115
  -18-

X. Items related to administrative matters
1.Regulatory classification
Preparation: Chlorhexidine gluconate disinfectant solution 5% “NP” Not applicable
Active ingredient: Japanese Pharmacopoeia Chlorhexidine gluconate solution Not applicable

2. Validity period or expiration date
Expiration date: 3 years after manufacture (based on stability test results) (See section 5. Stabil

3.Storage method/storage conditions
Seal tightly and store at room temperature, protected from light.
- chlorhexidine gluconate | interview_form | page 4 | section=stability | score=7.5824
  -Table of Contents-

I. Items related to overview
1.
Development history · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · · ·
2.
Therapeutic and pharmaceutical properties of the product 1
II. Items related to name
```

1.
Sales name · · ·

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the key warning
Question: What are the key warnings and contraindications for chlorhexidine gluconate?
Drug filter: chlorhexidine gluconate
Section hints: contraindication, warning

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 2 | section=contraindication | score=7.0929
  The IF Description Guidelines 2008 change the method of providing IFs from paper booklets to elec

(e-IF) became the principle. In line with this change, if there is a revision to the package insert

0.05

The latest version of e-IF is available on the Pharmaceuticals and Medical Devices Agency's drug in
(http://www.info.pmda.go.jp/):
1-medium

Chlorhexidine gluconate
Contains 0.05g (0.05w/v %)

:
1

Medium

Contains 0.1g of chlorhexidine gluconate (
0.1w/v
%
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=7.0207
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.9885
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 28 | section=contraindication | score=6.9779
  22
13.Overdose
Not applicable

14. Application notes
(1) Administration route: Do not use for any purpose other than hand disinfection. (2) When using:

15.Other notes
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se

16.Others
Nothing in particular
- chlorhexidine gluconate | interview_form | page 19 | section=contraindication | score=6.9051
  - 13 -
14. Application notes
(1) Administration route Do not use for any purpose other than hand disinfection. (2) During use
1) Be careful not to accidentally get it in your eyes while using this drug. If it comes into conta
to do.
2) Be careful as there are reports that chemical skin burns may occur when the solution is in conta
to do.
3) Be careful of fire as it is flammable and explosive.
15.Other notes
```

```
It has been reported that IgE antibodies specific to chlorhexidine were detected in the serum of se
- Chlorhexidine Gluconate | smpc_label | page 1 | section=contraindication | score=6.8788
  0.5%
[redacted](2[redacted])[redacted]
0.05%[redacted]
([redacted]100[redacted]) 0.05%[redacted]
14.1.2 [redacted]
[redacted]
14.1.3 [redacted]
[redacted]
14.1.4 [redacted]
[redacted]
14.1.5 [redacted]
[redacted]115°C 30[redacted]121°C 20
[redacted]126°C 15[redacted]
14.1.6 [redacted]
14.1.7 [redacted]
[redacted]7vol%[redacted]
14.1.8 [redacted]
[redacted]([redacted]0.3%[redacted])[redacted]
[redacted]([redacted]14.1.7[redacted])[redacted]
[redacted]
14.1.9 [redacted]
[redacted]

Sources:
- chlorhexidine gluconate / interview_form / page 2
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 28
- chlorhexidine gluconate / interview_form / page 19
- Chlorhexidine Gluconate / smpc_label / page 1
```

107. Please summarize the detailed pharmacokinetic profile including absorption, metabolism, and elimination.

Phase: non_ollama | Success: Yes | Elapsed: 586.457

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Please summarize the det
Question: Please summarize the detailed pharmacokinetic profile including absorption, metabolism, a
Drug filter: chlorhexidine gluconate
Doc type filter: interview_form
Section hints: pk

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 19 | section=pk | score=7.5060
  - 14 -

4) Disappearance rate constant

5) Clearance

6) Distribution volume

7) Plasma protein binding rate

3.Absorption

4. Distribution
1) Blood-brain barrier passage
hypersexuality

2) Transferability to the fetus

3)[redacted]
sex
4) Migration into cerebrospinal fluid
```

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable. Reference: (Overseas results) 6) Absorption of chlorhexidine gluconate was investig
After leaving it for 3 hours, the concentrations in blood and feces were measured. 6 hours after
- chlorhexidine gluconate | interview_form | page 18 | section=pk | score=7.4777
  - 13 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4
- chlorhexidine gluconate | interview_form | page 15 | section=pk | score=7.4714
  - 9 -
3. Absorption
Not applicable (Reference 1: Human [absorption/excretion 15)])
5% or 4% labeled chlorhexidine gluconate (18 μCi) was applied to 50 cm2 of the upper arm skin of 5
(containing 14C) was applied and left for 3 hours. 14C labeled substance was detected in blood 6 ar
It wasn't done. When measuring the total amount of 14C-labeled substances in feces and urine 10 day
Less than 0.009% of the applied amount of 14C labeled substance was detected in the feces of patien
Fifteen healthy people disinfected their hands and arms with 10 mL of
- chlorhexidine gluconate | interview_form | page 21 | section=pk | score=7.4622
  - 16 -

6. Excretion
1) Excretion site and route

2) Excretion rate

3) Excretion rate

7. Regarding transporters
Information to do

8. Removal rate by dialysis etc.

<Reference>7)
After oral administration of 14C-labeled chlorhexidine gluconate, it was detected in feces and urin
The total amount detected over the 7 days is shown in the table below. There was little absorption

Animal species Dose (mg/kg) Urine (%) Feces (%) Rat
5
0.4
99.5
mouse
8
3.7
101.6
dog
5
0.8
102.0

Almost 100% in feces (listed in the table above).

No applicable materials.

No applicable materials.

Not applicable.
- chlorhexidine gluconate | interview_form | page 16 | section=pk | score=7.4546

```
  11
VII. Items related to pharmacokinetics

1.Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply. (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method No applicable data (2) Absorption rate constant not applicable (3) Disappearanc
3. Population analysis
(1) Analysis method not applicable (2) Parameter variation factor not applicable
4. Absorption
16.2.1 5% or 4% labeled chl
- chlorhexidine gluconate | interview_form | page 14 | section=pk | score=7.4482
  - 9 -
VII. Items related to pharmacokinetics
1. Changes in blood concentration
(1) Therapeutically effective blood concentration does not apply (2) Blood concentration confirmed
2. Pharmacokinetic parameters
(1) Analysis method not applicable (2) Absorption rate constant not applicable (3) Disappearance ra
3. Population analysis
(1) No relevant data for analysis method (2) No relevant data for parameter variation factors
4.

Sources:
- chlorhexidine gluconate / interview_form / page 19
- chlorhexidine gluconate / interview_form / page 18
- chlorhexidine gluconate / interview_form / page 15
- chlorhexidine gluconate / interview_form / page 21
- chlorhexidine gluconate / interview_form / page 16
- chlorhexidine gluconate / interview_form / page 14
```

108. What are the active ingredient and excipients?

Phase: non_ollama | Success: Yes | Elapsed: 552.4524

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the active ingr
Question: What are the active ingredient and excipients?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9599
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 11 | section=general | score=5.9554
  5
4. Quantification method of active ingredients
Based on the Japanese drug ``chlorhexidine gluconate solution.''
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.9331
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
```

```
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 7
```

109. What are the active ingredient and excipients?

Phase: non_ollama | Success: Yes | Elapsed: 528.2991

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "What are the active ingr
Question: What are the active ingredient and excipients?
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 7 | section=dosage | score=5.9599
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine gluconate disinfectant solution 5% "NP"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION FOR DISINFECTION
(3) Origin of name: The dosage form and content of the active ingredient, chlorhexidine gluconate,

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula

4.Molecular formula and molecular weight
Molecular formula: C22H30Cl2N10■2C6H12O7
Molecular weight: 897.76

5.Chemical name (nomenclature)
1,1'-Hexamethylenebis[5-(
- chlorhexidine gluconate | interview_form | page 11 | section=general | score=5.9554
  5
4. Quantification method of active ingredients
Based on the Japanese drug ``chlorhexidine gluconate solution.''
- chlorhexidine gluconate | interview_form | page 7 | section=general | score=5.9331
  -2-

II. Items related to name
1.Selling name
(1) Japanese name: 1% chlorhexidine gluconate aqueous solution disinfectant cloth 4 x 4 "Nipro"
(2)Western name: CHLORHEXIDINE GLUCONATE SOLUTION DISINFECTION CLOTH
(3) Origin of the name: This agent is a disinfectant cloth impregnated with a chemical solution con

2.Common name
(1) Japanese name (nomenclature): Chlorhexidine gluconate (JAN) (2) Western name (nomenclature): Ch
(3) Stem: unknown

3. Structural formula or demonstrative formula
Structural formula:

4.Molecular formula and molecular weight
Molecu
```

```
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.9124
  - 4 -
3. Confirmation test for active ingredients
law
4. Quantification method of active ingredients
According to the Japanese Bureau of Medicine's "Chlorhexidine Gluconate Solution Confirmation Test.
- chlorhexidine gluconate | interview_form | page 8 | section=general | score=5.8846
  II. Items related to name
1.Selling name
(1) Japanese name: Chlorhexidine GLUCONATE SOLUTION DISINFECTION CLOTH 4 x 4 disinfectant cloth (2)
2.Common name
(1) Japanese name (nomenclature): Chlorhexidine Gluconate (JAN) (2) Western name (nomenclature): Ch
3. Structural formula or demonstrative formula
4.Molecular formula and molecular weight
Molecular for
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.8823
  - 3 -
III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Properties Chlorhexidine gluconate solution is a colorless to slightly yellow, clear
Also, 1 mL of chlorhexidine gluconate solution is 5 mL or less of ethanol (99.5) or 3 mL or less of
However, it becomes cloudy when the amount of solvent is increased. (3) No relevant data for hygros

Sources:
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 11
- chlorhexidine gluconate / interview_form / page 7
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 8
- chlorhexidine gluconate / interview_form / page 8
```

110. Summarize all major risks.

Phase: non_ollama | Success: Yes | Elapsed: 499.0646

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize all major risk
Question: Summarize all major risks.
Drug filter: chlorhexidine gluconate

Top retrieved evidence:
- chlorhexidine gluconate | interview_form | page 32 | section=general | score=5.8960
  26
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 31 | section=general | score=5.8960
  25
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% Chlorhexidine Gluconate HIBICLENS® (USA): 4w/v% Chlorhexidine Gluconate HIBIS

2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 34 | section=general | score=5.8960
  28
XII.Reference materials

1. Release status in major foreign countries
PERIDEX® (USA): 0.12% chlorhexidine gluconate HIBICLENS® (USA): 4w/v% chlorhexidine gluconate HIBIS

2.Clinical support information overseas
No applicable materials
- chlorhexidine gluconate | interview_form | page 5 | section=stability | score=5.7413
  6. Common names, aliases, abbreviations,
symbol number
```

```
7. CAS Registration Number
55-56-1(Chlorhexidine)
18472-51-0(Chlorhexidine Gluconate)

III. Items related to active ingredients
1. Regulatory classification of active ingredients
common medicine

2. Physicochemical properties

(1) Appearance/Properties Chlorhexidine gluconate usually exists as an aqueous solution, and its 20

(2) Solubility
Miscible with water or acetic acid (100). 1mL of 20w/v% solution is 5mL of ethanol (99.5)
It is miscible with less than 3 mL of acetone, but becomes cloudy when increasing the amount of sol

(3) Hygrosco
- chlorhexidine gluconate | interview_form | page 9 | section=general | score=5.7396
  3
6.Usual names, aliases, abbreviations, symbol numbers
Other name: Chlorhexidine gluconate

7.CAS registration number
18472-51-0(Chlorhexidine Gluconate)
55-56-1(Chlorhexidine)
- chlorhexidine gluconate | interview_form | page 8 | section=stability | score=5.7314
  -3-

III. Items related to active ingredients
1.Physicochemical properties
(1) Appearance/Characteristics: Colorless to slightly yellow, clear liquid with no odor and bitter
1 mL is miscible with less than 5 mL of ethanol (99.5) or less than 3 mL of acetone, but the solver
becomes cloudy when increasing the amount of (3) No relevant data on hygroscopicity (4) No relevant
pH: The pH of a solution of 5.0mL of this product dissolved i

Sources:
- chlorhexidine gluconate / interview_form / page 32
- chlorhexidine gluconate / interview_form / page 31
- chlorhexidine gluconate / interview_form / page 34
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 9
- chlorhexidine gluconate / interview_form / page 8
```

111. Compare the warnings for alprazolam and abaloparatide.

Phase: non_ollama | Success: Yes | Elapsed: 448.686

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Compare the warnings for
Question: Compare the warnings for alprazolam and abaloparatide.
Drug filter: chlorhexidine gluconate
Section hints: warning

Top retrieved evidence:
- chlorhexidine gluconate | safety_notice | page 1 | section=warning | score=6.7307
  Attachment 3
261 Germicidal disinfectant

[Drug name] Chlorhexidine gluconate

[Measures] The precautions for use will be revised as follows.

Please refer to the description regarding shock in the [Important Basic Precautions] section.

"In order to predict reactions such as shock and anaphylaxis, be sure to thoroughly inquire about y

The description regarding shock in the "Significant side effects" section of [Adverse reactions] ha

“Shock, anaphylaxis:
```

Shock and anaphylaxis may occur, so carefully monitor the product. If decreased blood pres
- chlorhexidine gluconate | interview_form | page 24 | section=warning | score=6.6896
  (Explanation) *1 Chlorhexidine at a concentration of 0.5% or higher is highly toxic to the eyes,
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2777
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2764
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2761
  [redacted] .....

6.

[redacted] .....

7.

[redacted] .....

8.

[redacted] .....

9.

[redacted] .....

10.

[redacted] .....

```
- chlorhexidine gluconate | interview_form | page 5 | section=warning | score=6.2756
  ■■■■■■■■■■■■ ..............................................................................

6.

■■■■■■■■■■■■■■■■■■■■ ..............................................................................

7.

■■■■ ..............................................................................................

8.

■■■ ...............................................................................................

9.

■■■■■■■ ...........................................................................................

10.

■■,■■,■■■■■■■■ ...................................................................

Sources:
- chlorhexidine gluconate / safety_notice / page 1
- chlorhexidine gluconate / interview_form / page 24
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
- chlorhexidine gluconate / interview_form / page 5
```

112. Summarize composition, excipients, stability, and formulation-related safety risks.

Phase: ollama | Success: Yes | Elapsed: 186.5934

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize composition, e
Here is a concise summary of composition, excipients, stability, and formulation-related safety ris

Composition/Excipients:
* Active ingredient: Chlorhexidine gluconate
* Solvents: Ethanol (99.5) or Acetone
* Other: Water or Acetic acid

Stability:
* Solution is colorless to slightly yellow, clear liquid with no odor and bitter taste
* Miscible with water or acetic acid (100), ethanol (99.5) up to 5 mL, or acetone up to 3 mL
* Becomes cloudy when solvent amount is increased

Formulation-related Safety Risks:
* None explicitly stated

Please note that the evidence provided does not cover formulation-related safety risks in detail.

Key Evidence:

* Chlorhexidine gluconate solution is a colorless to slightly yellow, clear liquid with no odor and
* Soluble chlorhexidine gluconate solution is miscible with water or acetic acid (100), ethanol (99
* When the amount of solvent is increased, it becomes cloudy. (Drug / Interview_form / Page 8 and 9

Source Citations:
Chlorhexidine gluconate / Interview_form / Page 8
Chlorhexidine gluconate / Interview_form / Page 9
```

113. Summarize the pharmacokinetics of this drug.

Phase: ollama | Success: Yes | Elapsed: 171.6165

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize the pharmacoki
Here is a summary of the pharmacokinetics of chlorhexidine gluconate:
```

```
Concise answer: The pharmacokinetic parameters of chlorhexidine gluconate are limited by the availa

Key evidence bullets:
• Absorption of 14C-labeled chlorhexidine gluconate was detected in blood 6 and 24 hours after appl
• No 14C-labeled substances were detected in urine 10 days after application (Reference 1: Human /
• Analysis method is not applicable for pharmacokinetic parameters (Reference 2: drug / interview_f
• Absorption rate constant, disappearance rate constant, and clearance could not be determined due

Source citations:
1. Human / interview_form / page=15
2. drug / interview_form / page=18
3. drug / interview_form / page=18
```

114. Summarize the full RMP including risks, monitoring, and risk minimization actions.

Phase: ollama | Success: Yes | Elapsed: 140.1695

```
python fs_rag_chatbot.py "E:\\PharmAppDev\\database\\PMDA\\pmda_fs_index" "Summarize the full RMP i
Unfortunately, I cannot provide a full summary of the RMP including risks, monitoring, and risk min

However, based on the available information, here is what can be extracted:

* Chlorhexidine gluconate is a hand disinfectant containing chlorhexidine gluconate solution as an
* The drug was developed by Oriental Pharmaceutical Co., Ltd. and received approval on April 30, 20
* There are no approval conditions or restrictions on distribution and use.

The RMP overview section is not applicable (source: [Rank 2] drug=chlorhexidine gluconate; doc_type

There are also no specific guidelines for promoting optimal use, insurance application consideratio

Unfortunately, the provided evidence does not include information on risks, monitoring, and risk mi
```