MCV9s

Execution Environment

Host name ngocanh - localhost Local OS Mac OS X 64bit

Katalon version 9.5.0.217

Browser Chrome 125.0.0.0

Device name

Summary

ID Test Suites/MCV9s

Description

Total 15
Passed 15 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 07-06-2024 09:54:54 End 07-06-2024 09:58:35

Elapsed 3m - 41.144s

| # | ID | Description | Status |
|----|-------------------------------------|-------------|--------|
| 1 | Test Cases/MCV9s/Login | | PASSED |
| 2 | Test Cases/MCV9s/OpenFuncChuyenTien | | PASSED |
| 3 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 4 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 5 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 6 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 7 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 8 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 9 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 10 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 11 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 12 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 13 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 14 | Test Cases/MCV9s/ChuyenTien | | PASSED |
| 15 | Test Cases/MCV9s/ChuyenTien | | PASSED |

Login

Information

ID Test Cases/MCV9s/Login

Description

Tag

Start 07-06-2024 09:54:55 End 07-06-2024 09:55:13

Elapsed 18.678s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 7.587s | PASSED |
| 2 | navigateToUrl("https://stg-console.9pay.mobi/login") Navigate to 'https://stg-console.9pay.mobi/login' successfully | 1.815s | PASSED |
| 3 | setText(findTestObject("Object Repository/MCV9s/Page_Login system 9PAY/input_username"), "autotest") Text 'autotest' is set on object 'Object Repository/MCV9s/Page_Login system 9PAY/input_username' | 6.937s | PASSED |
| 4 | setText(findTestObject("Object Repository/MCV9s/Page_Login system 9PAY/input_password"), "autotest@9s.vn") Text 'autotest@9s.vn' is set on object 'Object Repository/MCV9s/Page_Login system 9PAY/input_password' | 0.832s | PASSED |
| 5 | click(findTestObject("Object Repository/MCV9s/Page_Login system 9PAY/button_ng nhp")) Object: 'Object Repository/MCV9s/Page_Login system 9PAY/button_ng nhp' is clicked on | 0.824s | PASSED |

OpenFuncChuyenTien

Information

ID Test Cases/MCV9s/OpenFuncChuyenTien

Description

Tag

Start 07-06-2024 09:55:13 End 07-06-2024 09:55:18

Elapsed 5.153s
Status PASSED

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | setViewPortSize(1920, 1080) | 1.274s | PASSED |
| | Viewport is set to new size with width = 1920 and height = 1080 | | |
| 2 | waitForElementVisible(findTestObject("Object Repository/MCV9s/Page_Lch s giao dch/a_Qun I s d"), 2) | 1.870s | PASSED |
| | Object 'Object Repository/MCV9s/Page_Lch s giao dch/a_Qun I s d' is visible | | |
| 3 | click(findTestObject("Object Repository/MCV9s/Page_Lch s giao dch/a_Qun I s d")) | 0.909s | PASSED |
| | Object: 'Object Repository/MCV9s/Page_Lch s giao dch/a_Qun I s d' is clicked on | | |
| 4 | click(findTestObject("Object Repository/MCV9s/Page_Lch s giao dch/a_Chuyn tin")) | 0.566s | PASSED |
| | Object: 'Object Repository/MCV9s/Page_Lch s giao dch/a_Chuyn tin' is clicked on | | |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:55:19 End 07-06-2024 09:55:36

Elapsed 17.208s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.381s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.052s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.008s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.296s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.004s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.004s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.347s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value " are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.646s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.784s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value " are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.763s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.787s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.051s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.557s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.493s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.350s | PASSED |
| 16 | if (inputamount != "") Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.357s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.009s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.353s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.393s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.434s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.522s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.009s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.361s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.377s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.331s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.433s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.016s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.575s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.333s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.366s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.343s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.349s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.064s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Vui lòng chn tài khon ngun' is present on page | 0.445s | PASSED |
| 35 | if (validateResult == "Success") | 0.006s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.514s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:55:36 End 07-06-2024 09:55:51

Elapsed 14.228s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.290s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.001s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.312s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.000s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.332s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.644s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value " are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.906s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.787s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value " are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.629s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.035s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.517s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.343s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.312s | PASSED |
| 16 | if (inputamount != "") Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.329s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.006s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.329s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.315s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.306s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.287s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.009s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.361s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.299s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.374s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.341s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.011s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.400s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.324s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.333s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.580s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.346s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.005s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Vui lòng chn tài khon ích' is present on page | 0.406s | PASSED |
| 35 | if (validateResult == "Success") | 0.001s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.648s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:55:51 End 07-06-2024 09:56:04

Elapsed 13.436s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.289s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.000s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.001s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.395s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.002s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.288s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.604s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.632s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.620s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.616s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.008s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.463s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn | 0.315s | PASSED |
| | tin/input_()_amount' | | |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn | 0.320s | PASSED |
| | tin/input_()_amount' | | |
| 16 | <pre>if (inputamount != "") Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount'</pre> | 0.333s | PASSED |
| | | | |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.004s | PASSED |
| | | | |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is | 0.333s | PASSED |
| | clicked on | | |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M | 0.303s | PASSED |
| | giao dch tham chiu_refer_id' | | |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M | 0.287s | PASSED |
| | giao dch tham chiu_refer_id' | | |
| 21 | sendKeys(inputtransaction, transaction) | 0.388s | PASSED |
| | Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.006s | PASSED |
| | | | |
| | | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.410s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.312s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.304s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.302s | PASSED |
| 27 | inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code") | 0.005s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.320s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.345s | PASSED |
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.392s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.463s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.556s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.011s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'S tin là bt buc' is present on page | 0.398s | PASSED |
| 35 | if (validateResult == "Success") | 0.001s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.159s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:56:04 End 07-06-2024 09:56:17

Elapsed 12.730s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.307s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.002s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.002s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.299s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.000s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.283s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.609s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.758s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.559s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.563s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.005s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.303s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.319s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.280s | PASSED |
| 16 | if (inputamount != "") Keys '5000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.326s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.010s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.341s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.326s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.297s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.288s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.004s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.307s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.372s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.275s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.500s | PASSED |
| 27 | inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code") | 0.024s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.366s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.302s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.370s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.323s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.342s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.011s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'S tin ti thiu c phép là 10.000 VN' is present on page | 0.388s | PASSED |
| 35 | if (validateResult == "Success") | 0.000s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.204s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:56:17 End 07-06-2024 09:56:31

Elapsed 13.647s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.287s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.001s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.320s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.352s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.686s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.764s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.705s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.745s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.005s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.461s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.350s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.319s | PASSED |
| 16 | if (inputamount != "") Keys 'abcxyz' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.304s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.003s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.446s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.293s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.346s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.335s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.002s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.316s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.421s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.315s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.322s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.019s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.386s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.310s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.419s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.323s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.356s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.005s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'amount phi là ch s' is present on page | 0.371s | PASSED |
| 35 | if (validateResult == "Success") | 0.000s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.310s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:56:31 End 07-06-2024 09:56:44

Elapsed 13.442s Status PASSED

| | | | 2 |
|---|--|---------|--------|
| # | Description | Elapsed | Status |
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.323s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.001s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.314s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.003s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.002s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.301s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.625s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.590s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.624s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.601s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.004s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.352s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.327s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.346s | PASSED |
| 16 | if (inputamount != "") Keys '999999999' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.542s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.005s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.326s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.323s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.321s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.346s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.004s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.452s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.330s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.299s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.304s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.003s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.466s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.341s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.359s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.354s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.379s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.012s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'S d trong tài khon Merchant không thc hin giao dch' is present on page | 0.435s | PASSED |
| 35 | if (validateResult == "Success") | 0.002s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.288s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:56:44 End 07-06-2024 09:56:59

Elapsed 14.884s Status PASSED

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.566s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.000s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.001s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.281s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.000s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.000s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.285s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.602s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.598s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.613s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.591s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.004s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.358s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.331s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.336s | PASSED |
| 16 | if (inputamount != "") Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.408s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.003s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.373s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.307s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.385s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.316s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.004s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.313s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.311s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.396s | PASSED |
| 26 | sendKeys(inputnote, note) Keys "sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.301s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.003s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.353s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.416s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.383s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys 'a123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.432s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.339s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.009s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Mã xác minh không hp l' is present on page | 2.028s | PASSED |
| 35 | if (validateResult == "Success") | 0.011s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.178s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:56:59 End 07-06-2024 09:57:11

Elapsed 12.114s
Status PASSED

Details

| | | | . |
|---|---|---------|----------|
| # | Description | Elapsed | Status |
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: ' | 0.295s | PASSED |
| | 615,177,553VND' | | |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.000s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: ' | 0.296s | PASSED |
| | 104,259,300VND' | | |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.000s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.299s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.558s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.528s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.594s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.526s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.004s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.312s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.299s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.281s | PASSED |
| 16 | if (inputamount != "") Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.313s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.012s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.336s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.304s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.272s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.275s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.003s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.382s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.375s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.278s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.294s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.009s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.301s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.311s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.300s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '12345' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.320s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.338s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.015s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Tham s không hp l' is present on page | 0.355s | PASSED |
| 35 | if (validateResult == "Success") | 0.001s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.274s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:57:11 End 07-06-2024 09:57:23

Elapsed 11.911s
Status PASSED

Details

| | | | 2 |
|---|--|---------|----------|
| # | Description | Elapsed | Status |
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.358s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.000s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.000s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.266s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.000s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.281s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.585s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.522s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.539s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.569s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.004s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.318s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.288s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.331s | PASSED |
| 16 | if (inputamount != "") Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.312s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.013s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.308s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.291s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.316s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.275s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.004s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.287s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.399s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.283s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.266s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.004s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.363s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.308s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.304s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '12345a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.290s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.297s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.008s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Tham's không hp l' is present on page | 0.311s | PASSED |
| 35 | if (validateResult == "Success") | 0.001s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.170s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:57:23 End 07-06-2024 09:57:35

Elapsed 11.895s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.271s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.001s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.275s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.002s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.000s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.270s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.553s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.545s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.559s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.513s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.003s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.304s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) | 0.291s | PASSED |
| | Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) | 0.277s | PASSED |
| | Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 16 | if (inputamount != "") | 0.288s | PASSED |
| | Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.002s | PASSED |
| 18 | click(inputtransaction) | 0.334s | PASSED |
| | Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | | |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) | 0.311s | PASSED |
| | Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) | 0.304s | PASSED |
| | Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |
| 21 | sendKeys(inputtransaction, transaction) | 0.263s | PASSED |
| | Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.002s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.316s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.294s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.333s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.295s | PASSED |
| 27 | inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code") | 0.003s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.318s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.316s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.301s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '1234589' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.311s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.304s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.007s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Tham s không hp I' is present on page | 0.364s | PASSED |
| 35 | if (validateResult == "Success") | 0.003s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.317s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:57:35 End 07-06-2024 09:57:48

Elapsed 12.839s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.273s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.004s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.000s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.266s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.273s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.623s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.537s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.611s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.706s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.002s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.349s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) | 0.312s | PASSED |
| | Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) | 0.306s | PASSED |
| | Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 16 | if (inputamount != "") | 0.347s | PASSED |
| | Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.004s | PASSED |
| 18 | click(inputtransaction) | 0.317s | PASSED |
| | Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | | |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) | 0.298s | PASSED |
| | Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) | 0.310s | PASSED |
| | Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |
| 21 | sendKeys(inputtransaction, transaction) | 0.330s | PASSED |
| | Keys 'ZORYEJ01' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.006s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.303s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.323s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.299s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.265s | PASSED |
| 27 | inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code") | 0.003s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.420s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.306s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.330s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.418s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.369s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.005s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Mã giao dch tham chiu không chính xác' is present on page | 0.390s | PASSED |
| 35 | if (validateResult == "Success") | 0.001s | PASSED |
| 36 | else Actual object '104,259,300' and expected object '104,259,300' are equal | 1.389s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:57:48 End 07-06-2024 09:58:12

Elapsed 23.986s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: '615,177,553VND' | 0.286s | PASSED |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.001s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: '104,259,300VND' | 0.289s | PASSED |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.277s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.665s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.674s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.564s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.607s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.019s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.401s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.298s | PASSED |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.309s | PASSED |
| 16 | if (inputamount != "") Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | 0.380s | PASSED |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.003s | PASSED |
| 18 | click(inputtransaction) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | 0.332s | PASSED |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.460s | PASSED |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.346s | PASSED |
| 21 | sendKeys(inputtransaction, transaction) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | 0.354s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.005s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.349s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.315s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.336s | PASSED |
| 26 | sendKeys(inputnote, note) Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.368s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.003s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.381s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.310s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.370s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.543s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.373s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.006s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Success' is present on page | 0.613s | PASSED |
| 35 | <pre>if (validateResult == "Success") Object 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is visible</pre> | 11.694s | PASSED |

Information

ID Test Cases/MCV9s/ChuyenTien

Description

Tag

Start 07-06-2024 09:58:12 End 07-06-2024 09:58:32

Elapsed 20.290s Status PASSED

Details

| | | | 0.1 |
|---|---|---------|--------|
| # | Description | Elapsed | Status |
| 1 | thuho1 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_601,298,220VND' is: ' | 0.271s | PASSED |
| | 615,167,553VND' | | |
| 2 | numberOnly1 = thuho1.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 3 | intValue1 = Integer.parseInt(numberOnly1) | 0.001s | PASSED |
| 4 | thuho4 = getText(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND")) Text of object 'Object Repository/MCV9s/Page_Chuyn tin/b_105,762,300VND' is: ' | 0.271s | PASSED |
| | 104,269,300VND' | | |
| 5 | numberOnly4 = thuho4.replaceAll("[^0-9]", "") | 0.001s | PASSED |
| 6 | intValue4 = Integer.parseInt(numberOnly4) | 0.000s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | waitForElementClickable(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), 5) Object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' is clickable | 0.296s | PASSED |
| 8 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest"), tknguon, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ngun autotest' | 0.664s | PASSED |
| 9 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest"), tkDich, false) All options with value 'WPK630P4' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_Ti khon ch autotest' | 0.857s | PASSED |
| 10 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/select_V ngun"), viNguon, false) All options with value 'YP5GMYP6' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/select_V ngun' | 0.895s | PASSED |
| 11 | selectOptionByValue(findTestObject("Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch"), viDich, false) All options with value 'VZMY18ZG' are selected in object 'Object Repository/MCV9s/Page_Chuyn tin/Page_Chuyn tin/select_V ch' | 0.683s | PASSED |
| 12 | inputamount = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_amount") | 0.007s | PASSED |
| 13 | click(inputamount) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' is clicked on | 0.569s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 14 | sendKeys(inputamount, Keys.chord(COMMAND, "a")) | 0.401s | PASSED |
| | Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 15 | sendKeys(inputamount, Keys.chord(BACK_SPACE)) | 0.317s | PASSED |
| | Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 16 | if (inputamount != "") | 0.353s | PASSED |
| | Keys '10000' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_amount' | | |
| 17 | inputtransaction = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id") | 0.003s | PASSED |
| 18 | click(inputtransaction) | 0.349s | PASSED |
| | Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' is clicked on | | |
| 19 | sendKeys(inputtransaction, Keys.chord(COMMAND, "a")) | 0.403s | PASSED |
| | Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |
| 20 | sendKeys(inputtransaction, Keys.chord(BACK_SPACE)) | 0.360s | PASSED |
| | Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |
| 21 | sendKeys(inputtransaction, transaction) | 0.401s | PASSED |
| | Keys " sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_M giao dch tham chiu_refer_id' | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 22 | inputnote = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note") | 0.003s | PASSED |
| 23 | click(inputnote) Object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' is clicked on | 0.395s | PASSED |
| 24 | sendKeys(inputnote, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.352s | PASSED |
| 25 | sendKeys(inputnote, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.371s | PASSED |
| 26 | sendKeys(inputnote, note) Keys 'Giao dch chuyn tin' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/textarea_Ghi ch_note' | 0.511s | PASSED |
| 27 | <pre>inputconfirm = findTestObject("Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code")</pre> | 0.003s | PASSED |
| 28 | click(inputconfirm) Object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is clicked on | 0.320s | PASSED |
| 29 | sendKeys(inputconfirm, Keys.chord(COMMAND, "a")) Keys 'COMMAND + a' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.282s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 30 | sendKeys(inputconfirm, Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.290s | PASSED |
| 31 | sendKeys(inputconfirm, confirm) Keys '123456' sent to object: 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' | 0.308s | PASSED |
| 32 | click(findTestObject("MCV9s/Page_Chuyn tin/button_Chuyn tin")) Object: 'Object Repository/MCV9s/Page_Chuyn tin/button_Chuyn tin' is clicked on | 0.513s | PASSED |
| 33 | delay(2) Delayed 2 second(s) | 2.012s | PASSED |
| 34 | verifyTextPresent(validateResult, false, CONTINUE_ON_FAILURE) Text 'Success' is present on page | 0.324s | PASSED |
| 35 | <pre>if (validateResult == "Success") Object 'Object Repository/MCV9s/Page_Chuyn tin/input_()_verify_code' is visible</pre> | 7.465s | PASSED |