```
~~pbli~~ public class Animal {
~~publi~~ void makeSound () {
        System.out.println(" Animal ... ");
    }
}
public class Pig extends Animal {
    @Override
        public void makeSound () {
            System.out.println(" un in ... ");
        }
}
public class Cat extends Animal {
    @Override
        public void makeSound () {
            System.out.println(" Meo Meo ... ");
        }
}
```

Thứ ngày tháng năm

```
public class Dog extends Animal {
    @Override
    public void makeSound() {
        System.out.println("Gâu Gâu ...");
    }
}
public class Brid extends Animal {
    @Override
    public void makeSound() {
        System.out.println("Chíp Chíp");
    }
}
public class Main {
    public static void main(String[] args) {
        Animal P = new Pig();
        ____ C = ____ Cat();
        ____ D = ____ Dog();
        ____ B = ____ Brid();

        P.makeSound();
        C.makeSound();
        D.makeSound();
        B.makeSound();
```

Thứ ngày tháng năm

BT2

```
public class XeDap {
    public void run() {
        System.out.println(" ten tene...");
    }
}
public class XeDapDien extends XeDap {
    @Override
    public void rum() {
        System.out.println(" eeee ...");
    }
}
public class Main {
    public static void main(String[] args) {
        XeDap D = new XeDapDien();
        XeDap d = —— XeDap()
        D.run();
    } d.run();
}
```

BT3

Thứ ngày tháng năm

BT3




```
public class Bank {
    double TileLaiSuat() {
        return 0;
    }
}
public class SBI extends Bank {
    @Override
    double TileLaiSuat() {
        return 8;
    }
}
public class ICICI extend Bank {
    @Override
```

```
    double TilelaiSuat() {
        return 7;
    }
}
public class AXIS extends Bank {
    @Override
    double TilelaiSuat() {
        return 9;
    }
}
public class Main {
    public static void main(String[] args) {
        Bank a = new SBI();
        Bank b = — ICICI();
        Bank c = — AXIS();
        System.out.println("Lãi suất là:
+ a.TilelaiSuat());
        " — " — ("  — " — "
+ b.TilelaiSuat());
        — " — (" — " — "
+ c.TilelaiSuat());
    }
}
```

```
    @Override
    public String getDetails() {
        return super.getDetails() + "Salary
+ salary;
    }
}
public class Manager extends Person {
    private Employee assistant;
    public void setAssistant(Employee
assistant) {
        this.assistant = assistant;
    }
    @Override
    public String getDetails() {
        ~~String~~ return super.getDetails() +"
~~Trợ lý~~ Assistant: " + assistant~~.name~~;
    }
}
```

```
import java.util.Date;
public class Main {
    public static void main(String[] args) {
        Employee assistant = new Employee();
        assistant.setName("Nhân");
        assistant.setBirthday(new Date(2006,
3, 6));
        assistant.setSalary(~~100000.0~~ 360000);
        Manager manager = new Manager();
        manager.setName("Khoa");
        manger.setBirthday(new Date(2006,
4, 4));
        manger.setSalary(360000.0);
        manger.setAssistant(assistant);
        System.out.println(~~manger~~ manager.get
manager.getDetails());
    }
}
```

Thứ ngày tháng năm

BT ápdụy ~~clas~~ import java.util.Date;

```
public class Preson {
    private String name;
    ~~prt~~private Date birthday;
    ~~private~~ public void setName(String
name){
        this.name = name;
    }
    public void setBirthday(Date birthday){
        this.birthday = birthday;
    }
    public String get~~Dat~~Details(){
        return "Name:"+ name + ", Birthday:
+birthday;
    }
}
public class Employee extends Person {
    private double salary;
    public void setSalary(double salary){
        ~~this~~ this.salary = salary;
    }
```