

```
Child: >
nav>ul>li
   <nav>
      <u1>
         </u1>
   </nav>
Sibling: +
div+p+bq
   <div></div>
   <blook<br/>duote></blockquote>
Climb-up: ^
div+div>p>span+em^bq
   <div></div>
   <div>
      <span></span><em></em>
      <blook<br/>duote></blockquote>
   </div>
Grouping: ()
div>(header>ul>li*2>a)+footer>p
   <div>
      <header>
         <u1>
             <a href=""></a>
             <a href=""></a>
         </header>
      <footer>
         </footer>
   </div>
Multiplication: *
ul>li*5
   <u1>
```

```
div+div>p>span+em^^bq
   <div></div>
   <div>
       <span></span><em></em>
   </div>
   <blook<br/>quote></blockquote>
(div>dl>(dt+dd)*3)+footer>p
   <div>
       <d1>
           <dt></dt>
           <dd></dd>
           <dt></dt>
           <dd></dd>
           <dt></dt>
           <dd></dd>
       </d1>
   </div>
   <footer>
       </footer>
```

```
ul>li.item$*5
                                               h$[title=item$]{Header $}*3
                                                                                               ul>li.item$$$*5
  <u1>
                                                  <h1 title="item1">Header 1</h1>
                                                                                                  <u1>
     class="item1">
                                                  <h2 title="item2">Header 2</h2>
                                                                                                     class="item001">
     class="item2">
                                                  <h3 title="item3">Header 3</h3>
                                                                                                     class="item002">
     class="item3">
                                                                                                     class="item003">
     class="item4">
                                                                                                     class="item004">
     class="item5">
                                                                                                     class="item005">
  ul>li.item$@3*5
ul>li.item$@-*5
  <u1>
                                                  <u1>
     class="item5">
                                                     class="item3">
     class="item4">
                                                     class="item4">
     class="item3">
                                                     class="item5">
     class="item2">
                                                     class="item6">
     class="item1">
                                                     class="item7">
  ID and CLASS attributes
#header
                                               .title
                                                                                               form#search.wide
  <div id="header"></div>
                                                  <div class="title"></div>
                                                                                                  <form id="search" class="wide"></form>
p.class1.class2.class3
  Custom attributes
p[title="Hello world"]
                                               td[rowspan=2 colspan=3 title]
                                                                                               [a='value1' b="value2"]
  <div a="value1" b="value2"></div>
Text: {}
a{Click me}
                                               p>{Click }+a{here}+{ to continue}
  <a href="">Click me</a>
                                                  <Dick <a href="">here</a> to continue
Implicit tag names
.class
                                               em>.class
                                                                                               ul>.class
  <div class="class"></div>
                                                                                                  <u1>
                                                  <em><span class="class"></span></em>
                                                                                                     class="class">
                                                                                                  table>.row>.col
```

All unknown abbreviations will be transformed to tag, e.g.  $foo \rightarrow < foo > </foo >$ .

HTML

```
<a href=" "> </a>
   Alias of html:5
                                                                a:mail
   <!DOCTYPE html>
                                                                     <a href="mailto: "> </a>
   <html lang="en">
   <head>
                                                                acronym, acr
       <meta charset="UTF-8" />
                                                                     <acronym title=" "> </acronym>
       <title> Document </title>
                                                                basefont
   </head>
   <body>
                                                                     <basefont />
                                                                 frame
   </body>
                                                                     <frame />
   </html>
                                                                bdo
                                                                     <bdo dir=" "> </bdo>
bdo:1
                                                                col
   <bdo dir="ltr"> </bdo>
                                                                     <col />
link:css
                                                                link:print
   <link rel="stylesheet" href="style.css" />
                                                                     <link rel="stylesheet" href="print .css"</pre>
                                                                    media="print" />
link:touch
                                                                link:rss
                                                                     <link rel="alternate" type="application/rss+xml"</pre>
   <link rel="apple-touch-icon" href=" favicon.png " />
                                                                    title="RSS" href="rss.xml" />
link:import, link:im
                                                                meta
   <link rel="import" href="component].html" />
                                                                     <meta />
meta:win
                                                                meta:vp
   <meta http-equiv="Content-Type"
                                                                     <meta name="viewport" content="width= device-width ]</pre>
   content="text/html;charset=windows-1251" />
                                                                    user-scalable= no , initial-scale= 1.0 , maximum-
                                                                    scale=[1.0], minimum-scale=[1.0]" />
script
                                                                script:src
                                                                     <script src=" "> </script>
   <script> </script>
img:srcset, img:s
                                                                 img:sizes, img:z
   <img srcset=" " src=" " alt=" " />
                                                                     <img sizes=" " srcset=" " src=" " alt=" " />
source, src
                                                                 source:src, src:sc
                                                                     <source src=" " type=" " />
   <source />
source:media, src:m
                                                                source:type, src:t
   <source media="( min-width: )" srcset=" " />
                                                                     <source srcset=" " type=" image/ " />
```

```
a:link
    <a href="http://"> </a>
    <abbr title=" "> </abbr>
base
    <base href=" " />
br
    <br />
hr
    <hr />
bdo:r
    <bdo dir="rtl"> </bdo>
link
    <link rel="stylesheet" href=" " />
link:favicon
    <link rel="shortcut icon" type="image/x-icon" href="</pre>
    favicon.ico "/>
link:atom
    <link rel="alternate" type="application/atom+xml"</pre>
    title="Atom" href=" atom.xml " />
meta:utf
    <meta http-equiv="Content-Type"
    content="text/html;charset=UTF-8" />
meta:compat
    <meta http-equiv="X-UA-Compatible" content="[ IE=7 ]" />
style
    <style> </style>
    <img src=" " alt=" " />
picture
    <picture> </picture>
source:srcset. src:s
    <source srcset=" " />
source:sizes. src:z
    <source sizes=" " srcset=" " />
source:media:tvpe, src:mt
    <source media="( min-width: )" srcset=" " type="</pre>
     image/ " />
```

```
source:media:sizes, src:mz
                                                               source:sizes:type, src:zt
                                                                                                                              iframe
                                                                   <source sizes=" " srcset=" " type=" image/ " />
                                                                                                                                  <iframe src=""" frameborder="0"> </iframe>
   <source media="([min-width: ])" sizes=" " srcset=" "</pre>
                                                                                                                              embed
                                                                                                                                  <embed src=" " type=" " />
object
                                                               param
                                                                                                                              map
   <object data=" " type=" "> </object>
                                                                   <param name=" " value=" " />
                                                                                                                                  <map name=" "> </map>
area
                                                               area:d
                                                                                                                              area:c
                                                                                                                                  <area shape="circle" coords=" " href=" " alt=" " />
   <area shape=" " coords=" " href=" " alt=" " />
                                                                   <area shape="default" href=" " alt=" " />
area:r
   <area shape="rect" coords=" " href=" " alt=" " />
                                                                   <area shape="poly" coords=" " href=" " alt=" " />
                                                                                                                                  <form action=" "> </form>
form:get
                                                               form:post
                                                                                                                              label
   <form action=" " method="get"> </form>
                                                                   <form action=" " method="post"> </form>
                                                                                                                                  <label for=" "> </label>
                                                                                                                              input:hidden, input:h
input
                                                               inp
                                                                   <input type=" text " name=" " id=" " />
   <input type=" text " />
                                                                                                                                  Alias of input[type=hidden name]
                                                                                                                                  <input type="hidden" name=" " />
input:text, input:t
                                                               input:search
                                                                                                                              input:email
   Alias of inp
                                                                  Alias of inp[type=search]
                                                                                                                                  Alias of inp[type=email]
                                                                  <input type="search" name=" " id=" " />
   <input type=" text " name=" " id=" " />
                                                                                                                                  <input type="email" name=" " id=" " />
                                                               input:url
                                                                                                                              input:password, input:p
                                                                  Alias of inp[type=url]
                                                                                                                                  Alias of inp[type=password]
                                                                  <input type="url" name=" " id=" " />
                                                                                                                                  <input type="password" name=" " id=" " />
input:datetime
                                                               input:date
                                                                                                                              input:datetime-local
   Alias of inp[type=datetime]
                                                                  Alias of inp[type=date]
                                                                                                                                  Alias of inp[type=datetime-local]
   <input type="datetime" name=" " id=" " />
                                                                  <input type="date" name=" " id=" " />
                                                                                                                                  <input type="datetime-local" name=" " id=" " />
input:month
                                                               input:week
                                                                                                                              input:time
   Alias of inp[type=month]
                                                                  Alias of inp[type=week]
                                                                                                                                  Alias of inp[type=time]
   <input type="month" name=" " id=" " />
                                                                  <input type="week" name=" " id=" " />
                                                                                                                                  <input type="time" name=" " id=" " />
                                                               input:number
                                                                                                                              input:color
input:tel
   Alias of inp[type=tell
                                                                  Alias of inp[type=number]
                                                                                                                                  Alias of inp[type=color]
   <input type="tel" name=" " id=" " />
                                                                   <input type="number" name=" " id=" " />
                                                                                                                                  <input type="color" name=" " id=" " />
input:checkbox, input:c
                                                               input:radio, input:r
                                                                                                                              input:range
   Alias of inp[type=checkbox]
                                                                  Alias of inp[type=radio]
                                                                                                                                  Alias of inp[type=range]
   <input type="checkbox" name=" " id=" " />
                                                                   <input type="radio" name=" " id=" " />
                                                                                                                                  <input type="range" name=" " id=" " />
input:file, input:f
                                                               input:submit, input:s
                                                                                                                              input:image. input:i
                                                                   <input type="submit" value=" " />
                                                                                                                                  <input type="image" src=" " alt=" " />
   Alias of inp[type=file]
                                                               input:button, input:b
                                                                                                                              isindex
   <input type="file" name=" " id=" " />
                                                                   <input type="button" value=" " />
                                                                                                                                  <isindex />
```

```
input:reset
                                                              select
                                                                                                                              select:disabled, select:d
                                                                  <select name=" " id=" "> </select>
   Alias of input:button[type=reset]
                                                                                                                                 Alias of select[disabled.]
                                                                                                                                 <select name=" " id=" " disabled="disabled">
   <input type="reset" value=" " />
                                                                                                                                 </select>
option, opt
                                                              textarea
                                                                                                                              marquee
   <option value=""> </option>
                                                                                                                                 <marquee behavior=" " direction=" "> </marquee>
                                                                  <textarea name=" " id=" " cols=" 30 " rows=" 10 ">
                                                                   </textarea>
                                                                                                                              menu:context, menu:c
                                                                                                                                 Alias of menu[type=context]>
                                                                                                                                 <menu type="context"> </menu>
menu:toolbar, menu:t
                                                              video
                                                                                                                              audio
                                                                                                                                 <audio src=" "> </audio>
                                                                  <video src=" "> </video>
   Alias of menu[type=toolbar]>
                                                              html:xml
   <menu type="toolbar"> </menu>
                                                                   <html xmlns="http://www.w3.org/1999/xhtml"> </html>
                                                                                                                                 <keygen />
                                                              button:submit, button:s, btn:s
                                                                                                                             button:reset, button:r, btn:r
command
   <command />
                                                                                                                                 Alias of button[type=reset]
                                                                  Alias of button[type=submit]
                                                                  <button type="submit"> </button>
                                                                                                                                 <button type="reset"> </button>
button:disabled, button:d, btn:d
                                                              fieldset:disabled, fieldset:d, fset:d, fst:d
                                                                                                                             bq
   Alias of button[disabled.]
                                                                  Alias of fieldset[disabled.]
                                                                                                                                 Alias of blockquote
   <button disabled="disabled"> </button>
                                                                  <fieldset disabled="disabled"> </fieldset>
                                                                                                                                 <blockquote> </plockquote>
fig
                                                              figc
                                                                                                                             pic
   Alias of figure
                                                                  Alias of figcaption
                                                                                                                                 Alias of picture
                                                                                                                                 <picture> </picture>
   <figure> </figure>
                                                                  <figcaption> </figcaption>
ifr
                                                                                                                             obj
   Alias of iframe
                                                                  Alias of embed
                                                                                                                                 Alias of object
   <iframe src=" " frameborder="0"> </iframe>
                                                                  <embed src=" " type=" " />
                                                                                                                                 <object data=" " type=" "> </object>
                                                                                                                             fst, fset
                                                              cola
cap
   Alias of caption
                                                                                                                                 Alias of fieldset
                                                                  Alias of colgroup
   <caption> </caption>
                                                                  <colgroup> </colgroup>
                                                                                                                                 <fieldset> </fieldset>
btn
                                                              optg
                                                                                                                              tarea
   Alias of button
                                                                  Alias of optgroup
                                                                                                                                 Alias of textarea
   <button> </button>
                                                                  <optgroup> </optgroup>
                                                                                                                                 <textarea name=" " id=" " cols=" 30 " rows=" 10 ">
                                                                                                                                 </textarea>
leg
                                                              sect
                                                                                                                             art
   Alias of legend
                                                                  Alias of section
                                                                                                                                 Alias of article
   <le><legend> </legend></le>
                                                                  <section> </section>
                                                                                                                                 <article> </article>
```

```
hdr
                                                            ftr
                                                                                                                          adr
   Alias of header
                                                                Alias of footer
                                                                                                                             Alias of address
   <header> </header>
                                                                <footer> </footer>
                                                                                                                             <address> </address>
                                                                                                                          prog
   Alias of dialog
                                                                Alias of strong
                                                                                                                             Alias of progress
   <dialog> </dialog>
                                                                <strong> </strong>
                                                                                                                             datag
   Alias of main
                                                                Alias of template
                                                                                                                             Alias of datagrid
   <main> </main>
                                                                <template> </template>
                                                                                                                             <datagrid> </datagrid>
datal
                                                                                                                         out
   Alias of datalist
                                                                Alias of keygen
                                                                                                                             Alias of output
                                                                <keygen />
   <datalist> </datalist>
                                                                                                                             <output> </output>
det
                                                                                                                          doc
                                                            cmd
   Alias of details
                                                                Alias of command
                                                                                                                             Alias of html>
                                                                <command />
                                                                                                                             (head>meta[charset=${charset}]+title{${1:Documen}}
   <details> </details>
                                                                                                                             t}})+body
                                                                                                                             <html>
                                                                                                                             <head>
                                                                                                                                 <meta charset="UTF-8" />
                                                                                                                                 <title> Document </title>
                                                                                                                             </head>
                                                                                                                             <body>
                                                                                                                             </body>
                                                                                                                             </html>
doc4
                                                            ri:dpr, ri:d
                                                                                                                          ri:viewport, ri:v
   Alias of html>(head>meta[http-equiv="Content-
                                                                Alias of img:s
                                                                                                                             Alias of img:z
                                                                <img srcset=" " src=" " alt=" " />
                                                                                                                             <img sizes=" " srcset=" " src=" " alt=" " />
   content="text/html;charset=${charset}"]+title{${
                                                            ri:art, ri:a
                                                                                                                          ri:type, ri:t
   1:Document}})+body
                                                                Alias of pic>src:m+img
                                                                                                                             Alias of pic>src:t+img
   <html>
   <head>
                                                                <picture>
                                                                                                                             <picture>
       <meta http-equiv="Content-Type"
                                                                                                                                 <source srcset=" " type=" image/ " />
                                                                    <source media="( min-width: )" srcset=" " />
   content="text/html;charset=UTF-8" />
                                                                                                                                 <img src=""" alt=""" />
                                                                    <img src=" " alt=" " />
       <title> Document </title>
                                                                </picture>
                                                                                                                             </picture>
   </head>
```

<body>

</body>

```
html:4t
                                                                html:4s
                                                                                                                                 html:xt
   Alias of !!!4t+doc4[lang=${lang}]
                                                                    Alias of !!!4s+doc4[lang=${lang}]
                                                                                                                                     Alias of
                                                                                                                                     !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml
                                                                    <!DOCTYPE HTML PUBLIC "-//w3C//DTD HTML 4.01//EN"</pre>
   <!DOCTYPE HTML PUBLIC "-//w3C//DTD HTML 4.01</pre>
                                                                                                                                     xml:lang=${lang}]
   Transitional//EN"
                                                                    "http://www.w3.org/TR/html4/strict.dtd">
                                                                    <html lang="en">
   "http://www.w3.org/TR/html4/loose.dtd">
                                                                                                                                     <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0</pre>
   <html lang="en">
                                                                    <head>
                                                                                                                                     Transitional//EN"
   <head>
                                                                         <meta http-equiv="Content-Type"</pre>
                                                                                                                                     "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                    content="text/html;charset=UTF-8" />
       <meta http-equiv="Content-Type"</pre>
                                                                                                                                     transitional.dtd">
   content="text/html;charset=UTF-8" />
                                                                        <title> Document </title>
                                                                                                                                     <html xmlns="http://www.w3.org/1999/xhtml"
       <title> Document </title>
                                                                    </head>
                                                                                                                                     xml:lang="en">
   </head>
                                                                    <body>
                                                                                                                                     <head>
   <body>
                                                                                                                                         <meta http-equiv="Content-Type"
                                                                    </body>
                                                                                                                                     content="text/html;charset=UTF-8" />
   </body>
                                                                    </html>
                                                                                                                                         <title> Document </title>
   </html>
                                                                                                                                     </head>
                                                                                                                                     <body>
                                                                                                                                     </body>
                                                                                                                                     </html>
html:xs
                                                                html:xxs
                                                                                                                                 html:5
   Alias of
                                                                    Alias of
                                                                                                                                     Alias of !!!+doc[lang=${lang}]
   !!!xs+doc4[xm]ns=http://www.w3.org/1999/xhtm]
                                                                    !!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml
                                                                                                                                     <!DOCTYPE html>
   xml:lang=${lang}]
                                                                    xml:lang=${lang}]
                                                                                                                                     <html lang="en">
                                                                                                                                     <head>
   <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.0</pre>
                                                                    <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.1//EN"</pre>
                                                                                                                                         <meta charset="UTF-8" />
   Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                    "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
                                                                                                                                         <title> Document </title>
   strict.dtd">
                                                                    <html xmlns="http://www.w3.org/1999/xhtml"</pre>
   <html xmlns="http://www.w3.org/1999/xhtml"</pre>
                                                                    xml:lang="en">
                                                                                                                                     </head>
                                                                                                                                     <body>
   xml:lang="en">
                                                                    <head>
   <head>
                                                                        <meta http-equiv="Content-Type"
                                                                    content="text/html;charset=UTF-8" />
                                                                                                                                     </body>
       <meta http-equiv="Content-Type"
                                                                                                                                     </html>
   content="text/html;charset=UTF-8" />
                                                                        <title> Document </title>
       <title> Document </title>
                                                                    </head>
                                                                                                                                 01+
   </head>
                                                                    <body>
                                                                                                                                     Alias of ol>li
   <body>
                                                                    </body>
                                                                                                                                     <01>
   </body>
                                                                    </html>
                                                                                                                                         </html>
                                                                                                                                     </01>
ul+
                                                                d1+
                                                                                                                                 map+
   Alias of ul>li
                                                                    Alias of dl>dt+dd
                                                                                                                                     Alias of map>area
                                                                                                                                     <map name=" ">
   <u1>
                                                                    <f1>
                                                                        <dt> </dt>
                                                                                                                                         <area shape=" " coords=" " href=" " alt=" " />
       <dd> </dd>
```

</d7>

```
table+
                                                             colgroup+, colg+
   Alias of table>tr>td
                                                                Alias of colgroup>col
                                                                <colgroup>
   <co1 />
       </colgroup>
           select+
   Alias of select>option
                                                                <select name=" " id=" ">
                                                                    <option value=" "> </option>
                                                                </select>
pic+
                                                            111
                                                                <!DOCTYPE html>
   Alias of picture>source:srcset+img
   <picture>
       <source srcset=" " />
                                                            !!!4s
       <img src=""" alt=""" />
                                                                <!DOCTYPE HTML PUBLIC "-//w3C//DTD HTML 4.01//EN"</pre>
   </picture>
                                                                "http://www.w3.org/TR/html4/strict.dtd">
!!!xs
                                                             !!!xxs
   <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.0</pre>
                                                                <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.1//EN"
   Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
   strict.dtd">
cc:ie
                                                             cc:noie
   <!--[if IE]>
                                                                <!--[if !IE]><!-->
       ${child}
                                                                    ${child}
   <![endif]-->
                                                                <!--<![endif]-->
CSS
```

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == ovh == oh.

If abbreviation wasn't found, it is transformed into property name: foo-bar  $\rightarrow$  foo-bar: |;

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

```
tr+
   Alias of tr>td

   optgroup+, optg+
   Alias of optgroup>option
   <optgroup>
       <option value=" "> </option>
   </optgroup>
!!!4t
   <!DOCTYPE HTML PUBLIC "-//w3C//DTD HTML 4.01</pre>
   Transitional//EN"
   "http://www.w3.org/TR/html4/loose.dtd">
!!!xt
   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0</pre>
   Transitional//EN"
   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
   transitional.dtd">
   <!-- ${child} -->
cc:ie6
   <!--[if lte IE 6]>
       ${child}
   <![endif]-->
```

## Visual Formatting

	•				
pos	<pre>position: relative;</pre>	pos:s	position:static;	pos:a	position:absolute;
		pos:r	position:relative;	pos:f	<pre>position:fixed;</pre>
t	top:  ;	t:a	top:auto;	r	right: ;
r:a	right:auto;	b	bottom: █;	b:a	bottom:auto;
1	left: █;	1:a	left:auto;	z	z-index: ;
z:a	z-index:auto;	fl	float: left;	fl:n	float:none;
				f1:1	float:left;
fl:r	float:right;	cl	clear: both;	cl:n	clear:none;
				cl:1	clear:left;
cl:r	clear:right;	cl:b	clear:both;	d	display: block;
d:n	display:none;	d:b	display:block;	d:f	display:flex;
d:if	display:inline-flex;	d:i	display:inline;	d:ib	display:inline-block;
d:li	display:list-item;	d:ri	display:run-in;	d:cp	display:compact;
d:tb	display:table;	d:itb	display:inline-table;	d:tbcp	display:table-caption;
d:tbcl	display:table-column;	d:tbclg	display:table-column-group;	d:tbhg	display:table-header-group;
d:tbfg	display:table-footer-group;	d:tbr	display:table-row;	d:tbrg	display:table-row-group;
d:tbc	display:table-cell;	d:rb	display:ruby;	d:rbb	display:ruby-base;
d:rbbg	display:ruby-base-group;	d:rbt	display:ruby-text;	d:rbtg	display:ruby-text-group;
V	visibility: hidden;	v:v	visibility:visible;	v:h	visibility:hidden;
		V:C	visibility:collapse;	ov	overflow: hidden;
ov:v	overflow:visible;	ov:h	overflow:hidden;	ov:s	overflow:scroll;
ov:a	overflow:auto;	ovx	overflow-x: hidden;	ovx:v	overflow-x:visible;
				ovx:h	overflow-x:hidden;
ovx:s	overflow-x:scroll;	ovx:a	overflow-x:auto;	ovy	overflow-y: hidden;
ovy:v	overflow-y:visible;	ovy:h	overflow-y:hidden;	ovy:s	overflow-y:scroll;
ovy:a	overflow-y:auto;	ovs	overflow-style: scrollbar;	ovs:a	overflow-style:auto;
				ovs:s	overflow-style:scrollbar;
ovs:p	overflow-style:panner;	ovs:m	overflow-style:move;	ovs:mq	overflow-style:marquee;
zoo, zm	zoom:1;	ср	clip: ;	cp:a	clip:auto;
cp:r	clip:rect( top	rsz	resize: ;	rsz:n	resize:none;
	);	rsz:b	resize:both;	rsz:h	resize:horizontal;

rsz:v	resize:vertical;	cur	<pre>cursor:\${pointer};</pre>	cur:a	cursor:auto;
cur:d	cursor:default;	cur:c	cursor:crosshair;	cur:ha	cursor:hand;
cur:he	cursor:help;	cur:m	cursor:move;	cur:p	cursor:pointer;
cur:t	cursor:text;				

## Margin & Padding

margin a radaning					
m	margin:  ;	m:a	margin:auto;	mt	margin-top: ☐;
mt:a	margin-top:auto;	mr	margin-right: ;	mr:a	margin-right:auto;
mb	margin-bottom: ↓;	mb:a	margin-bottom:auto;	ml	margin-left: ॑;
ml:a	margin-left:auto;	р	padding: ;	pt	padding-top: ☐;
pr	padding-right:∥;	pb	padding-bottom: ↓;	рТ	padding-left: ॑;
Box Sizing					
bxz	<pre>box-sizing: border-box ;</pre>	bxz:cb	box-sizing:content-box;	bxz:bb	box-sizing:border-box;
		bxsh	<pre>box-shadow: inset hoff voff blur color;</pre>	bxsh:r	box-shadow: inset hoff voff blur spread rgb(0), (0), (0);
bxsh:ra	box-shadow: inset h v blur	bxsh:n	box-shadow:none;	W	width:  ;
	spread $rgba(0, 0, 0, .5);$	w:a	width:auto;	h	height:  ;
h:a	height:auto;	maw	max-width:   ;	maw:n	<pre>max-width:none;</pre>
mah	max-height: ;	mah:n	<pre>max-height:none;</pre>	miw	min-width: [;
mih	min-height: ;				
Font					
f	font: ┇;	f+	<pre>font: lem</pre>	fw	font-weight: ;
				fw:n	<pre>font-weight:normal;</pre>
fw:b	font-weight:bold;	fw:br	font-weight:bolder;	fw:lr	font-weight:lighter;
fs	<pre>font-style:\${italic};</pre>	fs:n	<pre>font-style:normal;</pre>	fs:i	<pre>font-style:italic;</pre>
fs:o	font-style:oblique;	fv	font-variant: ;	fv:n	<pre>font-variant:normal;</pre>
fv:sc	<pre>font-variant:small-caps;</pre>	fz	font-size: ;	fza	font-size-adjust: ;
fza:n	font-size-adjust:none;	ff	font-family: ;	ff:s	<pre>font-family:serif;</pre>
ff:ss	<pre>font-family:sans-serif;</pre>	ff:c	font-family:cursive;	ff:f	<pre>font-family:fantasy;</pre>
ff:m	<pre>font-family:monospace;</pre>	ff:a	<pre>font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;</pre>	ff:t	<pre>font-family: "Times New Roman", Times, Baskerville, Georgia, serif;</pre>
ff:v	font-family: Verdana, Geneva, sans-	fef	font-effect: ☐;	fef:n	<pre>font-effect:none;</pre>
	serif;	fef:eg	<pre>font-effect:engrave;</pre>	fef:eb	<pre>font-effect:emboss;</pre>
fef:o	<pre>font-effect:outline;</pre>	fem	font-emphasize: ;	femp	font-emphasize-position: ;
femp:b	font-emphasize-position:before;	femp:a	font-emphasize-position:after;	fems	font-emphasize-style: ;
fems:n	font-emphasize-style:none;	fems:ac	<pre>font-emphasize-style:accent;</pre>	fems:dt	font-emphasize-style:dot;
fems:c	font-emphasize-style:circle;	fems:ds	<pre>font-emphasize-style:disc;</pre>	fsm	font-smooth:  ;
fsm:a	font-smooth:auto;	fsm:n	<pre>font-smooth:never;</pre>	fsm:aw	font-smooth:always;

fst	font-stretch: ;	fst:n	<pre>font-stretch:normal;</pre>	fst:uc	<pre>font-stretch:ultra-condensed;</pre>
fst:ec	<pre>font-stretch:extra-condensed;</pre>	fst:c	<pre>font-stretch:condensed;</pre>	fst:sc	<pre>font-stretch:semi-condensed;</pre>
fst:se	<pre>font-stretch:semi-expanded;</pre>	fst:e	<pre>font-stretch:expanded;</pre>	fst:ee	<pre>font-stretch:extra-expanded;</pre>
fst:ue	font-stretch:ultra-expanded;				

Text					
va	vertical-align: top;	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align: <pre>left</pre> ;	ta:1	text-align:left;
				ta:c	text-align:center;
ta:r	text-align:right;	ta:j	text-align:justify;	ta-lst	text-align-last: ;
tal:a	text-align-last:auto;	tal:l	text-align-last:left;	tal:c	text-align-last:center;
tal:r	text-align-last:right;	td	text-decoration: none;	td:n	<pre>text-decoration:none;</pre>
				td:u	text-decoration:underline;
td:o	text-decoration:overline;	td:1	text-decoration:line-through;	te	text-emphasis: ;
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height: ;	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent: ;	ti:-	text-indent:-9999px;	tj	text-justify: ;
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	<pre>text-justify:inter-cluster;</pre>	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;
tj:t	<pre>text-justify:tibetan;</pre>	to	<pre>text-outline: ;</pre>	to+	text-outline: 0 0 #000;
to:n	text-outline:none;	tr	text-replace: ;	tr:n	<pre>text-replace:none;</pre>
tt	text-transform: uppercase;	tt:n	text-transform:none;	tt:c	text-transform:capitalize;
		tt:u	text-transform:uppercase;	tt:1	text-transform:lowercase;
tw	text-wrap: ;	tw:n	text-wrap:normal;	tw:no	text-wrap:none;
tw:u	text-wrap:unrestricted;	tw:s	text-wrap:suppress;	tsh	<pre>text-shadow: hoff voff blur #000 ;</pre>
tsh:r	text-shadow: h v blur rgb(0,	tsh:ra	text-shadow: h v blur rgba(0,	tsh+	text-shadow: 0 0 0 #000;
	(0), (0);		(0), (0), .(5));	tsh:n	text-shadow:none;
1h	line-height: ;	lts	letter-spacing: ;	lts-n	<pre>letter-spacing:normal;</pre>
whs	white-space: ;	whs:n	white-space:normal;	whs:p	white-space:pre;
whs:nw	white-space:nowrap;	whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;
whsc	white-space-collapse:  ;	whsc:n	white-space-collapse:normal;	whsc:k	white-space-collapse:keep-all;
whsc:1	white-space-collapse:loose;	whsc:bs	white-space-collapse:break-strict;	whsc:ba	white-space-collapse:break-all;

wob	word-break: ;	wob:n	<pre>word-break:normal;</pre>	wob:k	<pre>word-break:keep-all;</pre>
wob:ba	word-break:break-all;	wos	word-spacing: ;	wow	word-wrap:  ;
wow:nm	word-wrap:normal;	wow:n	word-wrap:none;	wow:u	word-wrap:unrestricted;
wow:s	word-wrap:suppress;	wow:b	word-wrap:break-word;		

Background					
bg	background:#000;	bg+	background: #fff url(1) 0 0	bg:n	background:none;
			no-repeat ;	bgc	<pre>background-color:# fff;</pre>
bgc:t	background-color:transparent;	bgi	background-image:url( );	bgi:n	background-image:none;
bgr	background-repeat: ;	bgr:n	background-repeat:no-repeat;	bgr:x	<pre>background-repeat:repeat-x;</pre>
bgr:y	background-repeat:repeat-y;	bgr:sp	background-repeat:space;	bgr:rd	background-repeat:round;
bga	$background ext{-}attachment:$	bga:f	background-attachment:fixed;	bga:s	<pre>background-attachment:scroll;</pre>
bgp	background-position: 0 0;	bgpx	background-position-x: ;	bgpy	background-position-y: ;
		bgbk	background-break: ;	bgbk:bb	background-break:bounding-box;
bgbk:eb	background-break:each-box;	bgbk:c	background-break:continuous;	bgcp	<pre>background-clip: padding-box;</pre>
bgcp:bb	background-clip:border-box;	bgcp:pb	background-clip:padding-box;	bgcp:cb	background-clip:content-box;
bgcp:nc	background-clip:no-clip;	bgo	background-origin: $lacksquare$ ;	bgo:pb	background-origin:padding-box;
bgo:bb	background-origin:border-box;	bgo:cb	background-origin:content-box;	bgsz	<pre>background-size: ;</pre>
bgsz:a	background-size:auto;	bgsz:ct	background-size:contain;	bgsz:cv	background-size:cover;
Color					
С	color:# <u>000</u> ;	c:r	color:rgb(0, 0, 0);	c:ra	color:rgba(0, 0, 0, .5);
ор	opacity: █;				
Generated conter					
cnt	content:' ';	cnt:n, ct:n	<pre>content:normal;</pre>	cnt:oq, ct:oq	content:open-quote;
cnt:noq, ct:noq	<pre>content:no-open-quote;</pre>	cnt:cq, ct:cq	content:close-quote;	cnt:ncq, ct:ncq	<pre>content:no-close-quote;</pre>
cnt:a, ct:a	<pre>content:attr( );</pre>	cnt:c, ct:c	<pre>content:counter( );</pre>	cnt:cs, ct:cs	<pre>content:counters();</pre>
ct	content: ;	q	quotes: ;	q:n	<pre>quotes:none;</pre>
q:ru	quotes:'\00AB' '\00BB' '\201E' '\201C';	q:en	quotes:'\201C' '\201D' '\2018' '\2019';	coi	<pre>counter-increment: ;</pre>
cor	counter-reset: ;				
Outline					
10	outline: ;	ol:n	outline:none;	olo	outline-offset: ;
olw	outline-width: ;	olw:tn	outline-width:thin;	olw:m	outline-width:medium;
olw:tc	outline-width:thick;	ols	outline-style: ;	ols:n	outline-style:none;
ols:dt	outline-style:dotted;	ols:ds	outline-style:dashed;	ols:s	outline-style:solid;
ols:db	outline-style:double;	ols:g	outline-style:groove;	ols:r	outline-style:ridge;
ols:i	outline-style:inset;	ols:o	outline-style:outset;	olc	outline-color:#000;
olc:i	outline-color:invert;				

Tables

tbl	table-layout: ;	tbl:a	table-layout:auto;	tbl:f	table-layout:fixed;
cps	caption-side: ;	cps:t	caption-side:top;	cps:b	caption-side:bottom;
ec	empty-cells: ;	ec:s	empty-cells:show;	ec:h	empty-cells:hide;

Border					
bd	border: █;	bd+	border: [lpx] solid #000;	bd:n	border:none;
				bdbk	border-break: close;
bdbk:c	border-break:close;	bdcl	border-collapse: ;	bdcl:c	border-collapse;
bdcl:s	border-collapse:separate;	bdc	border-color:#(000);	bdc:t	border-color:transparent;
				bdi	border-image:url(  );
bdi:n	border-image:none;	bdti	border-top-image:url( );	bdti:n	border-top-image:none;
bdri	border-right-image:url(┃);	bdri:n	border-right-image:none;	bdbi	border-bottom-image:url(▮);
bdbi:n	border-bottom-image:none;	bdli	<pre>border-left-image:url( );</pre>	bdli:n	border-left-image:none;
bdci	<pre>border-corner-image:url( );</pre>	bdci:n	border-corner-image:none;	bdci:c	border-corner-image:continue;
bdtli	<pre>border-top-left-image:url( );</pre>	bdtli:n	border-top-left-image:none;	bdtli:c	border-top-left-image:continue;
bdtri	border-top-right-image:url( );	bdtri:n	border-top-right-image:none;	bdtri:c	border-top-right-image:continue;
bdbri	<pre>border-bottom-right-image:url( );</pre>	bdbri:n	border-bottom-right-image:none;	bdbri:c	border-bottom-right-image:continue;
bdbli	<pre>border-bottom-left-image:url( );</pre>	bdbli:n	border-bottom-left-image:none;	bdbli:c	border-bottom-left-image:continue;
bdf	border-fit: repeat;	bdf:c	border-fit:clip;	bdf:r	border-fit:repeat;
		bdf:sc	border-fit:scale;	bdf:st	border-fit:stretch;
bdf:ow	border-fit:overwrite;	bdf:of	border-fit:overflow;	bdf:sp	border-fit:space;
bdlen	border-length:∥;	bdlen:a	border-length:auto;	bdsp	border-spacing: ☐;
bds	border-style: ;	bds:n	border-style:none;	bds:h	border-style:hidden;
bds:dt	border-style:dotted;	bds:ds	border-style:dashed;	bds:s	border-style:solid;
bds:db	border-style:double;	bds:dtds	border-style:dot-dash;	bds:dtdtds	border-style:dot-dot-dash;
bds:w	border-style:wave;	bds:g	border-style:groove;	bds:r	border-style:ridge;
bds:i	border-style:inset;	bds:o	border-style:outset;	bdw	border-width: ;
bdt, bt	border-top: █;	bdt+	border-top: 1px solid #000;	bdt:n	border-top:none;
				bdtw	border-top-width:  ;
bdts	border-top-style: ┆;	bdts:n	border-top-style:none;	bdtc	<pre>border-top-color:# 000;</pre>
bdtc:t	border-top-color:transparent;	bdr, br	border-right: ;	bdr+	border-right: 1px solid #000;
bdr:n	border-right:none;	bdrw	border-right-width: ☐;	bdrst	border-right-style: ☐;
bdrst:n	border-right-style:none;	bdrc	border-right-color:# 000;	bdrc:t	border-right-color:transparent;
				bdb, bb	border-bottom: ;
bdb+	border-bottom: 1px solid #000;	bdb:n	border-bottom:none;	bdbw	border-bottom-width:  ;

border-bottom-style: ;

bdbs:n

border-bottom-style:none;

bdbs

bdbc		border-bottom-color:#000;	bdbc:t	border-bottom-color:transparent;	bdl, bl	border-left: ;
			bdl+	border-left: 1px solid #000;	bdl:n	border-left:none;
					bdlw	<pre>border-left-width: ;</pre>
bdls		border-left-style: ;	bdls:n	border-left-style:none;	bdlc	border-left-color:#000;
bdlc:	:t	border-left-color:transparent;	bdrs	border-radius:∥;	bdtrrs	border-top-right-radius: ;
bdtlr	rs	border-top-left-radius:∥;	bdbrrs	border-bottom-right-radius: ☐;	bdblrs	border-bottom-left-radius: ;

```
Lists
lis
                  list-style: ;
                                                               lis:n
                                                                                                                               lisp
                                                                                                                                                  list-style-position: ;
                                                                                  list-style:none;
                                                                                                                                list
lisp:i
                                                               lisp:o
                                                                                                                                                  list-style-type: ;
                  list-style-position:inside;
                                                                                  list-style-position:outside;
list:n
                                                               list:d
                                                                                                                                list:c
                  list-style-type:none;
                                                                                  list-style-type:disc;
                                                                                                                                                  list-style-type:circle;
list:s
                                                               list:dc
                                                                                                                                list:dclz
                  list-style-type:square;
                                                                                 list-style-type:decimal;
                                                                                                                                                 list-style-type:decimal-leading-zero;
list:lr
                                                                                                                                lisi
                  list-style-type:lower-roman;
                                                               list:ur
                                                                                                                                                  list-style-image: ;
                                                                                  list-style-type:upper-roman;
lisi:n
                  list-style-image:none;
Print
pgbb
                  page-break-before: ;
                                                               pgbb:au
                                                                                  page-break-before:auto;
                                                                                                                                pgbb:al
                                                                                                                                                  page-break-before:always;
pgbb:1
                                                                                                                                pgbi
                  page-break-before:left;
                                                               pgbb:r
                                                                                  page-break-before:right;
                                                                                                                                                  page-break-inside: ;
pgbi:au
                  page-break-inside:auto;
                                                               pgbi:av
                                                                                  page-break-inside:avoid;
                                                                                                                               pgba
                                                                                                                                                  page-break-after: ;
pgba:au
                                                                                                                                pgba:1
                  page-break-after:auto;
                                                               pgba:al
                                                                                  page-break-after:always;
                                                                                                                                                  page-break-after:left;
                                                                                                                                wid
pgba:r
                  page-break-after:right;
                                                               orp
                                                                                 orphans: ;
                                                                                                                                                  widows: ;
Others
                                                               @f
                                                                                                                                @f+
                  !important
                                                                                  @font-face {
                                                                                                                                                  @font-face {
                                                                                      font-family: ;
                                                                                                                                                      font-family: 'FontName';
                                                                                      src:url(|);
                                                                                                                                                     src: url('FileName leot');
                                                                                 }
                                                                                                                                                     src: url('FileName leot?#iefix')
                                                                                                                                                  format('embedded-opentype'),
                                                                                                                                                           url('FileName .woff')
                                                                                                                                                  format('woff'),
```

url('FileName .ttf')

url('FileName svg# FontName

format('truetype'),

') format('svg');

}

```
@i, @import url();
```

```
@kf
                                                                Qm. Qmedia
                                                                                                                                 ac
                                                                                                                                                    align-content: ;
                  @-webkit-keyframes [identifier]
                                                                                   @media [screen]
                       from
                             { }
                                                                                                                                 ac:c
                                                                                                                                                    align-content:center;
                       to { }
                                                                                                                                 ac:fe
                                                                                                                                                    align-content:flex-end;
                  }
                  @-o-keyframes [identifier] {
                                                                ac:fs
                                                                                   align-content:flex-start;
                                                                                                                                 ac:s
                                                                                                                                                    align-content:stretch;
                             { }
                                                                                   align-content:space-around;
                                                                                                                                 ac:sb
                                                                ac:sa
                                                                                                                                                    align-content:space-between;
                       to { }
                                                                ai
                                                                                   align-items: ;
                                                                                                                                 ai:b
                                                                                                                                                    align-items:baseline;
                  @-moz-keyframes [identifier]
                                                                ai:c
                                                                                                                                 ai:fe
                                                                                                                                                    align-items:flex-end;
                       from { }
                                                                                   align-items:center;
                       to { }
                                                                                   align-items:flex-start;
                                                                ai:fs
                                                                                                                                 ai:s
                                                                                                                                                    align-items:stretch;
                                                                anim
                                                                                   animation: ;
                                                                                                                                 anim-
                  @keyframes [identifier] {
                                                                                                                                                    animation: name
                                                                                                                                                                      duration
                                                                                                                                                    timing-function
                                                                                                                                                                       delay
                       from
                       to \ { }
                                                                                                                                                     iteration-count
                                                                                                                                                                       direction
                  }
                                                                                                                                                     fill-mode);
animde1
                                                                                                                                 animdir:a
                                                                animdir
                                                                                                                                                    animation-direction:alternate;
                  animation-delay: [time];
                                                                                   animation-direction: [normal];
                                                                                                                                 animdir:ar
                                                                                                                                                    animation-direction:alternate-reverse;
                                                                animdir:r
                                                                                                                                 animdur
animdir:n
                  animation-direction:normal;
                                                                                   animation-direction:reverse;
                                                                                                                                                    animation-duration: [0]s;
                                                                                                                                 animfm:bt, animfm:bh
animfm
                                                                animfm:b
                  animation-fill-mode: both;
                                                                                   animation-fill-mode:backwards;
                                                                                                                                                            animation-fill-mode:both;
                                                                                   animation-fill-mode:forwards;
                                                                animfm:f
                                                                                                                                 animic
                                                                                                                                                    animation-iteration-count:[1];
animic:i
                  animation-iteration-count:infinite;
                                                                animn
                                                                                   animation-name: none;
                                                                                                                                 animps
                                                                                                                                                    animation-play-state: running;
                                                                                                                                 animtf
animps:p
                  animation-play-state:paused;
                                                                animps:r
                                                                                   animation-play-state:running;
                                                                                                                                                    animation-timing-function: [linear];
animtf:cb
                  animation-timing-function:cubic-bezier(
                                                                animtf:e
                                                                                                                                 animtf:ei
                                                                                   animation-timing-function:ease;
                                                                                                                                                    animation-timing-function:ease-in;
                                 [ 1.0 ]
                                        (0.1);
                                                                animtf:eio
                                                                                   animation-timing-function:ease-in-out;
                                                                                                                                 animtf:eo
                                                                                                                                                    animation-timing-function:ease-out;
animtf:1
                                                                                                                                                    align-self: :
                  animation-timing-function:linear;
                                                                ap
                                                                                   appearance: ${none};
                                                                                                                                 as
as:a
                  align-self:auto;
                                                                as:b
                                                                                   align-self:baseline;
                                                                                                                                 as:c
                                                                                                                                                    align-self:center;
as:fe
                                                                as:fs
                  align-self:flex-end;
                                                                                   align-self:flex-start;
                                                                                                                                 as:s
                                                                                                                                                    align-self:stretch;
bfv
                  backface-visibility: ;
                                                                bfv:h
                                                                                   backface-visibility:hidden;
                                                                                                                                 bfv:v
                                                                                                                                                    backface-visibility:visible;
bg:ie
                  filter:progid:DXImageTransform.Microsof
                                                                                   /* ${child} */
                                                                                                                                 colm
                                                                                                                                                    columns: :
                                                                CM
                  t.AlphaImageLoader(src='[x
                                                                colmc
                                                                                   column-count: :
                                                                                                                                 co1mf
                                                                                                                                                    column-fill: ;
                  .png',sizingMethod='[ crop ]');
                                                                                                                                 colmr
                                                                                                                                                    column-rule: :
                                                                colmg
                                                                                   column-gap: ;
colmrc
                  column-rule-color: :
                                                                colmrs
                                                                                   column-rule-style: ;
                                                                                                                                 colmrw
                                                                                                                                                    column-rule-width: ;
colms
                                                                colmw
                                                                                   column-width: :
                                                                                                                                 d:ib+
                  column-span: :
                                                                                                                                                    display: inline-block;
                                                                                                                                                    *display: inline;
                                                                                                                                                    *zoom: 1:
fx
                  flex: :
                                                                fxb
                                                                                                                                 fxd
                                                                                   flex-basis: :
                                                                                                                                                    flex-direction: :
```

fxd:c	flex-direction:column;	fxd:cr	flex-direction:column-reverse;	fxd:r	flex-direction:row;	
fxd:rr	flex-direction:row-reverse;	fxf	flex-flow: ;	fxg	flex-grow: █;	
fxsh	flex-shrink: ;	fxw	flex-wrap:  ;	fxw:n	<pre>flex-wrap:nowrap;</pre>	
fxw:w	flex-wrap:wrap;	fxw:wr	flex-wrap:wrap-reverse;	jc	justify-content:  ;	
jc:c	justify-content:center;	jc:fe	justify-content:flex-end;	jc:fs	<pre>justify-content:flex-start;</pre>	
jc:sa	justify-content:space-around;	jc:sb	justify-content:space-between;	mar	max-resolution: res;	
mir	min-resolution: res;	ор+	<pre>opacity:  ; filter: alpha(opacity= );</pre>	op:ie	<pre>filter:progid:DXImageTransform.Microsof t.Alpha(Opacity=100);</pre>	
op:ms	-ms-	ord	order: ;	ori	orientation: ;	
	<pre>filter:'progid:DXImageTransform.Microso ft.Alpha(Opacity=100)';</pre>	ori:l	orientation:landscape;	ori:p	orientation:portrait;	
		tov	<pre>text-overflow:\${ellipsis};</pre>	tov:c	text-overflow:clip;	
tov:e	text-overflow:ellipsis;	trf	transform:  ;	trf:r	<pre>transform: rotate( angle);</pre>	
trf:rx	<pre>transform: rotateX((angle));</pre>	trf:ry	<pre>transform: rotateY((angle));</pre>	trf:rz	<pre>transform: rotateZ((angle));</pre>	
trf:sc	transform: scale(x, y);	trf:sc3	transform: $scale3d(x, y, z)$ ;	trf:scx	transform: $scalex(x)$ ;	
trf:scy	transform: scaleY(y);	trf:scz	transform: scaleZ(z);	trf:skx	<pre>transform: skewX((angle));</pre>	
trf:sky	<pre>transform: skewY( angle );</pre>	trf:t	transform: translate( $x$ , $y$ );	trf:t3	<pre>transform: translate3d( tx), (ty), (tz) );</pre>	
trf:tx	transform: translateX(x);	trf:ty	<pre>transform: translateY((y));</pre>	trf:tz	<pre>transform: translateZ(z);</pre>	
trfo	transform-origin: ;	trfs	transform-style: preserve-3d;	trs	transition: prop time;	
trsde	transition-delay: time;	trsdu	transition-duration: time;	trsp	transition-property: prop;	
trstf	transition-timing-function: tfunc;	us	user-select:\${none};	wfsm	<pre>-webkit-font-smoothing:\${antialiased};</pre>	
		wfsm:a	-webkit-font-smoothing:antialiased;	wfsm:n	-webkit-font-smoothing:none;	
wfsm:s, wfsm:sa	-webkit-font-smoothing:subpixel-	wm	writing-mode: <a>li&gt;</a> r-tb;	wm:btl	writing-mode:bt-lr;	
	antialiased;			wm:btr	writing-mode:bt-rl;	
wm:1rb	writing-mode:1r-bt;	wm:1rt	writing-mode:lr-tb;	wm:rlb	writing-mode:rl-bt;	
wm:rlt	writing-mode:rl-tb;	wm:tbl	writing-mode:tb-lr;	wm:tbr	writing-mode:tb-rl;	
XSL						
tmatch, tm <xsl:template< td=""><td>match="\" mode="\"&gt;\</td><td>tname, tn <xsl:templat< td=""><td>ce name="  "&gt; </td><td>call <xsl:call-t< td=""><td>emplate name="【" /&gt;</td></xsl:call-t<></td></xsl:templat<></td></xsl:template<>	match="\" mode="\">\	tname, tn <xsl:templat< td=""><td>ce name="  "&gt; </td><td>call <xsl:call-t< td=""><td>emplate name="【" /&gt;</td></xsl:call-t<></td></xsl:templat<>	ce name="  ">	call <xsl:call-t< td=""><td>emplate name="【" /&gt;</td></xsl:call-t<>	emplate name="【" />	
ap <xsl:apply-te< td=""><td>mplates select="\" mode="\"/&gt;</td><td>api <xsl:apply-i< td=""><td>imports /&gt;</td><td colspan="2"><pre>imp      <xsl:import href=""></xsl:import></pre></td></xsl:apply-i<></td></xsl:apply-te<>	mplates select="\" mode="\"/>	api <xsl:apply-i< td=""><td>imports /&gt;</td><td colspan="2"><pre>imp      <xsl:import href=""></xsl:import></pre></td></xsl:apply-i<>	imports />	<pre>imp      <xsl:import href=""></xsl:import></pre>		
inc <xsl:include href=""></xsl:include>		ch <xsl:choose></xsl:choose>	ch <xsl:choose> </xsl:choose>		<pre>xsl:when, wh</pre>	

```
ot
   <xsl:otherwise> </xsl:otherwise>
   <xsl:param name=" " select=" " />
   <xsl:with-param name=" " select=" " />
attr
   <xsl:attribute name=" "> </xsl:attribute>
   <xsl:copy-of select=" " />
tex
   <xsl:text> </xsl:text>
fall
   <xsl:fallback> </xsl:fallback>
pres
   <xsl:preserve-space elements=" " />
sort
   <xsl:sort select=" " order=" " />
```

<?xml version="1.0" encoding="UTF-8"?>

111

```
<xsl:if test=""> </xsl:if>
    <xsl:variable name=""> </xsl:variable>
key
    <xs1:key name=" " match=" " use=" " />
attrs
    <xsl:attribute-set name=" "> </xsl:attribute-set>
    <xsl:value-of select=" " />
    <xsl:comment> </xsl:comment>
num
    <xsl:number value=" " />
strip
    <xsl:strip-space elements=" " />
choose+
   Alias of xsl:choose>xsl:when+xsl:otherwise
    <xs1:choose>
       <xsl:when test=" "> </xsl:when>
       <xsl:otherwise> </xsl:otherwise>
    </xsl:choose>
```

```
par
   <xsl:param name=""> </xsl:param>
   <xsl:variable name=" " select=" " />
elem
   <xsl:element name=" "> </xsl:element>
ср
   <xsl:copy select=" " />
each, for
   <xsl:for-each select=" "> </xsl:for-each>
   <xsl:message terminate="no"> </xsl:message>
nam
   <namespace-alias stylesheet-prefix=" " result-prefix="</pre>
proc
   <xsl:processing-instruction name=" ">
   </xsl:processing-instruction>
xsl
   Alias of !!!+xsl:stylesheet[version=1.0
   xmlns:xsl=http://www.w3.org/1999/XSL/Transform]>
   |}
   <?xml version="1.0" encoding="UTF-8"?>
   <xsl:stylesheet version="1.0"</pre>
   xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
   </xsl:stylesheet>
```