# Consuming OData Services from .NET and JavaScript Clients

Brian Noyes
CTO, Solliance (www.solliance.net)
@briannoyes



#### **Outline**

- Consuming OData from .NET clients with WCF Data Services Client
- Using Task-Based Async Pattern (TAP) with WCF Data Services clients
- Consuming OData from JavaScript clients with JQuery, DataJS, and Breeze

## **Consuming with WCF Data Services Client**

- Can generate client proxy code based on OData metadata
- Add Service Reference in Visual Studio
- DataServiceUtil.exe at the command line
- May need to download an updated installer
  - http://www.microsoft.com/en-us/download/details.aspx?id=35840
  - Released after VS 2012
- Proxy class exposes DataServiceQueries
- Can populate DataServiceCollection for client side change tracking

### **Task-Based Async Pattern (TAP)**

- Introduced in .NET 4.5 / WinRT
  - □ Can be used in .NET 4 with VS 2012 + Async Targeting Pack
- Async methods return a Task
- Async methods can be "awaited" on
  - async / await keywords in C#
- Method pauses execution at an await
- Resumes when the async target is complete
  - On the UI thread if originally on the UI thread
- Does not block the thread while awaiting
  - Logically returns early from the method and then re-enters the method on the thread when the async work is done

### **Using TAP with WCF Data Services Client**

- WCF Data Services Client does not generate TAP based async methods
  - Begin/End pattern (Asynchronous Programming Model APM)
- Can easily wrap APM with TAP
  - Task.Factory.FromAsync method

#### Consuming with JQuery, DataJS, and Breeze

- JavaScript clients can also easily consume OData queryable services as well as update through them
- Base support for Web API calls: JQuery
  - AJAX methods
- OData formats support: DataJS
  - Handles ATOM, JSON-Verbose, and JSON-Light
  - Single API for getting to the data results
  - Uses JQuery under the covers to issue the AJAX calls
- Forming queries on top of an OData queryable: Breeze
  - LINQ-like syntax in JavaScript
  - Uses DataJS under the covers to handle the OData formatting

#### **Breeze**

- Breezejs.com
- Rich data library for JavaScript applications
- Call data services
  - □ Web APIs or OData
- Rich queries
- Tracks changes
- Data bindable
  - Knockout or other observable libraries
- Client caching of retrieved data
- Acts as a rich data repository that can make the service calls for JS apps

#### **Summary**

- Easy to consume OData from .NET clients with WCF Data Services
   Client
- Should start using TAP pattern to make the calls asynchronously
- JavaScript clients can:
  - Handle things low level with JQuery AJAX calls
  - Abstract away the OData format with DataJS
  - Have LINQ-like syntax with Breeze