




# **Categorizing Habitat Types to Support Wildlife Conservation**

Metis Deep Learning Project 2022

# Goal: Automated classification of habitat types to allow for insight into wildlife ecology



# Goal: Automated classification of habitat types to allow for insight into wildlife ecology

---





## Approach


- Leverage **pre-labeled dataset**
- Develop a **deep learning classification model**
- Test model accuracy on validation data
- Test model functionality on unlabeled images

## Tools


- **Tensorflow** and **Keras** for deep learning and model development
- **Numpy** and **Pandas** for data manipulation
- **Matplotlib** for visualization
- **Scikit-learn** for model score reporting

## Dataset

- 14,034 training images
- 3,000 validation images
- <https://www.kaggle.com/datasets/puneet6060/intel-image-classification>



# Sample images from the dataset






# Model Comparison



Model Name	Accuracy	Model Description
Baseline CNN	0.735	CNN with 7 layers
MobileNetV2 Transfer	0.885	Freeze MobileNetV2 weights, flatten the output, add and train three dense layers
MobileNetV2 Tuned	0.897	Unfreeze base model weights and train with low learning rate
MobileNetV2 w/ Image Augmentation	0.890	Apply shear, zoom, and rotation to the images

# Final Model Confusion Matrix





# Final Model Confusion Matrix



# Sample Predictions



street




mountain



street



glacier



mountain



forest



sea



glacier



## Key Takeaways

- Labels matter
- Transfer learning is effective for this problem

## Next Steps

- How to scrape relevant images and labels?
- Apply similar process to satellite imagery for broad habitat categorization?

---

Thank you!

<https://github.com/ngoodby/Metis-Deep-Learning-Project/>

---

# Appendix

## Baseline CNN Model

```
baseline_model = keras.Sequential([
    layers.Conv2D(10, (3, 3), activation = 'relu', padding = 'same', input_shape = (224,224,3)),
    layers.MaxPooling2D(2,2),
    layers.Conv2D(10, (3, 3), activation = 'relu', padding = 'same'),
    layers.MaxPooling2D(2,2),
    layers.Flatten(),
    layers.Dense(20, activation='relu'),
    layers.Dense(num_classes, activation='softmax')
])
```

# Baseline Confusion Matrix

