


This document contains PlantUML Class, Activity, and Sequence diagrams for the apply pipeline.


Class Diagram



Activity Diagram




Compute input measurements (author-voice only; uses shared utils)
Metrics enabled?
yes
Compute input humanization metrics
Humanizer guidelines enabled?
yes
Load general-guidelines.md
Parse humanizer rules via LLM
No rules returned?
yes
Fallback to regex parser
Filter rules by fingerprint + input style
Normalize avoid-word matching to US spelling (local spelling rules)
Build apply prompt
Call LLM to rewrite (retry with backoff on timeout/5xx)
If output is repeatedly invalid, split chunk and retry recovery (else preserve chunk verbatim)
Apply per-chunk controller overlay to targets (optional)
Apply bounded humanizer variance (optional)
Restore placeholders
Apply mandatory output normalizations (em dashes, quotes, heading qualifiers, local spelling)
If forced-person mode, evaluate pronoun override
Apply deterministic sentence-level pronoun repair when high confidence
If violations remain, request sentence-only LLM repair
Apply heading-case normalization policy (automatic/identical/by-level)


If preserve_proper_name_case=true, keep source proper-name casing in deterministic heading transforms
Compute style compliance
Compliance below threshold?
yes
Build delta feedback
Retry rewrite (max N)
Restore placeholders
Restore missing sections (fuzzy heading match)
Metrics enabled?
yes
Compute output humanization metrics
Compute aggregate score (weighted)
Write rewritten Markdown
Write deviations report

Sequence Diagram

