






reconstruction: B=0, seed=42
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
1e3
Test observations per observed codeword



reconstruction: B=0, seed=43
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
1e3
Test observations per observed codeword



reconstruction: B=0, seed=44
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
1e3
Test observations per observed codeword



reconstruction: B=0, seed=45
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
1e3
Test observations per observed codeword



reconstruction: B=0, seed=46
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
1e3
Test observations per observed codeword



joint_attributes: B=0, seed=42
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
1e3
Test observations per observed codeword



joint_attributes: B=0, seed=43
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
1e3
Test observations per observed codeword



joint_attributes: B=0, seed=44
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
Test observations per observed codeword
1e3



joint_attributes: B=0, seed=45
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
Test observations per observed codeword
1e3



joint_attributes: B=0, seed=46
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
−0.4
−0.2
0.0
0.2
0.4
Test observations per observed codeword
1e3



reconstruction: B=2, seed=42
Number of codewords
3.0
2.5
2.0
1.5
1.0
0.5
0.0
480
490
500
510
520
530
540
550
Test observations per observed codeword



reconstruction: B=2, seed=43
Number of codewords
1.0
0.8
0.6
0.4
0.2
0.0
470
480
490
500
510
520
530
Test observations per observed codeword



reconstruction: B=2, seed=44
Number of codewords
2.0
1.5
1.0
0.5
0.0
440
460
480
500
520
540
560
Test observations per observed codeword



reconstruction: B=2, seed=45
Number of codewords
2.0
1.5
1.0
0.5
0.0
300
400
500
600
Test observations per observed codeword



reconstruction: B=2, seed=46
Number of codewords
2.0
1.5
1.0
0.5
0.0
400
450
500
550
600
650
Test observations per observed codeword



joint_attributes: B=2, seed=42
Number of codewords
2.0
1.5
1.0
0.5
0.0
400
500
600
700
Test observations per observed codeword



joint_attributes: B=2, seed=43
Number of codewords
2.0
1.5
1.0
0.5
0.0
350
400
450
500
550
600
650
700
Test observations per observed codeword



joint_attributes: B=2, seed=44
Number of codewords
2.0
1.5
1.0
0.5
0.0
400
450
500
550
600
650
700
Test observations per observed codeword



joint_attributes: B=2, seed=45
Number of codewords
3.0
2.5
2.0
1.5
1.0
0.5
0.0
400
450
500
550
600
650
700
750
Test observations per observed codeword



joint_attributes: B=2, seed=46
Number of codewords
2.0
1.5
1.0
0.5
0.0
400
450
500
550
600
650
700
Test observations per observed codeword



reconstruction: B=4, seed=42
Number of codewords
2.0
1.5
1.0
0.5
0.0
60
80
100
120
140
160
180
200
Test observations per observed codeword



reconstruction: B=4, seed=43
Number of codewords
0
1
2
3
4
50
75
100
125
150
175
200
225
Test observations per observed codeword



reconstruction: B=4, seed=44
Number of codewords
0.0
0.5
1.0
1.5
2.0
2.5
3.0
60
80
100
120
140
160
180
Test observations per observed codeword



reconstruction: B=4, seed=45
Number of codewords
2.0
1.5
1.0
0.5
0.0
50
75
100
125
150
175
200
Test observations per observed codeword



reconstruction: B=4, seed=46
Number of codewords
2.0
1.5
1.0
0.5
0.0
80
100
120
140
160
180
Test observations per observed codeword



joint_attributes: B=4, seed=42
Number of codewords
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
50
100
150
200
250
300
350
Test observations per observed codeword



joint_attributes: B=4, seed=43
Number of codewords
2.0
1.5
1.0
0.5
0.0
0
50
100
150
200
250
300
Test observations per observed codeword



joint_attributes: B=4, seed=44
Number of codewords
2.0
1.5
1.0
0.5
0.0
0
50
100
150
200
250
300
Test observations per observed codeword



joint_attributes: B=4, seed=45
Number of codewords
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
50
100
150
200
250
300
Test observations per observed codeword



joint_attributes: B=4, seed=46
Number of codewords
0
1
2
3
4
5
0
50
100
150
200
250
300
350
Test observations per observed codeword



reconstruction: B=8, seed=42
Number of codewords
Test observations per observed codeword
0
10
20
30
40
50
0
5
10
15
20
25
30
35
40



reconstruction: B=8, seed=43
Number of codewords
0
5
10
15
20
25
30
0
5
10
15
20
25
Test observations per observed codeword



reconstruction: B=8, seed=44
Number of codewords
0
5
10
15
20
25
30
0
5
10
15
20
25
30
Test observations per observed codeword



reconstruction: B=8, seed=45
Number of codewords
0
5
10
15
20
25
30
Test observations per observed codeword



reconstruction: B=8, seed=46
Number of codewords
0
10
20
30
40
50
0
10
20
30
40
Test observations per observed codeword



joint_attributes: B=8, seed=42
Number of codewords
0
10
20
30
40
0
20
40
60
80
100
120
140
Test observations per observed codeword



joint_attributes: B=8, seed=43
Number of codewords
0
10
20
30
40
50
0
20
40
60
80
100
120
140
Test observations per observed codeword



joint_attributes: B=8, seed=44
Number of codewords
0
10
20
30
40
50
60
70
0
20
40
60
80
100
120
Test observations per observed codeword



joint_attributes: B=8, seed=45
Number of codewords
0
10
20
30
40
50
60
0
20
40
60
80
100
120
140
Test observations per observed codeword



joint_attributes: B=8, seed=46
Number of codewords
0
10
20
30
40
50
60
0
20
40
60
80
100
Test observations per observed codeword



reconstruction: B=16, seed=42
Number of codewords
1750
1500
1250
1000
750
500
250
0
2
4
6
8
Test observations per observed codeword



reconstruction: B=16, seed=43
2000
1500
1000
500
0
Number of codewords
2
4
6
8
Test observations per observed codeword



reconstruction: B=16, seed=44
Number of codewords
1750
1500
1250
1000
750
500
250
0
2.5
5.0
7.5
10.0
12.5
15.0
Test observations per observed codeword



reconstruction: B=16, seed=45
Number of codewords
1750
1500
1250
1000
750
500
250
0
2
4
6
8
Test observations per observed codeword



reconstruction: B=16, seed=46
Number of codewords
1750
1500
1250
1000
750
500
250
0
1
2
3
4
5
6
7
8
Test observations per observed codeword



joint_attributes: B=16, seed=42
Number of codewords
500
400
300
200
100
0
0
10
20
30
40
50
60
Test observations per observed codeword



joint_attributes: B=16, seed=43
Number of codewords
500
400
300
200
100
0
0
10
20
30
40
50
60
70
Test observations per observed codeword



joint_attributes: B=16, seed=44
Number of codewords
500
400
300
200
100
0
0
10
20
30
40
Test observations per observed codeword



joint_attributes: B=16, seed=45
Number of codewords
500
400
300
200
100
0
0
10
20
30
40
50
60
Test observations per observed codeword



joint_attributes: B=16, seed=46
Number of codewords
600
500
400
300
200
100
0
0
5
10
15
20
25
30
Test observations per observed codeword



reconstruction: B=32, seed=42
Number of codewords
2000
1500
1000
500
0
1.0
1.5
2.0
2.5
3.0
Test observations per observed codeword



reconstruction: B=32, seed=43
Number of codewords
2000
1500
1000
500
0
1.0
1.2
1.4
1.6
1.8
2.0
Test observations per observed codeword



reconstruction: B=32, seed=44
2000
1500
1000
500
0
Number of codewords
0.6
0.8
1.0
1.2
1.4
Test observations per observed codeword



reconstruction: B=32, seed=45
Number of codewords
2000
1500
1000
500
0
1.0
1.2
1.4
1.6
1.8
2.0
Test observations per observed codeword



reconstruction: B=32, seed=46
2000
1500
1000
500
0
Number of codewords
0.6
0.8
1.0
1.2
1.4
Test observations per observed codeword


joint_attributes: B=32, seed=42
Number of codewords
0
200
400
600
800
1000
1200
1400
2
4
6
8
10
Test observations per observed codeword


joint_attributes: B=32, seed=43
Number of codewords
1500
1250
1000
750
500
250
0
0
5
10
15
20
Test observations per observed codeword


joint_attributes: B=32, seed=44
Number of codewords
1400
1200
1000
800
600
400
200
0
0
5
10
15
20
25
Test observations per observed codeword


joint_attributes: B=32, seed=45
Number of codewords
1500
1250
1000
750
500
250
0
2.5
5.0
7.5
10.0
12.5
15.0
Test observations per observed codeword


joint_attributes: B=32, seed=46
Number of codewords
1500
1250
1000
750
500
250
0
2
4
6
8
10
12
Test observations per observed codeword