### Stacks and Toolchains

Module Information [RSE2107A Systems Engineering Project 1]

Academic Year [AY2024-25, Tri. 3]

Date [12-Jun-2025]

Registered Name	Student ID
ALOYSIUS HO JUN SHENG	2401686
ALSON LIM CHIN MENG	2403433
BECKHAM BENNY ROSS	2400867
JIN ZIYU	2403380
NG SI EN JENNIFER	2403392
TAN YONG JIE	2400994

# Application to our project

### Overview of Assignment

**Project Goal:** 

Design an arena inspired by the Hedge Maze at Changi Canopy Park, and develop a ROS 1-based autonomous robot that can navigate both our arena and those created by other teams.

**Objectives:** 

 Apply the Systems Approach (SEBoK 5 Steps) to guide design and dėcision-making

Integrate sensors and motor control using ROS 1 Ensure the robot adapts to other Changi-themed arenas

### **Current status:**

Arena layout drafted
Ros 1 setup and initial testing underway
Robot hardware received

### **Assignment Contents**

### 1. Project Scope

- Develop a robot using ROS 1 using Lidar and controller on Ubuntu
- Maze navigation challenge under real-world constraints
- Must be able to operate and navigate in our arena and others

### 2. Arena Planning

- Chosen theme: Hedge Maze from Canopy Park
- Planning key features: branching paths, dead ends, possible inclines, narrow paths
- Constraints: 300mm max height, tight corners, sensor range limitations

### **Assignment Contents**

### 3. Robot System

- ROS 1 used for real-time control, obstacle detection, and node-based architecture
- Key components: sensors (e.g., Lidar), motors, controller
- Progress: ROS node setup, sensor-motor testing underway

### 4. SEBoK Systems Approach

- Project structured using the SEBoK 5-step model
- All work documented and aligned with engineering methodology

### Mapping of SEBoK steps to our Project

### **Step 1 - Identifying and Understanding Problems and Opportunities:**

Maze + control challenge defined

### **Step 2 - Synthesizing Possible Solutions:**

Maze layout concepts explored, ROS 1 system structure planned

### **Step 3 - Analysis and selection between Alternative solutions:**

Final layout + materials chosen; ROS 1 stack selected

### **Step 4 - Implementing and Proving a Solution:**

Built arena + integrated ROS nodes for teleop and LiDAR

### Step 5 - Deploying, Using and Sustaining Systems to Solve Problem:

Reusability across arenas, including documentation and GitHub packaging

#### **Problem:**

Designing a changi-inspired arena along with ensuring the LIMO can navigate through our arena and others. the timeline for the project is week 11

- Robot (LIMO) constraints:
  Sensor limited to LiDAR feedback
  - steps/stairs
  - Lidar mapping due to Bridge

#### Arena constraints:

- · 1330x1500
- Cannot make multiple levels\$600 budget

### **Problem Exploration**

Soft systems thinking looks at "problematic situations" rather than trying to define a single clear "problem."

It helps stakeholders understand different perspectives.

Even though soft systems methods don't formally analyze or prove solutions, they still follow systems principles.

Often, real-world situations need a mix of both soft and hard methods.

### **Problem Identification**

Hard systems thinking assumes a clear problem exists—but even then, exploring the situation with stakeholders is essential.

#### Problems can be tame, regular, or wicked:

- Tame: straightforward with clear solutions.
- Regular: happen often but need thoughtful handling.
- Wicked: complex, unclear, hard or impossible to solve completely.

Soft methods like rich pictures and conceptual models can help explore these.

### **Problem Context**

Problem context involves understanding where and why the system exists.

You should consider both hard and soft views of the situation.

A hard system view defines what a system should do and how it should work.

A soft system view helps capture what different stakeholders believe and feel about the situation.

#### You also consider:


- Stakeholder power dynamics
- Time and cost constraints
- Desired outcomes and effectiveness

**Problem Exploration:** 

**Problem Identification:** 

**Problem context:** 

### **Robot Dimensions**





# Purpose of Synthesis

Synthesis defines feasible solutions options in response to a problem or opportunity

Solutions must align with time, cost, and risk constraints

Forms the foundation for Step 3 – Analysis and Selection

### Problem or Opportunity Context

Synthesis depends on a well-understood problem or opportunity, already defined in Step 1

#### Solutions must be tailored to:

- The intended environment
- The stakeholder-defined constraints (e.g., cost, deployment time, effectiveness)

Recognises both hard (technical) and soft (stakeholder/social) system elements

Goal is to find the best available, not perfect, solution

### Holism and Emergent Properties

A system must be understood as a whole (holism), not just as individual parts (reductionism)

New behaviors or emergent properties may appear that can't be predicted from the components alone

Synthesis must consider system-wide effects, not isolated subsystems

## Iterative and Adaptive Nature

Synthesis is not a one-time task — it's ongoing

As understanding of the problem improves, so do the solutions

Adjustments are made throughout the system's life cycle

# Identification of the Boundary of a System

Define internal vs. external components.

Identify external interfaces (e.g., other systems, users, regulators).

Delimit what is under control and what must be assumed or integrated.

# Identification of Functions of the System

Determine what the system must do (operational, support, lifecycle functions).

Functions describe purpose and utility, not mechanisms.

# Identification of the Elements of a System

#### Define the constituent components of the system:

- Hardware (sensors, machinery)
- Software (apps, logic)
- Humans (operators, users)
- Processes (manual, automated)
- Concepts (rules, data)

#### Include Enabling Systems (per ISO 15288):

Test systems, training systems, maintenance systems

#### Distinguish between:

- Existing (legacy) elements to be reused or integrated
- New elements to be designed or acquired

# Division of System Elements

Break larger components into smaller, manageable parts.

Reflects hierarchical design logic without losing sight of the system as a whole.

#### Decomposition supports:

- Detailed engineering
- Specialization
- Modularity
- Integration planning

#### Risk:

Excessive decomposition can obscure emergent behaviours and overload interface design.

# Grouping of System Elements

Aggregate elements into coherent subsystems or modules.

#### Supports:

- Modularity
- Reuse
- System configuration
- Organizational alignment (team responsibilities)

# Identification of the Interactions among System Elements

Define how elements collaborate, exchange information, or constrain each other.

### Includes:

- Functional interfaces
- Data flows
- Resource dependencies
- Organizational hand-offs

# Defining the System-of-Interest (Sol)

Synthesis activities converge to define the Sol, which includes:

- A bounded set of elements
- A clear functional model

•

# Two Synthesis Paths

Top down: Start from overall function → decompose


Example: Design an automated warehouse: start with "order fulfillment", break into robots, software, conveyors

Bottom-up: Start with available components → assemble

Example: Build a communications system using existing satellites, terminals, and cloud services


Problem or Opportunity Context

Jewel Changi Airport: Canopy Park & Mastercard Canopy Bridge








Jewel Changi Airport: Canopy Park & Mastercard Canopy Bridge













### 3 Mapping in ROS 1

- Gmapping (Lidar)
- Cartographer (Lidar and camera)
- Rtabmap (Lidar and camera)

# Step 3 - Analysis and selection between Alternative solutions





- More tolerant widths for precision control
- Lesser estimated cost
- Robot mobility friendly with arena
- More room for improvement



Ackermann Mode
A geometry designed to solve
the problem of wheels on the
inside and outside of a turn
needing to trace out circles of
different radii in the steering
of vehicles.



Track Mode
It has good off-road
performance and can climb
40° slopes and small steps



Mecanum Wheel Mode
The omni-directional motion
equipment based on
Vecanum wheel technology
can realize forward, lateral,
oblique, rotation and
combinations of motion




Mode
Four-wheel drive, which can realize on the spot autorotation, but it will cause serious tire wear; please do not auto-rotate on the spot for a long time

Four-Wheel Differential

**Proposed Arena** 

For ROS 1, we have chosen Rtabmap.

- Rtabmap focus more on the camera.
- Cartographer focus more on lidar



#### **MATERIALS PLANNING:**

- wood (bridge)
- corrugated board (base)
- styrofoam (arena boundary)
- artificial grass (for hedges)

# Step 4 - Implementing and Proving a Solution

# Step 4 - Implementing and Proving a Solution

To build arena

#### Hardware to be used:

- LIMO
- Lidar
- Camera

#### Software:

- · ROS 1
  - code example

# Step 5 - Deploying, Using and Sustaining Systems to Solve Problem

# Step 5 - Deploying, Using and Sustaining Systems to Solve Problem

### Portfolio



https://yongjiee.wixsite.com/sep-grp6

#### **Assessment Criteria**

- The aim of this step is to choose the solution that most closely aligns with the ideal model and is therefore most likely to be accepted by the stakeholders.
- Derived from what the system should do (functionally) and how well it should do it (non-functional qualities like safety, reliability, cost).

#### Can come from:

- Technical specs
- Stakeholder expectations
- Soft system models (how different people perceive the system)

#### **Effectiveness Analysis**

Effectiveness measures how well the system solves the intended problem or meets a need.

#### Looks at:

- Functional performance (what the system does)
  Non-functional qualities (how it behaves: safety, usability, etc.)
- In product systems (e.g., aircraft, machinery), effectiveness criteria include things like safety, reliability and maintainability.
- In service or enterprise systems (e.g., logistics networks, IT services), criteria could be agility, resilience, or adaptability.

Considers constraints: time, cost, and feasibility.

If no solution is good enough within the constraints, the original problem framing might need to be revisited.

#### **Trade-Off Studies**

 A trade-off study is a systematic decision-making process used to assess and compare various candidate solutions (e.g., system elements or architectures)

These are structured evaluations comparing different solutions based on:

- Cost
- Risk
- Effectiveness

#### Trade studies use tools and models to:

- Define boundaries (what will be considered)
- Set scales (how each criterion will be measured: units, ranges, etc.)
- Assign scores to each solution across various criteria

stt I bro s s ocrs kalv na of the

- Systems analysis is a critical, iterative process used to evaluate different potential solutions to a problem or opportunity.
- All analyses rely on assessment criteria that are derived from a clear understanding of the problem or opportunity context.
- Trade studies should not focus onOer e cr ut ders

# Step 4 - Implementing and Proving a Solution

#### Step 4 - Implementing and Proving a Solution

Implementation and proving of a preferred solution that may have been selected by step 3:

#### **Verification:**

- Verify each element of the system to meets the requirement.
  Perform at each level of the system hierarchy.
  Providing evidence on the system performance

#### Validation:

- Validate entire system meets the stakeholder needs.
  Occurs at the top level of the system hierarchy.
  Demonstrate system designed to promote stakeholder satisfaction.

# Step 5 - Deploying, Using and Sustaining Systems to Solve Problem

# Deployment: The Transition from Development to Operation

Deployment, also called transition, is the handover of the System of Interest (SoI) from the development team to the operational team or organization.(SEBOK)

#### This includes:

- Moving the system to the operational site
- Installing it and integrating it into the receiving environment
- Ensuring it's ready for real-world use (safe, effective, interoperable)

Interoperability: The new system must work well with other systems already in use.

**Operational Readiness**: The system must be safe, reliable, and meet performance expectations.

#### **Use: Operation**

For complex systems, emergent properties (unexpected system-level behaviors) must be considered in three ways:

#### 1) During design and realization:

Plan for known emergent behaviors early in the system development.

#### 2) **During use**:

Include tools or mechanisms to detect and handle unexpected behaviors when the system is running.

#### 3) For the enterprise:

Provide procedures and responses (e.g., emergency plans, medical aid) to manage system-wide consequences of emergent issues.

#### System Sustainment and Maintenance

Sustainment is the ongoing support required to keep a system operational and effective throughout its useful life.

Open systems depend on continuous exchange of:

- EnergyInformation
- Material
- Maintenance must manage these resource flows from the external environment.

Maintenance requires supporting/enabling systems, such as:

- Diagnostic and monitoring systems
  Spare parts supply chains
  Trained personnel and tools
  These enabling systems can be designed using a systems approach

#### Retirement

Decision and planning phase where the system is formally taken out of service.

- Ceasing operations
- Transferring or archiving data
- Reallocating personnel
- Documentation and legal closure

May include transition to a replacement system.

#### Disposal

Disposal is the final phase of a system's life cycle. It involves when the system is removed from operational use and safely terminated.

- Disposal broadens the range of stakeholders. (Environmental agencies, regulators, and disposal contractors become key players.)
- Internal and external disposal mechanisms are properly defined and integrated into the broader system life cycle.
- Successful disposal depends on early planning during system design and development.

### Stakeholder Responsibility

#### Stakeholder Roles & Responsibilities

Stakeholders include acquirers, suppliers, operators, users, and system owners

Stakeholders collaborate to define needs, requirements, and agreements

Roles may overlap (e.g., acquirer can also be the user)

#### **Product, Service, and Enterprise Systems**

Product systems: tangible hardware/software delivered to achieve a goal

Service systems: deliver outcomes directly, often integrating with third-party products

**Enterprise systems**: large, evolving systems managing internal and external service/product delivery

#### **Supplier and Acquirer Dynamics**

Agreements define responsibilities for delivering products or services

May involve a supply chain or system integrators

Support services may be required even if the product wasn't originally acquired from the supplier

#### Life Cycle Ownership

Owners are responsible for creation, management, use, and disposal of systems

In infrastructure or enterprise contexts, ownership can involve multiple entities

Lifecycle decisions impact long-term performance, usability, and sustainability

#### **Service Systems Engineering**

Service systems may not own all products involved in delivery

They must dynamically access, integrate, and interface with external systems

Uses techniques like late binding, modular design, and open interface standards

#### **Enterprise System Evolution**

Enterprises are not designed at one time — they evolve continuously

Must adapt to tech advancements (e.g., IT, communications)

Engineering focuses on internal optimization and external service delivery

#### Team Q&A

- Student Name 1: ALOYSIUS HO JUN SHENG
- Student Name 2: ALSON LIM CHIN MENG
- Student Name 3: BECKHAM BENNY ROSS
- Student Name 4: JIN ZIYU
- Student Name 5: NG SI EN JENNIFER
- Student Name 6: TAN YONG JIE

#### END of Viva-Voce