

N

Nevari Pharmacy

OPERATIONS HANDBOOK

Administrator Dashboard Guide

A simple, practical guide to understanding and operating the Nevari Pharmacy platform.

One dashboard.

Orders, products, patients, payments, clinic subscriptions and oversight.

Administrator edition · July 2026 · Internal operations document

Purpose and contents

This handbook explains how Nevari works from an administrator's point of view and shows the routine operations performed in the Admin Storefront.


In simple terms: customers use Nevari to buy pharmacy products and request healthcare services. The administrator uses one dashboard to monitor those activities, coordinate the appropriate staff, and keep every request moving safely to completion.

01	System overview	3
02	Dashboard orientation and daily routine	4–5
03	Products, orders and payments	6–8
04	Patients, subscriptions and staff	9–10
05	Consultations, MTM, IV therapy and nurse requests	11–13
06	Analytics, audit and settings	14–15
07	Safety, troubleshooting and checklists	16

Important: screenshots are illustrative. Names, figures, labels, and available buttons may vary with live data, permissions, and later product updates.

How the whole system works

Nevari connects the online pharmacy storefront, healthcare workflows, payments, and staff dashboards. The administrator sees the operational picture and coordinates exceptions.




What the administrator is responsible for

- Maintain a correct product catalog and respond to stock alerts.
- Move orders forward only after prescription and payment requirements are satisfied.
- Monitor care-service queues and coordinate the correct staff member.
- Review staff access, unusual activity, failures, refunds, and operational exceptions.
- Keep settings accurate without weakening security controls.

Your dashboard at a glance

The Overview page is the administrator's starting point. The left navigation opens each work area; the top search finds records; the cards and panels show current performance and items that need attention.



Administrator Overview: navigation, headline metrics, appointment flow, inventory attention, finance summary, and orders requiring action.

Navigation

Areas are grouped into Pharmacy, Health, and Security. The dark blue item is the page currently open.

Search and filters

Use search and page filters before scanning long lists. Clear filters if a record appears to be missing.

Metrics

Cards summarize live operational data. Click through to the relevant page before acting on an aggregate number.

Account menu

Use the profile control to confirm the signed-in account and end the session when using a shared device.

A simple daily operating rhythm

- 1

Start with Overview
Check revenue/payment exceptions, consultations due today, inventory warnings, and orders needing action.
- 2

Clear urgent order blockers
Open Orders and prioritize prescription holds, failed or unverified payments, clinical follow-up, and delivery exceptions.
- 3

Review healthcare queues
Check Consultations, MTM, IV Therapy, and Nurse Requests for new, unassigned, overdue, or rescheduled work.
- 4

Review inventory and staff
Resolve low stock, verify new staff accounts, and confirm that responsible team members are available.
- 5


Close with oversight
Review payment exceptions and the Audit Center. Record or escalate anything that cannot be safely resolved.

Priority	Examples	Response
Urgent	Security alert, payment discrepancy, incorrect patient linkage, unsafe prescription release	Stop the affected action and escalate immediately.
High	Today's appointment problem, order blocked after payment, urgent care request	Verify the record and coordinate the responsible staff member.
Routine	Catalog updates, completed-record review, standard subscription questions	Process in the normal queue and document changes.

Do not use dashboard totals as proof. Open the individual order, payment, patient, or care request and verify its details before changing a status or contacting someone.

Products and inventory

Use Products to create and maintain items sold through the pharmacy. Each record can include pricing, stock, visibility, categories, shipping information, and prescription rules.



The product catalog provides search, stock/status indicators, and access to product creation and editing.

Create a product

1. Select **Products**, then **Create product**.
2. Enter the name, description, price, and image.
3. Set category, stock, SKU, visibility, shipping, and prescription rule.
4. Review the complete record, then save as draft or publish.

Maintain inventory

1. Search for the product and open it.
2. Confirm the correct strength/variant and SKU.
3. Update quantity or stock status.
4. Save and confirm the new value in the list.

Prescription safety: never change a product from “prescription required” to unrestricted merely to allow an order to proceed. Confirm the clinical rule with an authorized pharmacist.

Orders and fulfilment

The Orders area is the main work queue for purchases and service-related orders. Filters highlight records needing prescriptions, payment, or doctor follow-up.

< Back

Order in Progress

 **Order is Placed**
Processing

☒ Order Placed
Apr 5, 2022, 10:07 AM
 ☐ Processing
 ☐ Completed

Items Name	No. of Items
 Total Care Men Face Serum \$99.99 \$60.00	1
 Total Care Men Face Serum \$99.99 \$60.00	1
 Total Care Men Face Serum \$99.99 \$60.00	1

Order Summary

Order Number **#123-321**

Delivery Fees **\$5.78**

Total **\$134.56**

Paid With

 **MasterCard**

Delivery Address

 **Shopping in 07114**

Order status and progress indicators help administrators see the current stage and the next valid action.

1 Open and identify

Confirm the order number, patient, items, order type, date, and current status.

2 Check blockers

Review payment status, prescription status, assigned doctor/pharmacist, stock, notes, and delivery method.

3 Take the next permitted action

Assign clinical follow-up, add an operational note, prepare fulfilment, or move the order to its next valid state.

4 Confirm the result

Refresh or return to the queue and verify that the status and audit history reflect the action.

Never mark an order paid because a customer presents a screenshot. Use the verified payment record in Nevari. Never release a prescription order until its prescription requirements are satisfied.

Payments, invoices, and refunds

The Payments page shows payment-linked orders and distinguishes completed, pending, failed, and refunded transactions. Payment processing is handled through Paystack; the dashboard reflects the server-verified result.

PAYMENT RECEIPT

Order #2964

Angus Customer / Jul 23, 12:13 AM

Pending

Total paid

NGN 25,000.00

Print

Send Receipt

Patient

Angus Customer

angus.customer@example.test

RX state

Clear

No doctor assigned

Reference

#2964

Pending

PATIENT INFORMATION

Angus Customer

Email

angus.customer@example.test

Phone

+234 800 000 0000

Billing address

Angus Customer, 12 Nevari Avenue, Lagos, Lagos, NG

Shipping address

Angus Customer, 12 Nevari Avenue, Lagos, Lagos, NG

PAYMENT DETAILS

Capture summary

Payment status

Pending

Amount

NGN 25,000.00

Order type

Product order

Reference

Order #2964

LINE ITEMS

Receipt items

Loratadine 10mg

Qty 1

NEV-LOR-10

NGN 10,000.00

NGN 10,000.00 each

Print Receipt

Close

Email Receipt

A payment detail view should be checked against its order, amount, reference, status, and recorded timeline.

Verify a payment

Match the patient/order, amount, currency, payment reference, and status. Use only the result recorded by the platform.

Send a document

Open the order or payment record, confirm recipient and totals, then generate or send the available invoice/receipt.

Handle a failure

Do not manually convert a failed payment to successful. Confirm whether a later verified attempt exists and guide the patient to retry when appropriate.

Handle a refund

Confirm authority, reason, amount, and original transaction. Follow the approved refund process and verify the final recorded state.

Payment data: never request or store a customer's full card number, CVV, PIN, OTP, secret key, or raw payment token. Escalate mismatched totals or duplicate charges.

Nevari Pharmacy Administrator Handbook

8

Patients and subscriptions

Patients links customer identity to orders, appointments, clinical requests, and spending summaries. Subscriptions shows plan enrolment and lifecycle states such as active, past due, or cancelled.

NP

SUBSCRIPTION PLAN

Nevari Pro

Managed Nevari subscription plan.

Active

Close details

Details

Users

Price

NGN 30,000

Edit

Billing cycle

Monthly

Subscribed users

16

Gateway/source

Paystack

Plan key

nevari-pro

Checkout type

Auto generated

Deleting...

Subscription details bring together plan, status, billing, and history information.

Patient lookup

1. Open **Patients**.
2. Search by a known identifier.
3. Confirm at least two details before discussing or editing the record.
4. Open the relevant order, appointment, or request from the profile.

Subscription review

1. Open **Subscriptions**.
2. Search for the patient or plan.
3. Check current status and payment/history entries.
4. Use only the available approved action; confirm the result afterward.

Identity matters: similar names are not proof of identity. Confirm the correct patient record before viewing, changing, or disclosing health or payment-related information.

Staff accounts and access

The Staffs area covers doctors, pharmacists, nurses, and other governed accounts. Administrators review pending registrations, approval status, assigned role, and relevant operational information.

STAFF DETAILS

DA

Dr Ada Nwosu

ada.nwosu@example.test

Status

Approved

Date joined

2026-01-12

Last activity

2026-07-23

Phone

+234 800 111 2222

License

MDCN-TEST-88

Linked patients

14

Ban

Suspend

Reset password

Review the staff identity, role, approval state, and relevant profile information before granting access.

Approving or updating staff

1. Open **Staffs** and filter for pending review.
2. Verify identity, professional details, role, and supporting information through the approved process.
3. Approve, reject, or request correction using the correct account action.
4. Confirm the account appears under the intended role and status.

Least privilege: assign only the role required for the person's work. Never share administrator credentials, approve an unverified professional account, or grant a broader role as a temporary workaround.

When someone leaves or changes duties

Promptly suspend or adjust access according to the approved process, reassign open work, and use Audit Center to confirm that the change was recorded.

Consultations

Consultations tracks requested, upcoming, ongoing, and past appointments. Administrators coordinate scheduling and operational readiness; clinical decisions remain with authorized clinicians.

CONSULTATION #42

DR Patient name

Care managed by Doctor Name

Confirmed Close details

APPOINTMENT OVERVIEW

Visit information

Essential patient and schedule details.

Patient Patient name patient@example.com	Assigned clinician Doctor Name doctor@example.com	Starts July 23, 10:00 AM
Ends July 23, 10:30 AM	Consultation type Video	Reason for visit Medication review

The consultation record brings together timing, patient, assigned clinician, status, and joining information.

Before the appointment

Confirm date/time and timezone, assigned doctor, patient contact, payment where required, and that the joining link is available.

For a schedule change

Open the correct appointment, use the reschedule/cancel action, confirm the new status, and ensure notifications are sent.

During the appointment


Help with access or operational issues. Do not enter the consultation or disclose details unless your role and the situation require it.

Afterward


Confirm that completion and any follow-up workflow are recorded. Do not write clinical conclusions on behalf of the doctor.

MTM and IV therapy requests

Medication Therapy Management (MTM) helps patients review medication use with pharmacy professionals. **IV Therapy** requests collect service selections, consent, and workflow information for staff review.



Example MTM request detail.



Example IV therapy request queue.

Administrator workflow

1. Open the relevant queue and find new or outstanding requests.
2. Confirm the patient, request type, consent/status, payment state if applicable, and assigned professional.
3. Coordinate scheduling or assignment using the available dashboard action.
4. Monitor progress until the responsible clinician closes or advances the request.

Clinical boundary: administrators coordinate the workflow but must not diagnose, alter medication advice, approve clinical suitability, or mark clinical work complete on behalf of an authorized practitioner.

Nurse requests

Nurse Requests is the operations queue for patient requests that require nursing support. Typical stages include submitted, under review, assigned, scheduled, and completed.

NR-000501

Nurse Request details

Approved nurse

Select nurse

Future visit date and time

dd/mm/yyyy --:--

Start review Assign nurse Confirm schedule Cancel

PATIENT-SAFE FILES

Visit documents

No patient-safe documents uploaded.

Upload document

Review the complete request, assigned nurse, scheduled time, and status before taking action.

1 Review

Confirm the patient, requested service, location/contact information, timing, and current status.

2 Assign

Select only an approved and appropriate nurse. Confirm availability through the approved operational process.

3 Schedule

Record the agreed date and time, then confirm that the request and notifications reflect it.


4 Monitor and close

Follow up on exceptions. Completion should reflect the work actually performed and the responsible staff record.

Escalate immediately if the request suggests an emergency. The dashboard is an operations tool and is not a substitute for emergency services.

Analytics

Analytics helps administrators understand trends across sales, orders, customers, products, and operations. Use date and comparison controls to make like-for-like comparisons.



Analytics converts operational records into trends and summaries for planning and review.

Ask a precise question

For example: "Did completed order value improve compared with the previous 30 days?"

Check filters

Confirm date range, currency, status, and segment before interpreting the numbers.

Investigate changes

Use the relevant operational page to inspect the records behind an unusual increase or decrease.


Export carefully

Treat exports as sensitive. Store, share, and dispose of them only through approved channels.

Remember: analytics supports decisions but does not replace record-level verification, financial reconciliation, or clinical judgment.

Audit Center and settings

Audit Center provides an activity history across important operational and security events. Settings controls store behavior such as automation, reminders, pricing, security, currency, and timezone.



Administrator access begins at the role-specific sign-in screen; account security and dashboard settings must both be managed deliberately.

Use Audit Center when

- A status changed unexpectedly.
- A payment or order action is disputed.
- You need to confirm who performed an action.
- A security or access issue is suspected.

Before changing settings

- Understand who and what the setting affects.
- Record the reason and obtain approval where required.
- Change one thing at a time.
- Test and confirm the intended result.

Do not weaken safeguards to fix a workflow problem. Never disable verification, broaden access, expose a secret, or bypass payment/prescription checks as a shortcut. Escalate the underlying issue.

Checklists and troubleshooting

Start of day

- ☐ Overview and urgent alerts checked
- ☐ Payment exceptions reviewed
- ☐ Prescription/order holds reviewed
- ☐ Today's care appointments checked
- ☐ New health-service requests triaged
- ☐ Low-stock items reviewed

End of day

- ☐ Urgent work resolved or handed over
- ☐ Failed payments and refunds followed up
- ☐ Unassigned requests escalated
- ☐ Unexpected audit events reviewed
- ☐ Sensitive exports securely stored/removed
- ☐ Session closed on shared devices

If something does not work

Problem	Safe first response
A record is missing	Clear filters, verify spelling/identifier, refresh once, and check the correct page and date range.
An action is unavailable	Check status and role. The action may be invalid for that stage. Do not seek broader access as a shortcut.
Data appears stale	Refresh and reopen the record. Avoid repeating a payment or status-changing action until its outcome is known.
A payment is disputed	Record the order and provider reference, preserve the current state, and escalate for reconciliation.
Wrong patient or clinical data is visible	Stop, do not copy or share it, note the record/time, sign out if necessary, and report the privacy incident immediately.
A technical error appears	Capture a screenshot without unnecessary patient data, record the page/time/action, and send it through the approved support channel.

Good escalation information: page name, record ID (not a full sensitive payload), time, action attempted, expected result, actual result, and a carefully cropped screenshot.

End of handbook. This document explains normal administrator operations; local policies, clinical procedures, financial controls, and privacy obligations always take precedence.