

```
12.py >  nhap
```

```
def nhap():
    hoten = input("Nhap ho ten: ")
    que = input("Nhap que quan: ")
    tham_nien = int(input("Nhap tham nien (nam): "))
    return hoten, que, tham_nien

def tinh_luong(tham_nien):
    luong_cb = 3000000
    return luong_cb + tham_nien * 500000

def xuat(hoten, que, tham_nien, luong):
    print("Ho ten:", hoten)
    print("Que quan:", que)
    print("Tham nien:", tham_nien)
    print("Luong:", luong)

ht, q, tn = nhap()
luong = tinh_luong(tn)
xuat(ht, q, tn, luong)
```

EMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174600211_NGUYENMINHHIEN/bai12.py
ho ten: nguyen minh hien
que quan: campuchia
tham nien (nam): 2007
n: nguyen minh hien
uan: campuchia
nien: 2007
: 1006500000
\8.1_25174600211_NGUYENMINHHIEN>
```

Restart Visual Studio Code to a

```
bai13.py > ...
1  def nam_nhuan(y):
2      if (y % 400 == 0) or (y % 4 == 0 and y % 100 != 0):
3          return True
4      return False
5  def so_ngay(thang, nam):
6      if thang in [1,3,5,7,8,10,12]:
7          return 31
8      elif thang in [4,6,9,11]:
9          return 30
10     elif thang == 2:
11         if nam_nhuan(nam):
12             return 29
13         else:
14             return 28
15     else:
16         return 0
17  y = int(input("Nhap nam: "))
18  m = int(input("Nhap thang: "))
19
20  if nam_nhuan(y):
21      print("Nam nhuan")
22  else:
23      print("Khong phai nam nhuan")
24  print("So ngay:", so_ngay(m, y))
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS Python + - [] [X] [X]

PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174600211_NGUYENMINHHIEN/bai13.py
Nhap nam: 2026
Nhap thang: 05
Khong phai nam nhuan
So ngay: 31
PS D:\8.1_25174600211_NGUYENMINHHIEN> []

Restart Visual Studio Code to apply the changes

Update

bai14.py > ...

```
1 n = int(input("Nhap n: "))
2 ds = []
3 for i in range(n):
4     x = int(input("Nhap so: "))
5     ds.append(x)
6 ds_binh_phuong = list(map(lambda x: x*x, ds))
7 print("danh sach ban dau:", ds)
8 print("binh phuong:", ds_binh_phuong)
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python + - [] [] ... [] []

```
Nhap n: 4
Nhap so: 7
Nhap so: 9
Nhap so: 5
Nhap so: 5
danh sach ban dau: [7, 9, 5, 5]
binh phuong: [49, 81, 25, 25]
PS D:\8.1_25174600211_NGUYENMINHHIEN>
```

 Restart Visual Studio Code to apply changes

Up

```
bai15.py > ...  
1 from functools import reduce  
2 ds_chan = [i for i in range(1, 101) if i % 2 == 0]  
3 print("So chan 1-100:", ds_chan)  
4 n = int(input("Nhap n: "))  
5 ds = list(range(1, n+1))  
6 chan = list(filter(lambda x: x % 2 == 0, ds))  
7 tong = reduce(lambda a, b: a + b, chan)  
8 print("Danh sach:", ds)  
9 print("So chan:", chan)  
10 print("Tong so chan:", tong)
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS Python + ▾ [] [X] ... | [] [X]

```
PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174600211_NGUYENMINHHIEN/bai15.py  
So chan 1-100: [2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100]  
Nhap n: 4  
Danh sach: [1, 2, 3, 4]  
So chan: [2, 4]  
Tong so chan: 6  
PS D:\8.1_25174600211_NGUYENMINHHIEN> |
```

 Restart Visual Studio Code to apply th

Update


```
bai1.py > tinh_luy_thua
1 def tinh_luy_thua():
2     a = int(input("Nhap so tu nhien a: "))
3     n = int(input("Nhap so mu n: "))
4     kq = 1
5     for i in range(n):
6         kq = kq * a
7     print("Ket qua:", kq)
8 tinh_luy_thua()
9
```

Terminal (Ctrl+`)

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python + - [] [X] ... [] [X]

```
PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174600211_NGUYENMINHHIEN/bai1.py
Nhap so tu nhien a: 4
Nhap so mu n: 2
Ket qua: 16
PS D:\8.1_25174600211_NGUYENMINHHIEN> 
```

 Restart Visual Studio Code to

bai2.py > fibonacci

```
1  def fibonacci():
2      n = int(input("Nhap so luong (<=20): "))
3      if n > 20:
4          n = 20
5      a, b = 0, 1
6      print(a, end=" ")
7      if n > 1:
8          print(b, end=" ")
9      for i in range(2, n):
10         c = a + b
11         print(c, end=" ")
12         a = b
13         b = c
14  fibonacci()
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python +  |  

```
PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174600211_NGUYENMINHHIEN/bai2.py
Nhap so luong (<=20): 12
0 1 1 2 3 5 8 13 21 34 55 89
PS D:\8.1_25174600211_NGUYENMINHHIEN>
```

Restart Visual Studio Code to apply

Upd

```

1 # a)
2 def la_so_nguyen_to(n):
3     if n < 2:
4         return False
5     for i in range(2, n):
6         if n % i == 0:
7             return False
8     return True
9 # b)
10 def la_so_hoan_hao(n):
11     tong = 0
12     for i in range(1, n):
13         if n % i == 0:

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python + - [] [X] ... [] [X]

===== MENU BAI 3 =====

```

1. Kiem tra so nguyen to
2. Kiem tra so hoan hao
3. In so doi xung (0 -> 999)
0. Thoat

```

Nhap lua chon: 67

Lua chon khong hop le!

===== MENU BAI 3 =====

```

1. Kiem tra so nguyen to
2. Kiem tra so hoan hao
3. In so doi xung (0 -> 999)
0. Thoat

```

Nhap lua chon: 68

Lua chon khong hop le!

===== MENU BAI 3 =====

```

1. Kiem tra so nguyen to
2. Kiem tra so hoan hao
3. In so doi xung (0 -> 999)
0. Thoat

```

Nhap lua chon: 0

Ket thuc chuong trinh

PS D:\8.1_25174600211_NGUYENMINHHIEN>

Restart Visual Studio Code to apply changes

bai4.py > ...

```
1 def tong_1(n):
2     s = 0
3     for i in range(n+1):
4         s += i
5     return s
6 def tong_2(n):
7     s = 0
8     for i in range(n+1):
9         s += i*i
10    return s
11 def giai_thua(n):
12     gt = 1
13     for i in range(1, n+1):
14         gt *= i
15     return gt
16 def tong_giai_thua(n):
17     s = 0
18     for i in range(1, n+1):
19         s += giai_thua(i)
20     return s
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python + - [] [X] ... [] [X]

PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174600211_NGUYENMINHHIEN/bai4.py

Nhap n: 2

3

5

2

3

PS D:\8.1_25174600211_NGUYENMINHHIEN>

 Restart Visual Studio Code


```
1 def ascii_ky_tu():
2     while True:
3         ch = input("Nhap ky tu (ESC de dung): ")
4         if ch == "ESC":
5             break
6         print("ASCII:", ord(ch))
7     ascii_ky_tu()
```

Python +     

```
PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174600211_NGUYENMINHHIEN/bai5.py
Nhap ky tu (ESC de dung): 7
ASCII: 55
Nhap ky tu (ESC de dung): ESC
PS D:\8.1_25174600211_NGUYENMINHHIEN>
```

Restart Visual Studio Code to apply

Update

bai6.py > so_ke_tiep

```
1 def so_ke_tiep(n):
2     return n + 1
3 n = int(input("Nhap so: "))
4 print("So ke tiep:", so_ke_tiep(n))
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python + - [] [X] ... [] [X]

```
PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174
600211_NGUYENMINHHIEN/bai6.py
Nhap so: 12
So ke tiep: 13
PS D:\8.1_25174600211_NGUYENMINHHIEN> 
```

 Restart Visual Studio Code to a

bai8.py > tron

```
1 def tron():
2     r = float(input("r: "))
3     if r>0:
4         print("CV:", 2*3.14*r, "DT:", 3.14*r*r)
5 def vuong():
6     a = float(input("a: "))
7     if a>0:
8         print("CV:", 4*a, "DT:", a*a)
9 def hcn():
10    a = float(input("a: "))
11    b = float(input("b: "))
12    if a>0 and b>0:
13        print("CV:", 2*(a+b), "DT:", a*b)
14 def tg():
15    a,b,c = float(input()), float(input()), float(input())
16    if a+b>c and a+c>b and b+c>a:
17        p=(a+b+c)/2
18        print("CV:", a+b+c, "DT:", (p*(p-a)*(p-b)*(p-c))**0.5)
19 tron()
20 vuong()
21 hcn()
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python + - [] [X] [Y] [Z] [W] [V] [U] [T] [S] [R] [Q] [P] [O] [N] [M] [L] [K] [J] [I] [H] [G] [F] [E] [D] [C] [B] [A]

D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174

0211_NGUYENMINHHIEN/bai8.py

8
: 50.24 DT: 200.96

9
: 36.0 DT: 81.0

70
66
: 272.0 DT: 4620.0

+ bai8.py

Restart Visual Studio Code to apply the

Update N

D:\8.1_25174600211_NGUYENMINHHIEN>

bai9.py > tinh

```
1 def tinh(a, b):
2     print("Cong:", a+b)
3     print("Tru:", a-b)
4     print("Nhan:", a*b)
5     if b != 0:
6         print("Chia:", a/b)
7 def luy_thua(a, n):
8     kq = 1
9     for i in range(n):
10        kq *= a
11    return kq
12 a = int(input("a: "))
13 b = int(input("b: "))
14 tinh(a, b)
15 n = int(input("Nhap mu: "))
16 print("Luy thua:", luy_thua(a, n))
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python + - [] [] ... [] []

PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174600211_NGUYENMINHHIEN/bai9.py

a: 2

b: 4

Cong: 6

Tru: -2

Nhan: 8

Chia: 0.5

Nhap mu: 1

Luy thua: 2

PS D:\8.1_25174600211_NGUYENMINHHIEN> |

 Restart Visual Studio Code to

bai11.py > nhap

```
1 def nhap():
2     hoten = input("Nhap ho ten: ")
3     toan = float(input("Nhap diem Toan: "))
4     ly = float(input("Nhap diem Ly: "))
5     hoa = float(input("Nhap diem Hoa: "))
6     return hoten, toan, ly, hoa
7 def tinh_tb(toan, ly, hoa):
8     return (toan + ly + hoa) / 3
9 def xuat(hoten, tb):
10    print("Ho ten:", hoten)
11    print("Diem trung binh:", round(tb, 2))
12 ht, t, l, h = nhap()
13 tb = tinh_tb(t, l, h)
14 xuat(ht, tb)
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python + - [] [X] ... [] [X]

PS D:\8.1_25174600211_NGUYENMINHHIEN> & C:/Users/admin/AppData/Local/Programs/Python/Python314/python.exe d:/8.1_25174

600211_NGUYENMINHHIEN/bai11.py

Nhap ho ten: nguyen minh hien

Nhap diem Toan: 8

Nhap diem Ly: 9

Nhap diem Hoa: 8

Ho ten: nguyen minh hien

Diem trung binh: 8.33

PS D:\8.1_25174600211_NGUYENMINHHIEN> |

i Restart Visual Studi