

```

public class HinhChunhat extends Hinhhoc {
    private double chieuDoi;
    private double chieuRong;

    public HinhChunhat (double chieuDoi, double chieuRong) {
        this.chieuDoi = chieuDoi;
        this.chieuRong = chieuRong;
    }
}

```

```

@Override
public void tinhDienTich() {
    double dienTich = chieuDoi * chieuRong;
    System.out.println("Diện tích hình chữ nhật : " + dienTich);
}

```

// Main main

```

public class main {
    public static void main (String[] args) {
        Hinh hoc h1 = new HinhTron(5);
        Hinh hoc h2 = new HinhChunhat(4, 5);
    }
}

```

```

h1.tinhDienTich();
h2.tinhDienTich();
}

```

Tính đa hình là ứng OOP là; ? cho vd ?

~~Vd~~ BT1

```

public class Animal {
    public void makeSound() {
        System.out.println("Động vật kêu");
    }
}

```

```

public class pig extends Animal {
    @Override
    public void makeSound() {
        System.out.println("Lên kêu ư ư ư");
    }
}

```

```

public class Dog extends Animal {
    @Override
    public void makeSound() {
        System.out.println("Chó kêu: " + "au au");
    }
}

```


Từ hoặc super, cho VD

```
public class cat extends animal {
    @Override
    public void makeSound() {
        System.out.println("mèo kêu: 'meo meo'");
    }
}
```

```
public class Bird extends Animal {
    @Override
    public void makeSound() {
        System.out.println("chim kêu: 'chim chim'");
    }
}
```

// Hàm main

```
public static void main (String [] args)
```

```
{
    pig pig = new pig ("Heo con");
    dog dog = new dog ("Chó còi");
    Cat cat = new cat ("Mèo Mướp");
    Bird bird = new Bird ("chim xé");
}
```

```
    pig.makeSound();
    dog.makeSound();
    cat.makeSound();
    bird.makeSound();
}
```

}

BT 2

public class XeDap {

String ~~name~~ thuyHien;

```
public void XeDap (String thuyHien) {
    this.thuyHien = thuyHien;
}
```

```
void run () {
```

```
    System.out.println (this.thuyHien + "đang chạy xe đạp");
}
```

```
class XeDapDieu extends XeDap {
```

int toaDoTaiBa;

```
XeDapDieu (String thuyHien, int toaDoTaiBa) {
```

```
    super (thuyHien);
```

```
    this.toaDoTaiBa = toaDoTaiBa;
```

```
@Override
```

```
void run () {
```

```
    super.run ();
```

```
    System.out.println (this.thuyHien + this.toaDoTaiBa + "km/h");
}
```

?


```

public class Main
{
    public static void (String[] args) {
        XeDap x1 = new XeDap("Vina", "80");
        XeDap x2 = new XeDap("Vina", "80");
    }
}

```

BT 3

```


public class XeDap {
    public void hien() {
        System.out.println("Xe đang chạy");
    }
}

public class
class Car {
    public void move() {
        System.out.println("Xe đang chạy");
    }
}

class Honda extends Car {
}

class LandRover extends Car {
}

class Ford extends Car {
}

class LandRover extends Car {
    @Override
    public void move() {
        System.out.println("Land Rover đang chạy");
    }
}

class Honda extends Car {
    @Override
    public void move() {
        System.out.println("Honda đang chạy");
    }
}

class Ford extends Car {
    @Override
    public void move() {
        System.out.println("Ford xin chào");
    }
}

public class Main {
    public static void main (String[] args) {
        Car xe1 = new Honda();
        Car xe2 = new LandRover();
        Car xe3 = new Ford();

        xe1.move();
        xe2.move();
        xe3.move();
    }
}


```


BTAD 1

```
import java.util.Date
```

```
public class Person {  
    private String name;  
    private Date birthday;
```

```
    public void setName (String name) {  
        this.name = name;  
    }
```

```
    public void set birthday (Date birthday) {  
        this.birthday = birthday;  
    }
```

```
    public String getDetails () {  
        return "Name: " + name + ", Birthday: " + birthday;  
    }  
}
```

```
public class Employee extends Person {  
    private double salary;
```

```
    public void setSalary (double salary) {  
        this.salary = salary;  
    }
```

```
@Override
```

```
    public String getDetails () {  
        return super.getDetails () + ", Salary: " + salary;  
    }  
}
```

```
public class Manager extends Employee {  
    private Employee assistant;
```

```
    public void setAssistant (Employee assistant) {  
        this.assistant = assistant;  
    }
```

```
@Override
```

```
    public String getDetails () {  
        return super.getDetails () + ", Assistant: " + assistant.getDetails ();  
    }  
}
```

```
import java.util.Date;
```

```
public class Main
```

```
    public static void main (String [] args) {
```



```
// Upcasting employee
person person1 = new Employee();
person1.setName("Nguyen Van A");
person1.setBirthday(new Date());
```

```
// Upcasting manager
person person2 = new Manager();
person2.setName("Tran Van B");
person2.setBirthday(new Date());
```

```
//
System.out.println("--- Upcasting Employee ---");
System.out.println(person1.getDetails());
```

```
System.out.println("--- Upcasting Manager ---");
System.out.println(person2.getDetails());
}
```

BT 2

```
// Lớp cha
class Bank {
    float getRateOfInterest() {
        return 0;
    }
}
```

```
// Các lớp con
class SBT extends Bank {
    @Override
    float getRateOfInterest() {
        return 8;
    }
}
```

```
class ICTI extends Bank {
    @Override
    float getRateOfInterest() {
        return 7;
    }
}
```

```
class AXIS extends Bank {
    @Override
    float getRateOfInterest() {
        return 9;
    }
}
```

```
// main
public class main {
    public static void main(String[] args) {
        // Upcasting
        Bank bank1 = new SBT();
        Bank bank2 = new ICTI();
        Bank bank3 = new AXIS();
    }
}
```