

## Section 1: Element-Wise Proofs (Chapter 3.3)

When we're interested in proving that one set is a subset of another set, we use an element-wise proof. For discrete sets, this is easy:

For sets  $B = \{2, 4, 6, 8, 10\}$  and  $C = \{2, 4\}$ , we can see that  $C$  is a subset of  $B$  by checking every element of  $C$ : (1)  $2 \in B$ , (2)  $4 \in B$ .

### 1. Prove the following in a systematic way using an Element-Wise Proof

- a. Prove: The set  $A = \{q, w, e, r, t, y\}$  is a subset of the set  $Z = \{a, b, c, \dots, x, y, z\}$ . (\_\_\_/1)  
Check off which of the following is true.

- |                |                |
|----------------|----------------|
| 1. $q \in Z$ ? | 2. $w \in Z$ ? |
| 3. $e \in Z$ ? | 4. $r \in Z$ ? |
| 5. $t \in Z$ ? | 6. $y \in Z$ ? |

- b. Prove: The set  $A = \{2, 4, 6, 8\}$  is a subset of the set  $Z = \{2k : k \in \mathbb{N}\}$  (\_\_\_/1)  
Check off which of the following is true.

- |                |                |
|----------------|----------------|
| 1. $2 \in Z$ ? | 2. $4 \in Z$ ? |
| 3. $6 \in Z$ ? | 4. $8 \in Z$ ? |

For sets where we cannot possibly check every element of a set against another set, we have to approach things a little differently. Let's approach this a little more generically...

Let  $A$  be the set  $\{0, 10, 20, 30, 40, \dots\}$  and let  $B$  be the set  $\{\dots, -6, -4, -2, 0, 2, 4, 6, \dots\}$ . In other words,  $A = \{10k : k \in \mathbb{N}\}$  and  $B = \{k \in \mathbb{Z} : k \text{ is even}\}$ .

These sets are infinite, so we have to prove that If  $x \in A$ , then  $x \in B$ .

1. **Hypothesis:**  $x \in A$ , so we need to select some  $x$  such that this is true. The easy way to go here is to say  $x = 10k$ .
2. **Conclusion:**  $x \in B$ , or "x is even".
3. **Another way to phrase this would be that "10k is even".**
4. **Rewrite:**  $2(5k)$ . By the definition of an even integer, we have proven that  $A$  is a subset of  $B$ .

2. Prove the following (by rewriting one element's equation as the other element's equation.)

a. Let there be the sets:  $A = \{4m : m \in \mathbb{Z}\}$  and  $B = \{2n : n \in \mathbb{Z}\}$  (\_\_\_/2)

Prove that  $A \subseteq B$ .

1. Hypothesis: If  $x \in A$ , then  $x \in B$ .

b. Let there be the sets:  $A = \{2(m+1) : m \in \mathbb{Z}\}$  and  $B = \{2n+2 : n \in \mathbb{Z}\}$  (\_\_\_/2)

Prove that  $A = B$ .

(Hint: We can clearly see that they are the same, but to prove it, we need to do two proofs –  $A \subseteq B$  and  $B \subseteq A$  !)



**Team Members:**

- |    |    |
|----|----|
| 1. | 2. |
| 3. | 4. |

**Section:** TR 12:30 pm T 6:00 pm

**Team Rules:**

- Work through these exercises with a team in class.
- **Only one answer sheet will be turned in.** Each member of the team will receive the same score.

## Answer Sheet

---

**Exercise 1a** Check off true statements.

(\_\_\_/1)

1. $q \in Z?$	2. $w \in Z?$
3. $e \in Z?$	4. $r \in Z?$
5. $t \in Z?$	6. $y \in Z?$

**Exercise 1b** Check off true statements.

(\_\_\_/1)

1. $2 \in Z?$	2. $4 \in Z?$
3. $6 \in Z?$	4. $8 \in Z?$

**Exercise 2a**

(  /2)

**Exercise 2b**

(  /2)