2.5 Proof by contradiction

2.5.1 Review practice

Question 1
For the statement, "if $n\%3 = 1$, then $n\%9 \neq 5$", where % stands for "modulus"...

a. What is the hypothesis p?

b. What is the conclusion q?

c. Using $\neg(p \rightarrow q) \equiv p \wedge \neg q$, write out the negation of this implication in English.

This negation can be used to build the counter-example, which we will use for the proof by contradiction.

There is extra space on the page

2.5.2 Proof by contradiction

Prove by contradiction: If n^2 is even, then n is even

Step 1: Identify the hypothesis and conclusion: Here, our **hypothesis** is "n^2 is even", and our **conclusion** is "n is even".

Step 2: Identify the negation: A counter-example of this would be if we have $p \wedge \neg q$, or "n^2 is even and n is odd".

Step 3: Build a counter-example: While the negation of an implication is **not** an implication, we are using this negation in order to build a **new implication:** the contradition.

Counter-example: "If n^2 is even, then n is odd"

Step 4: Write the hypothesis & conclusion symbolically: (For our counter-example implication)

$n^2 = 2k$ (some even integer) $n = 2j + 1$ (some odd integer)

Step 5: Write equation: Using the statement, we are going to turn this into an equation. n is odd, and n^2 is even, so if we square the odd n to get the even n^2, we would have... to get the even n^2, we would have... $(2j + 1)^2 = 2k$

Step 6: Simplify until we have a contradiction:

$(2j + 1)^2 = 2k$

$\Rightarrow \quad 4j^2 + 4j + 1 = 2k$

$\Rightarrow \quad 1 = 2k - 4j^2 - 4j$

$\Rightarrow \quad \frac{1}{2} = k - 2j^2 - 2j$

Since k and j are both integers, through the closure property of integers (+, -, and $\times$ results in an integer), we can show that $k - 2j^2 - 2j$ results in something that is *not an integer* – this is a contradiction. It shows that our counter-example is **false**, and no counter-example can exist.

Question 2

Prove by contradiction: If n^2 is odd, then n is odd.

Step 1: Identify the hypothesis and conclusion:
Hypothesis:
Conclusion:

Step 2: Identify the negation:

____________________ AND ____________________

Step 3: Build a counter-example:

IF ____________________ THEN ____________________

Step 4: Write the hypothesis & conclusion symbolically:

$n^2 =$

$n =$

(Make sure you use different variables for n^2 and n.)

Step 5: Write equation:

Step 6: Simplify until we have a contradiction:

Result:

Question 3

Use proof by contradiction to explain why it is impossible for a number n to be of the form $5k + 3$ and of $5j + 1$ for integers k and j.

> **Hint**
> $n = 5k + 3$ is one statement, and $n = 5j + 1$ is the other statement, so $5k + 3 = 5j + 1$ is your starting point.

This isn't in an implication form, so we begin at Step 5...

Step 5: Write equation: $5k + 3 = 5j + 1$

Step 6: Simplify until we have a contradiction:

Result: