

Chat between Đăng-Khoa and Đình-Phúc

Jun 10, 2026

To view more chat history, you can [Return to Chat](#)

Đăng-Khoa June 10, 2026 16:52

Feature Tree

代码块

```
1  ```mermaid
2  flowchart TD
3      A["Language Pair<br/>learning language + native language"] --> B["Lesson"]
4      B --> C["Lesson Content"]
5      B --> D["Tutor / Guided Lesson / Micro Lesson"]
6      B --> E["Drill"]
7      B --> F["Extra Drill"]
8      B --> G["Roleplay"]
9      B --> H["Localization Overlay"]
10
11     C --> C1["Vocab Items"]
12     C --> C2["Sentence Items"]
13     C --> C3["Grammar Items"]
14     C --> C4["Topics"]
15
16     D --> D1["Segments"]
17     D1 --> D2["Cards"]
18     D1 --> D3["Info Cards"]
19     D1 --> D4["Script + Audio"]
20     D1 --> D5["Transcript Cues"]
21
22     E --> E1["Speaking Practice"]
23     E --> E2["Fill Blank"]
24     E --> E3["Sentence Order"]
25     E --> E4["Translate From Native"]
26
27     F --> F1["Extra Drill Items"]
28     F1 --> F2["TTS Config"]
29     F1 --> F3["Choices / Answer"]
30
31     G --> G1["Setup"]
```

```

32     G --> G2["Goals / Tasks"]
33     G2 --> G3["Success Criteria"]
34
35     H --> H1["Vietnamese Lesson Text"]
36     H --> H2["Vietnamese Guided Text"]
37     H --> H3["Vietnamese Drill Text"]
38     ...

```

ERD

代码块

```

1  ```mermaid
2  erDiagram
3      LANGUAGE ||--o{ LANGUAGE_PAIR : supports
4      LANGUAGE_PAIR ||--o{ LESSON : contains
5      LESSON ||--o{ VOCAB_ITEM : has
6      LESSON ||--o{ SENTENCE_ITEM : has
7      LESSON ||--o{ GRAMMAR_ITEM : has
8      LESSON ||--o{ GUIDED_LESSON : has
9      LESSON ||--o{ DRILL_SET : has
10     LESSON ||--o{ ROLEPLAY : has
11     LESSON ||--o{ LOCALIZATION_OVERLAY : has
12
13     GUIDED_LESSON ||--o{ GUIDED_SEGMENT : contains
14     GUIDED_SEGMENT ||--o| GUIDED_CARD : shows
15     GUIDED_SEGMENT ||--o| INFO_CARD : shows
16     GUIDED_SEGMENT ||--o{ TRANSCRIPT_CUE : has
17     INFO_CARD ||--o{ INFO_CARD_BREAKDOWN : has
18     INFO_CARD ||--o{ INFO_CARD_EXAMPLE : has
19
20     DRILL_SET ||--o{ DRILL_ITEM : contains
21     DRILL_ITEM ||--o| FILL_BLANK_CONFIG : uses
22     DRILL_ITEM ||--o| TTS_CONFIG : uses
23
24     ROLEPLAY ||--o{ ROLEPLAY_GOAL : contains
25
26     LANGUAGE {
27         string id
28         string code
29         string name
30         string speechLocale
31     }
32
33     LESSON {
34         string id

```

```
35     string lessonCode
36     int level
37     int topicNumber
38     int lessonNumber
39     int orderIndex
40     string title
41     string goal
42     string status
43 }
44
45 VOCAB_ITEM {
46     string code
47     int orderIndex
48     string scriptText
49     string readingText
50     string romanization
51     string meaning
52     string exampleMeaning
53 }
54
55 SENTENCE_ITEM {
56     string code
57     int orderIndex
58     string scriptText
59     string readingText
60     string romanization
61     string meaning
62 }
63
64 GUIDED_SEGMENT {
65     string id
66     int orderIndex
67     string type
68     string section
69     string tutorText
70     string audioFile
71     bool promptsUserSpeech
72     string expectedPhrase
73 }
74
75 DRILL_ITEM {
76     string id
77     int step
78     string drillType
79     string appKind
80     string scriptText
81     string meaning
```

```

82     string answer
83     string sourceCodes
84 }
85
86 ROLEPLAY_GOAL {
87     string id
88     int orderIndex
89     string title
90     string descriptionEn
91     string descriptionNative
92     string successCriteria
93 }
94 ```

```

Drill Type Model

代码块

```

1  ```mermaid
2  flowchart LR
3      A["DrillItem"] --> B{"drillType"}
4
5      B --> C["listen_repeat<br/>fields: scriptText, romanization, meaning, ttsText"]
6      B --> D["tap_to_speak<br/>fields: expectedScriptText, meaning, sourceCodes"]
7      B --> E["fill_blank<br/>fields: promptBefore, promptAfter, answer, choices"]
8      B --> F["concept_review<br/>fields: scriptText, meaning, expectedScriptText"]
9      B --> G["sentence_order<br/>not in generated data yet"]
10     B --> H["translate_from_native<br/>not explicit in generated data yet"]
11  ```

```

Source Mapping

代码块

```

1  ```mermaid
2  flowchart TD
3      A["Lesson Metadata"] --> A1["lessons.json"]
4      B["Lesson Content"] --> B1["content.json"]
5      C["Guided Metadata"] --> C1["guided-meta.json"]
6      D["Tutor / Micro Lesson"] --> D1["audio-output/.../manifest.json"]
7      E["Drills"] --> E1["drills.json"]
8      F["Extra Drills"] --> F1["extra-drills.json"]
9      G["Roleplays"] --> G1["roleplays.json"]
10     H["Vietnamese Localization"] --> H1["localizations/vi/.../content-overlays.json"]

```

```
11     H --> H2["localizations/vi/.../JP_L201.json"]
12     ````
```