

The results are in! See what nearly 90,000 developers picked as their most loved, dreaded, and desired coding languages and more in the 2019 Developer Survey.

[Home](#)[PUBLIC](#)[Stack Overflow](#)[Tags](#)[Users](#)[Jobs](#)**Teams**

Q&A for work

[Learn More](#)

How to insert xml data into existing xml in c#?

[Ask Question](#)

i added xml file in my windows application, i want to add values to that from textbox.. i used the following code,

0

```
string path = "codedata.xml";
XmlDocument doc = new XmlDocument();
if (!System.IO.File.Exists(path))
{
    //Create neccessary nodes
    XmlDeclaration declaration = doc.CreateXmlDeclaration("1.0", "UTF-8",
"yes");

    XmlComment comment = doc.CreateComment("This is an XML Generated File");
    doc.AppendChild(declaration);
    doc.AppendChild(comment);
}
else //If there is already a file
{
    //    //Load the XML File
    doc.Load(path);
}

//Get the root element
XmlElement root = doc.DocumentElement;

XmlElement Subroot = doc.CreateElement("data");
XmlElement Companycode = doc.CreateElement("Companycode");
XmlElement Productcode = doc.CreateElement("Productcode");
XmlElement Productname = doc.CreateElement("Productname");
XmlElement Brandcode = doc.CreateElement("Brandcode");
XmlElement Brandname = doc.CreateElement("Brandname");

Companycode.InnerText = txt_companycode.Text;
Productcode.InnerText = txt_productcode.Text;
Productname.InnerText = txt_productname.Text;
```

```

Brandcode.InnerText = txt_brandcode.Text;
Brandname.InnerText = txt_brandname.Text;

Subroot.AppendChild(Companycode);
Subroot.AppendChild(Productcode);
Subroot.AppendChild(Productname);
Subroot.AppendChild(Brandcode);
Subroot.AppendChild(Brandname);
root.AppendChild(Subroot);
doc.AppendChild(root);

//Save the document
doc.Save(path);

//Show confirmation message
MessageBox.Show("Details added Successfully");

```

it showing error near root.AppendChild(Subroot); can any one help me, wer i made mistake.

c#

.net

xml

edited Jul 26 '12 at 7:20



Pravin Pawar

2,244 2 27 36

asked Jul 26 '12 at 7:01



chitra

70 2 4 16

What's the error, then? – [J. Steen](#) Jul 26 '12 at 7:03

object reference not set to an instance... – [chitra](#) Jul 26 '12 at 7:09

LINQ to XML is really nice in such a situation :) You get this error because there is no instance of Subroot try add this line : Subroot sub = new Subroot(); before this line Subroot.AppendChild(Companycode); and change all Subroot to sub – [harry180](#) Jul 26 '12 at 7:53

3 Answers



The `root` is null. Try to add Root element when you create XML file.

1



```
if (!System.IO.File.Exists(path))
{
    //Create necessary nodes
    XmlDeclaration declaration = doc.CreateXmlDeclaration("1
    "yes");
    XmlComment comment = doc.CreateComment("This is an XML C
    doc.AppendChild(declaration);
    doc.AppendChild(comment);
    doc.AppendChild(doc.CreateElement("Root"));
}
```

Or use LINQ-XML

```
string _file=@"c:\sample.xml";
XDocument doc;

if (!File.Exists(_file))
{
    doc = new XDocument();
    doc.Add(new XElement("Root"));
}
else
{
    doc = XDocument.Load(_file);
}

doc.Root.Add(
    new XElement("data",
        new XElement("CompanyCode", "C101"),
        new XElement("ProductCode", "P101")
    )
);
doc.Save(_file);
```

edited Jul 26 '12 at 8:50

answered Jul 26 '12 at 7:09

[adatapost](#)

83.8k 18 128 166

hi, i used, it returns saved, but no data in xml file – [chitra](#) Jul 26 '12 at 8:14

- 1 You either have set physical path `c:\file.xml` or have a look at `Debug/Bin` folder if your app is winform or console. – [adatapost](#) Jul 26 '12 at 8:15

In windows form. – [chitra](#) Jul 26 '12 at 8:21

hai, when i test using break point, it shows the xml file with data i saved.but if i see in codedata.xml,its empty. Where it is saving? – [chitra](#) Jul 26 '12 at 8:48

Try to set absolute path and see what happen? – [adatapost](#) Jul 26 '12 at 8:50

▲ You can use Linq to XML, here is an example :

2

```
var xDoc = XElement.Load("FilePath");
if (xDoc == null)
    return;

var myNewElement = new XElement("ElementName"
    new XAttribute("AttributeName", value1),
    new XAttribute("AttributeName", value2)
    //And so on ...
);
xDoc.Add(myNewElement);
xDoc.Save("FilePath");
```

answered Jul 26 '12 at 7:11

[SidAhmed](#)



1,777 2 17 41

▲ In null XML `DocumentElement` is null . Try add `Subroot` to Document:

0

~~`XmlElement root = doc.DocumentElement;`~~~~`root.AppendChild(Subroot);`
`doc.AppendChild(root);`~~`// new code`
`doc.AppendChild(Subroot);`

answered Jul 26 '12 at 7:08



Ria

8,586 3 24 53

i tried ur idea, its shows the msg saved, but in xml file...no data is there empty only with `<?xml version="1.0" encoding="utf-8" ?>` i added my xml file by add new item – [chitra](#) Jul 26 '12 at 7:12

@chitra: I tested my code and its works correctly. check output xml. – [Ria](#) Jul 26 '12 at 7:14

should i add any element in xml, before saved btn – [chitra](#) Jul 26 '12 at 8:15