

Convert JSON String To C# Object

Asked 8 years, 8 months ago Active 5 months ago Viewed 550k times



Trying to convert a JSON string into an object in C#. Using a really simple test case:

169



```
JavaScriptSerializer json_serializer = new JavaScriptSerializer();  
object routes_list = json_serializer.DeserializeObject("{ \"test\": \"some data\" }");
```



The problem is that routes_list never gets set; it's an undefined object. Any ideas?

20

c#

json

edited Nov 26 '12 at 17:54



yoozer8

5,870 4 40 79

asked Jan 6 '11 at 1:38



Justin

14.7k 56 144 236

- 1 @Greg: I actually recommend the JavaScriptSerializer over MS's version as it won't accept anything else but WCF's custom JSON formatting (e.g. date fields that look like dates but aren't surrounded in DATE()) fail miserably) – Brad Christie Jan 6 '11 at 1:50

Also, look at this [Parsing JSON objects with JavascriptSerializer in .NET](#) article, which is actually a great tutorial. – scatmoi Oct 23 '12 at 17:50

Where are you getting JavaScriptSerializer? It is unrecognized in my C# .NET 3.5 project. – B. Clay Shannon Oct 15 '13 at 20:47

- 1 @B. Clay Shannon This resolved it for me stackoverflow.com/questions/7000811/... – Fuzzybear Feb 27 '15 at 18:05

13 Answers



It looks like you're trying to deserialize to a raw object. You could create a Class that represents the object that you're converting to. This would be most useful in cases where you're dealing with larger objects or JSON Strings.

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).



```
class Test {
    String test;

    String getTest() { return test; }
    void setTest(String test) { this.test = test; }
}
```

Then your deserialization code would be:

```
JavaScriptSerializer json_serializer = new JavaScriptSerializer();
Test routes_list =
    (Test)json_serializer.DeserializeObject("{ \"test\": \"some data\" }");
```

More information can be found in this tutorial: <http://www.codeproject.com/Tips/79435/Deserialize-JSON-with-Csharp.aspx>

edited Mar 13 '15 at 20:13



Phas1c

570 6 21

answered Jan 6 '11 at 1:53



jmort253

29.5k 9 86 107

-
- 1 But in pointed article autoproperties are used. It's worth mentioning too. – [Ivan Kochurkin](#) Sep 18 '12 at 12:50
-
- 11 Sorry, but this code sample does not work. DeserializeObject gives an exception. Use var routes_list = serializer.Deserialize<Test>("{ \"test\": \"some data\" }"); instead. Also, you don't need get/setTest(), and String test, should be public. This looks more like java than C#. – [dvallejo](#) Oct 8 '13 at 16:47
-
- as Dan Vallejo mentioned, this is an incorrect solution. After all, setTest(String test) is not returning, which is compile error as well. – [Payam](#) Aug 18 '14 at 3:05
-
- 1 Can also use this : json_serializer.Deserialize<Test>("{ \"test\": \"some data\" }"); //instead of (Test)json_serializer..... – [Bashar Abu Shamaa](#) Dec 23 '15 at 12:26
-
- 1 If you are unsure of the format for your class object, try this [link](#). It translates your Json string into the right classes. Saved me a ton of time! – [jade290](#) Jan 22 '16 at 16:03
-

▲ Or, you can use the Newtownsoft.Json library as follows:

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

```

using Newtonsoft.Json;
...
var result = JsonConvert.DeserializeObject<T>(json);

```

Where `T` is your object type that matches your JSON string.

edited Jun 19 '18 at 16:01



Legends

9,227 5 50 87

answered Feb 15 '13 at 22:04



tripletdad99

1,887 1 8 2

3 It's so easy and I thought so long about how to do this. – [maracuja-juice](#) Jun 12 '17 at 12:21

1 This was the answer I was looking for... – [Prabo](#) Sep 28 '18 at 14:23

This one worked! It should be the accepted answer! – [Sam](#) Aug 30 at 10:01



55



You probably don't want to just declare `routes_list` as an `object` type. It doesn't have a `.test` property, so you really aren't going to get a nice object back. This is one of those places where you would be better off defining a class or a struct, or make use of the dynamic keyword.

If you really want this code to work as you have it, you'll need to know that the object returned by `DeserializeObject` is a generic dictionary of `string,object`. Here's the code to do it that way:

```

var json_serializer = new JavaScriptSerializer();
var routes_list = (IDictionary<string, object>)json_serializer.DeserializeObject("{
  \"test\": \"some data\" }");
Console.WriteLine(routes_list["test"]);

```

If you want to use the dynamic keyword, [you can read how here](#).

If you declare a class or struct, you can call `Deserialize` instead of `DeserializeObject` like so:

```

class MyProgram {
    struct MyObj {
        public string test { get; set; }
    }
}

```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

```

var json_serializer = new JavaScriptSerializer();
MyObj routes_list = json_serializer.Deserialize<MyObj>("{ \"test\": \"some data\"
}");

Console.WriteLine(routes_list.test);

Console.WriteLine("Done...");
Console.ReadKey(true);
}
}

```

edited May 23 '17 at 12:18



Community ♦

1 1

answered Jan 6 '11 at 1:51



mattmc3

12.4k 5 64 93

Doing: json_serializer = new JavaScriptSerializer(); object routes_list = (IDictionary<string, object>)json_serializer.DeserializeObject("{ \"test\": \"some data here\" }"); Still getting 'routes_list' does not exist in the current context. – Justin Jan 6 '11 at 2:00

1 Don't use object routes_list . Use var or explicitly repeat yourself and declare routes_list as an IDictionary<string,object>. – mattmc3 Jan 6 '11 at 2:06

This worked for me, Thanks!!, The selected solution did NOT! – Jhollman Cutcsa Jan 23 '15 at 15:10

Using dynamic object with JavaScriptSerializer.

29

```

JavaScriptSerializer serializer = new JavaScriptSerializer();
dynamic item = serializer.Deserialize<object>("{ \"test\": \"some data\" }");
string test= item["test"];

```

```
//test Result = "some data"
```

answered Apr 16 '13 at 11:51



İbrahim Özbölük

2,718 17 20

Newtonsoft is faster than java script serializer. ... this one depends on the Newtonsoft NuGet package, which is popular and better than

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.

```
var myclass = Newtonsoft.Json.JsonConvert.DeserializeObject<dynamic>(Jsonstring);

Myclass oMyclass = Newtonsoft.Json.JsonConvert.DeserializeObject<Myclass>(Jsonstring);
```

answered Jan 21 '15 at 7:41



MSTdev

3,167 2 16 35

Here's a simple class I cobbled together from various posts.... It's been tested for about 15 minutes, but *seems* to work for my purposes. It uses `JavascriptSerializer` to do the work, which can be referenced in your app using the info detailed [in this post](#).

13

The below code can be run in LinqPad to test it out by:

- Right clicking on your script tab in LinqPad, and choosing "Query Properties"
- Referencing the "System.Web.Extensions.dll" in "Additional References"
- Adding an "Additional Namespace Imports" of "System.Web.Script.Serialization".

Hope it helps!

```
void Main()
{
    string json = @"
    {
        'glossary':
        {
            'title': 'example glossary',
            'GlossDiv':
            {
                'title': 'S',
                'GlossList':
                {
                    'GlossEntry':
                    {
                        'ID': 'SGML',
                        'ItemNumber': 2,
                        'SortAs': 'SGML',
                        'GlossTerm': 'Standard Generalized Markup Language',
                        'GlossDef':
                        {
                            'text': 'A meta-markup language, used to create
```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

```

        {
            'para': 'A meta-markup language, used to create markup languages such as
DocBook.',
            'GlossSeeAlso': ['GML', 'XML']
        },
        'GlossSee': 'markup'
    }
}
}
}

";

var d = new JsonSerializer(json);
d.GetString("glossary.title").Dump();
d.GetString("glossary.GlossDiv.title").Dump();
d.GetString("glossary.GlossDiv.GlossList.GlossEntry.ID").Dump();
d.GetInt("glossary.GlossDiv.GlossList.GlossEntry.ItemNumber").Dump();
d.GetObject("glossary.GlossDiv.GlossList.GlossEntry.GlossDef").Dump();
d.GetObject("glossary.GlossDiv.GlossList.GlossEntry.GlossDef.GlossSeeAlso").Dump();
d.GetObject("Some Path That Doesnt Exist.Or.Another").Dump();
}

```

// Define other methods and classes here

```

public class JsonSerializer
{
    private IDictionary<string, object> jsonData { get; set; }

    public JsonSerializer(string json)
    {
        var json_serializer = new JavaScriptSerializer();

        jsonData = (IDictionary<string, object>)json_serializer.DeserializeObject(json);
    }

    public string GetString(string path)
    {
        return (string) GetObject(path);
    }

    public int? GetInt(string path)
    {
        int? result = null;
    }
}

```

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.

```
{
    return result;
}

if (o is string)
{
    result = Int32.Parse((string)o);
}
else
{
    result = (Int32) o;
}

return result;
}

public object GetObject(string path)
{
    object result = null;

    var curr = jsonData;
    var paths = path.Split('.');
    var pathCount = paths.Count();

    try
    {
        for (int i = 0; i < pathCount; i++)
        {
            var key = paths[i];
            if (i == (pathCount - 1))
            {
                result = curr[key];
            }
            else
            {
                curr = (IDictionary<string, object>)curr[key];
            }
        }
    }
    catch
    {
        // Probably means an invalid path (ie object doesn't exist)
    }

    return result;
}
```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).



You can accomplished your requirement easily by using Newtonsoft.Json library. I am writing down the one example below have a look into it.

11



Class for the type of object you receive:

```
public class User
{
    public int ID { get; set; }
    public string Name { get; set; }
}
```

Code:

```
static void Main(string[] args)
{
    string json = "{\"ID\": 1, \"Name\": \"Abdullah\"}";

    User user = JsonConvert.DeserializeObject<User>(json);

    Console.ReadKey();
}
```

this is a very simple way to parse your json.



add this ddl to reference to your project: **System.Web.Extensions.dll**

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).


```

public class IdName
{
    public int Id { get; set; }
    public string Name { get; set; }
}

string jsonStringSingle = "{ 'Id': 1, 'Name': 'Thulasi Ram.S' }".Replace("'", "\"");
var entity = new JavaScriptSerializer().Deserialize<IdName>(jsonStringSingle);

string jsonStringCollection = "[{ 'Id': 2, 'Name': 'Thulasi Ram.S' }, { 'Id': 2, 'Name': 'Raja Ram.S' }, { 'Id': 3, 'Name': 'Ram.S' } ]".Replace("'", "\"");
var collection = new JavaScriptSerializer().Deserialize<IEnumerable<IdName>>(jsonStringCollection);

```

edited Oct 26 '12 at 8:02

answered Jul 17 '12 at 12:56



Thulasiram

7,267 6 37 41

As tripletdad99 said

7

```
var result = JsonConvert.DeserializeObject<T>(json);
```

but if you don't want to create an extra object you can make it with Dictionary instead

```
var result = JsonConvert.DeserializeObject<Dictionary<string, string>>(json_serializer);
```

edited Oct 30 '18 at 8:45

answered Oct 26 '18 at 11:51



Ognyan Dimitrov

4,312 1 30 58



stanimirsp

385 5 15

Another fast and easy way to semi-automate these steps is to:

- 1 take the JSON you want to parse and paste it here: <http://json2csharp.com/> then copy and paste the resulting into a new class (ex

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.

3. In visual studio go to Website -> Manage Packages and use NuGet to add Json.Net from Newtonsoft.

Now use code like:

```
WebClient client = new WebClient();

string myJSON = client.DownloadString("https://URL_FOR_JSON.com/JSON_STUFF");

var myClass = Newtonsoft.Json.JsonConvert.DeserializeObject(myJSON);
```

answered Nov 3 '17 at 5:32



[Jason Hitchings](#)

461 4 8



Copy your Json and paste at textbox on [json2csharp](#) and click on Generate button.

3

A cs class will be generated use that cs file as below



```
var generatedcsResponse = JsonConvert.DeserializeObject(yourJson);
```

Where `RootObject` is the name of the generated cs file;

edited Apr 1 at 14:34



[Victor Chaves](#)

282 6 14

answered Jan 17 at 10:19



[Islam](#)

41 1



Convert a JSON string into an object in C#. Using below test case.. its worked for me. Here "**MenuInfo**" is my C# class object.

0



```
JsonTextReader reader = null;
try
{
    WebClient webClient = new WebClient();
    JObject result = JObject.Parse(webClient.DownloadString("YOUR URL"));
    reader = new JsonTextReader(new System.IO.StringReader(result.ToString()));
}
```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

```
{}
```

```
JsonSerializer serializer = new JsonSerializer();  
MenuInfo menuInfo = serializer.Deserialize<MenuInfo>(reader);
```

edited Dec 20 '16 at 8:53



MNie

775 1 9 29

answered Dec 20 '16 at 8:19



Bhaskar

31 2

First you have to include library like:

0

```
using System.Runtime.Serialization.Json;
```

```
DataContractJsonSerializer desc = new DataContractJsonSerializer(typeof(BlogSite));  
string json = "{\"Description\":\"Share knowledge\",\"Name\":\"zahid\"}";
```

```
using (var ms = new MemoryStream(ASCIIEncoding.ASCII.GetBytes(json)))  
{  
    BlogSite b = (BlogSite)desc.ReadObject(ms);  
    Console.WriteLine(b.Name);  
    Console.WriteLine(b.Description);  
}
```

edited Dec 10 '17 at 16:07



Oxdb

1,774 1 11 23

answered Dec 10 '17 at 14:58



Muhammad Zahid

1