Code formatting shortcut in Android Studio

Ask Question



I have started developing with <u>Android Studio</u>. In Eclipse I was using Ctrl + Shift + F, but in Android Studio it does not work. It will be different.

726 do



How can I jump to any method in a .java file? I was using Ctrl + O in Eclipse.



Is it available? What is the shortcut for code formatting?

android-studio

edited Apr 6 at 0:50



Peter Mortensen 14.1k 19 88 114

asked May 16 '13 at 6:10



Bhavesh Hirpara **14.5k** 10 52 93

- 1 <u>stackoverflow.com/questions/294167/...</u> OschtärEi May 16 '13 at 6:12
- 9 Its just intelliJ with some addons. So whenever you have a "how do I" question on it, search for the answer for intellij – Gabe Sechan May 16 '13 at 6:14
- For a complete list of shortcuts visit <u>developer.android.com/sdk/installing/...</u> – popas Feb 1 '14 at 23:19

... activated and a managed three MOMO is CHIET is I'll and the an

you can change the shortcuts in AndroidStudio->Preferences->KeyMap, where you'll find your saved macro in "Macros" and the Save-Action (where you have to remove the CMD+S shortcut) in Main menu->File. Hope this is an additional Help! I think it's faster to format on save because you should be saving your code often anyway. — Coding John Jan 11 '18 at 8:39 /

See also "Intellij Idea Keyboard Shortcuts" <u>wiki.c2.com/?</u> <u>IntellijIdeaKeyboardShortcuts</u> – Shomu Oct 13 '18 at 11:23

21 Answers



Windows: Ctrl + Alt + L

1529

Linux: Ctrl + Shift + Alt + L



macOS: Option + Command + L



Reference: <u>Key Commands</u> and here are all of the commands for Windows/ Linux users and for Mac users.

As Rohit faced a problem in Ubuntu with the format code shortcut, this is due to the Ctrl + Alt + L key being used to lock the screen in Ubuntu.

I found that Ubuntu handles this keyboard shortcut first. So you should bind the Ctrl + Alt + L keyboard shortcut to something else so that it doesn't conflict with Ubuntu.

Steps

Go to System Tools → System Settings → Keyboard
 Shortcuts tab → System → Lock Screen

- 2. Select the row *New Accelerator...*, then press any special key with the Alpha key (e.g. Shift + L). You should've successfully changed the keyboard shortcut.
- 3. Check if the keyboard shortcut now works in Android Studio.

Alternative method




You can also use Eclipse shortcuts.

- Windows and Linux: Go to menu File → Settings → Keymap
- macOS: Go to menu Preferences → Keymap and choose Eclipse from the drop-down menu.


Using MenuBar

- Select code which you want to reformat
- Click on **Code** in the menu bar and select *Reformat Code* as shown in the image below:



Learn More

Teams Q&A for work



edited Apr 6 at 0:56



answered May 16 '13 at 6:13



Thanks. can you please tell me how to jump to any method in android studio.in eclipse ctrl+o — Bhavesh Hirpara May 16 '13 at 6:21

4 It shuld be cntrl + F12 The second link shows all the commands please refer.. – Pankaj Kumar May 16 '13 at 6:24

it does not format the comments. if i have given more space before a comment line it will stay there until i manually cut all those space. please do suggest a walk around. –

Sagar Navak Jun 1 117 at 10.53

<u>stackoverflow.com/questions/11118204/...</u> or <u>stackoverflow.com/questions/26354301/...</u> – Pankaj Kumar Jun 1 '17 at 11:01

Also works in PyCharm (at least on Mac), so I assume this could be a helpful answer for users of all JetBrains products (not only Android Studio) – jammartin Aug 26 '17 at 8:15 /



109

You can also use Eclipse's keyboard shortcuts: just go to menu $Preferences \rightarrow keymap$ and choose Eclipse from the dropdown menu.



The actual path is: menu $File \rightarrow Settings \rightarrow Keymap$ (under IDE settings)

edited Apr 6 at 0:59



Peter Mortensen **14.1k** 19 88 11

answered May 16 '13 at 16:03



user2340612


4.808 4 26 48



Check <u>Keyboard Commands</u> given in the Android Studio Tips & Trick documentation:

68





edited Apr 6 at 0:58



Peter Mortensen

14.1k 19 88 114

answered May 16 '13 at 6:16



Paresh Mayani 97.9k 63 223 282

Just select the code and



 on Windows do Ctrl Alt



• on Linux do Ctrl + Windows Key



• on Mac do CMD +

This solution from junaidp

edited May 23 '17 at 12:26





short and good for Linux users , – Sudhir Belagali Oct 14 '15 at 7:52

P.S. It's probably a good idea to state what the "Windows key" is especially on a Mac running Ubuntu :) – Edric Nov 12 '18 at 9:49



For formatting code in Android Studio on Linux you could instead use Ctrl + Alt + Super + L. You could use this and avoid having to change the system shortcut. (

Super key is the Windows icon key besides the Alt key).



edited Apr 6 at 1:00



Peter Mortensen **14.1k** 19 88 114

answered May 12 '14 at 6:12



Capt

184 1 8

1 This solved my problem. Not sure why this wasn't mentioned in android's Keyboard Commands document. – mnaa Oct 3 '14 at 10:28



For code formatting in Android Studio:

10 Ctrl + Alt + L (Windows/Linux)



Option + Cmd + L (Mac)

choose Eclipse (or any one you like) from the dropdown menu.





Peter Mortensen **14.1k** 19 88 114

answered Jan 24 '15 at 8:33



Manish Rajpurohit



You will have to apply all Eclipse shortcuts with Android Studio before using all those shortcuts.

10

Procedure:




Steps:

Setting -> KeyMap -> Select Eclipse -> Apply -> OK

Now you can use all Eclipse shortcuts in Android Studio...

Have some snapshots here.





edited Apr 6 at 3:28



Peter Mortensen

14.1k 19 88 114

answered Mar 12 '15 at 5:42



Manoj Behera **2,118** 13 13



Check this. Also you can change it as per your preference.

8



Add or Remove Caret Alt+Shift+Button1 Click Backspace Shift+Backspace Backspace Enter Choose Lookup Item Ctrl+Enter EditorChooseLookupItemAlways Ctrl+Shift+Enter Choose Lookup Item and Invoke Complete Statement Ctrl+Period EditorChooseLookupItemDot Tab Choose Lookup Item Replace Clone Caret Above Clone Caret Below Move Caret to Code Block End Ctrl+Close Bracket Ctrl+Shift+Close Bracket Move Caret to Code Block End with Selection Ctrl+Open Bracket Move Caret to Code Block Start Ctrl+Shift+Open Bracket Move Caret to Code Block Start with Selection Ctrl+Shift+Enter Complete Current Statement Cut Line Backward Cut up to Line End Decrease Font Size Delete Line Ctrl+Y EditorDeleteToLineEnd Ctrl+Delete Delete to Word End Delete to Word End in Different "CamelHumps" Mode Ctrl+Backspace Delete to Word Start Delete to Word Start in Different "CamelHumps" Mode Down Down with Selection Shift+Down Ctrl+D Duplicate Line or Block **Duplicate Lines** Enter Escape Escape Hungry Backspace Increase Font Size Ctrl+Shift+J Join Lines Kill Selected Region Save to Kill Ring Kill to Word End Kill to Word Start Left with Selection Shift+Left Move Caret to Line End End Shift+End Move Caret to Line End with Selection Move Caret to Line Start Home Move Caret to Line Start with Selection Shift+Home Move Caret to Matched Brace Move Down and Scroll Move Down and Scroll with Selection Ctrl+Page Down Move Caret to Page Bottom Ctrl+Shift+Page Down Move Caret to Page Bottom with Selection Ctrl+Page Up Move Caret to Page Top Move Caret to Page Top with Selection Ctrl+Shift+Page Up Move Up and Scroll

answered Aug 21 '14 at 6:02





Menu *File* → *Settings* → *Keymap* (under the *Editor* option) → *Keymaps* = *Eclipse*

edited Apr 6 at 1:04



Peter Mortensen **14.1k** 19 88 114

answered Jan 9 '15 at 13:55



Atul O Holic

5,093 4 28 6



For auto formatting your Java/XML files in Android Studio, use following commands:

6



As you are looking for a single point to go with your work as Eclipse did, there is no such built-in functionality in Android Studio, but it gives you the ability to do it through a macro. Follow these steps:

In Android Studio, open any of your source code files.

Press Ctrl + Alt + O This is used to find/optimize unused import.

If a dialog open select "Don't show it again" and hit Run.

Go to Edit > Macros > Start Macro Recording.

Press
$$Ctrl$$
 + Alt + L . This formats your code. (Shift + $Ctrl$ + Alt + L for Ubuntu).

Press Ctrl + s. This saves your file;)

Go to Edit > Macros > Stop Macro Recording.

Save this created macro with a name, for instance: "Auto Formatting".

Boom, you have now successfully created your macro. Now just add/assign a shortcut to it:

Open Preferences.

Search in the left bar for *Keymap*.

In the right hand pane, click in the search bar and type the name of your saved macro ("Auto Formatting".)

Double click on your item. There might be two, it doesn't matter which one you click on.

Click Add Keyboard Shortcut.

Set your keyboard shortcut to Ctrl + s.

Finally, confirm overriding Ctrl + s to be your new macro.

edited Apr 6 at 3:32



14.1k 19 88 114

answered Oct 21 '16 at 8:24



5

Ctrl + Alt + L might conflict with Lock Screen shortcut in Ubuntu. In such case you can change the keyboard shortcut for Reformatting Code as follows:



File-> Settings-> IDE Settings-> Keymap

edited Mar 19 '15 at 11:23



Philipp M **1,689** 7 25 37

answered Feb 24 '15 at 13:14



Prashant_M 1,343 19 19



Really, I went to this thread because of my Ubuntu locks screen after this shortcut $\[Ctrl \] + \[Alt \] + \[L \]$. So if you are

have the same problem just go to the **Settings** - **Keyboard** - **Shortcuts** - **System** and change the default shortcut for the "Lock screen".

edited Jun 24 '16 at 11:28



1,143 12 28

answered May 18 '15 at 18:48



Yevhenii Kanivets 1,417 2 14 33



For those who are wondering about the alignment issue inside bracket, JetBrains has this as in their issue tracking.



Here is the answer:



How do I align/format code in Android Studio?

edited Apr 6 at 3:21



Peter Mortensen **14.1k** 19 88 114





I think is clear that for **code formatting** in Android Studio the combination keys are:

3





However, we forgot to answer about the Jumping into the method. Well to go into any declaration/implementation there three ways:

1. Goto Declaration

2. Goto Implementation


These commands show a list of all the classes/interfaces that are implementing the selected class/interface. On variables, it has the same effect as Goto Declaration.

3. Goto Type Declaration

These shortcuts will go into the declaration of the "AnyClass" class.



Additionally, there is a shortcut for Goto the Super Class. This will open the parent of the current symbol. Pretty much the opposite of Goto Implementation. For overridden methods, it will open its parent implementation.



answered Mar 22 '16 at 1:03




The shortcut that worked for me is

2 SHIFT + ALT + CMD + L



You can optimize imports to remove the ones you don't use, and auto import the new classes.

No lines changed: code is already properly formatted Show reformat dialog: 飞企業L



edited Jun 24 '16 at 11:24 mtb 1,143 12 28

answered Jan 7 '16 at 0:05




Kokusho 700 7 12



Try this.

1





• On Mac do CMD + Alt + L

Note: Here many answers for Linux is just Ctrl + Alt + L which is wrong. In Linux, doing Ctrl + Alt + L locks the system.

edited Mar 17 '17 at 12:15



Tonechas


7,568 9 24 53

answered Feb 17 '17 at 4:17



Saket Kumar 347 5 15

The lock happens because in Linux DE like KDE the shortcut is set for locking the desktop. For KDE, Change it from KDE Menu -> System Settings -> Shortcuts and Gesture -> Global Keyboard Shortcut, then in KDE Component spinner select The KDE Session Manager. Clear lock session shortcut. - ישו אוהב אותך Feb 17 '17 at 6:03







In addition to auto-formatting that the other answers describe, another trick is to highlight the text that you want to indent and then press



- Tab to increase the indent or
- Shift + Tab to decrease the indent.

```
class BodyWidget extends StatelessWidget {
 @override
 Widget build(BuildContext context) {
   // TODO: implement build
   return ListView(
     children: <Widget>[
    ListTile(
       title: Text('Horse'),
     ListTile(
       title: Text('Cow'),
     ListTile(
       title: Text('Camel'),
     ListTile(
       title: Text('Sheep'),
      ), // ListTile
     ListTile(
       title: Text('Goat'),
```

Check out the **Keyboard Shortcut docs** for more.

answered Jan 21 at 22:33



Suragch

221k 130 736 819



You can use the following shortcut for code formatting:



-1





Zoe

14.7k 8 56 88

answered May 28 '18 at 14:44



Codemaker

1,013 6 19



The best key where you can find all commands in Eclipse is Ctrl + Shift + L.

-1

By pressing this you can get all the commands in Eclipse.



One important is Ctrl + Shift + O to import and unimport useless imports.

edited Apr 6 at 1:02



Peter Mortensen **14.1k** 19 88 114

answered Jul 15 '14 at 7:07



Xar E Ahmer

23.4k 9 157 219

protected by Nilesh Rathod Apr 27 '18 at 7:14

Thank you for your interest in this question. Because it has attracted low-quality or spam answers that had to be removed, posting an answer now requires 10 reputation on this site (the association bonus does not count).

Would you like to answer one of these unanswered questions instead?