

Jquery not working in angular 6 Error: ENOENT: no such file or directory, open '...\node_modules\jquery\dist\jquery.min.js'

Asked 1 year, 5 months ago Active 2 months ago Viewed 27k times



I am in process migrating Angular 5 project to Angular 6.

27

While starting application by



npm start



getting the below error

9

```
** Angular Live Development Server is listening on localhost: 9000,  
open your browser on http://localhost:9000/ **  
91% additional asset processing scripts-webpack-plugin [wdm]:  
Error: ENOENT: no such file or  
directory, open '...\trunk\node_modules\jquery\dist\jquery.min.js'
```

I tried

```
npm install jquery --save  
npm install @types/jquery --save
```

Nothing is working

I checked my node modules folder I can able to see the jquery file

Pasted my package.json and angular.json below

package.json

```
"dependencies": {  
  "@angular/animations": "^6.0.0",  
  "@angular/common": "^6.0.0",  
  "@angular/compiler": "^6.0.0",  
  "@angular/core": "^6.0.0",
```

```

"@angular/forms": "^6.0.0",
"@angular/http": "^6.0.0",
"@angular/platform-browser": "^6.0.0",
"@angular/platform-browser-dynamic": "^6.0.0",
"@angular/router": "^6.0.0",
"@ng-bootstrap/ng-bootstrap": "^2.0.0",
"bootstrap": "^4.1.1",
"core-js": "^2.5.4",
"font-awesome": "^4.7.0",
"jquery": "^3.3.1",
"@types/jquery": "^3.3.1",
"popper.js": "^1.14.3",
"rxjs": "^6.0.0",
"zone.js": "^0.8.26"
},
"devDependencies": {
"@angular/compiler-cli": "^6.0.0",
"@angular-devkit/build-angular": "~0.6.0",
"typescript": "~2.7.2",
"@angular/cli": "~6.0.0",
"@angular/language-service": "^6.0.0",
"@types/jasmine": "~2.8.6",
"@types/jasminewd2": "~2.0.3",
"@types/node": "~8.9.4",
"codifyer": "~4.2.1",
"jasmine-core": "~2.99.1",
"jasmine-spec-reporter": "~4.2.1",
"karma": "~1.7.1",
"karma-chrome-launcher": "~2.2.0",
"karma-coverage-istanbul-reporter": "~1.4.2",
"karma-jasmine": "~1.1.1",
"karma-jasmine-html-reporter": "^0.2.2",
"protractor": "~5.3.0",
"ts-node": "~5.0.1",
"tslint": "~5.9.1"
}

```

angular.json

```

"styles": [
  "src/styles.css",
  "../node_modules/bootstrap/dist/css/bootstrap.min.css",
  "../assets/css/font-icon.css",
  "../node_modules/font-awesome/css/font-awesome.css"
],
"scripts": [
  "../node_modules/jquery/dist/jquery.min.js",

```

```

    "../node_modules/popper.js/dist/umd/popper.min.js",
    "../node_modules/bootstrap/dist/js/bootstrap.min.js"
  ]

```

Please help me to resolve this issue.

jquery

angular

angular6

edited Sep 27 '18 at 1:08



mruanova

2,541 2 20 38

asked May 10 '18 at 20:23



MPPNBD

535 3 9 24

- 2 It's so easy. just remove one DOT from path in styles array and scripts array like: "./node_modules/jquery/dist/jquery.min.js" – [Parth Savadiya](#) May 17 '18 at 12:17

9 Answers



Once again the angular team makes things harder for not real reason =(

75

I had this problem and after Googling around fruitlessly I wondered if they had changed relative paths somehow as well as renaming angular-cli.json.



A little further up in the file I found the line:



Yeah, just change:

```

    "../node_modules/jquery/dist/jquery.js",
    "../node_modules/tether/dist/js/tether.js",
    "../node_modules/bootstrap/dist/js/bootstrap.js"

```

to

```

    "../node_modules/jquery/dist/jquery.js",
    "../node_modules/tether/dist/js/tether.js",

```

```
"/node_modules/bootstrap/dist/js/bootstrap.js"
```

answered May 19 '18 at 16:59

[Belmiris](#)

1,820

1

18

25

2 This should be the right answer. So Angular 6 changed how they locate node packages also. – [Sherwin Abaña Dapito](#) May 21 '18 at 1:45 ✎

2 perfect it worked accepting the answer – [MPPNBD](#) May 24 '18 at 20:53

Seriously what the... this change about node packages should have been more broadcasted... thanks for your answer! – [Ehouarn Perret](#) Jul 18 '18 at 21:28 ✎

thank you belmiris, it works – [nirdima](#) Nov 20 '18 at 14:34

It worked for me after replacing "/node_module*" with "node_modules*". I am using angular 8 – [Mahesh Vemula](#) Jun 19 at 6:26



For Angular 6 the path is as follows:

4

from:



```
"/node_modules/jquery/dist/jquery.js",  
"/node_modules/tether/dist/js/tether.js",  
"/node_modules/bootstrap/dist/js/bootstrap.js"
```

to

```
"/node_modules/jquery/dist/jquery.js",  
"/node_modules/tether/dist/js/tether.js",  
"/node_modules/bootstrap/dist/js/bootstrap.js"
```

answered Aug 27 '18 at 11:06

[Diego](#)

1,412

2

13

25



In Angular 6 u don't need to write:

1

```
"../node_modules/jquery/dist/jquery.js",  
"../node_modules/tether/dist/js/tether.js",  
"../node_modules/bootstrap/dist/js/bootstrap.js"
```

You can write with `./` like on the top this will works too, but the easiest way in `angular.json` file:

```
"node_modules/jquery/dist/jquery.js",  
"node_modules/tether/dist/js/tether.js",  
"node_modules/bootstrap/dist/js/bootstrap.js"
```

In my opinion it's better and clear

answered Jun 11 '18 at 12:59



[Freestyle09](#)

498 1 7 23

`./` is working in angular 8. – [Muhammad Azam](#) Aug 13 at 7:26

1

Install `@ngBootstrap` with this `npm install --save @ng-bootstrap/ng-bootstrap` and `npm install jquery --save` OR `npm install @types/jquery --save` after the installation go to `angular.json` and locate where

```
"styles": [  
  {  
    "input": "styles.css"  
  },  
],  
"scripts": []
```

and change it to this :

```
"styles": [  
  "styles.css",  
  "../node_modules/bootstrap/dist/css/bootstrap.min.css"  
],  
"scripts": [  
  "../node_modules/jquery/dist/jquery.min.js",  
  "../node_modules/bootstrap/dist/js/bootstrap.min.js"  
]
```

and `ng server --open` to run your project

answered May 29 '18 at 8:59



[Wealsegun](#)

58 12

Hope this help you resolved your error – [Wealsegun](#) Jul 2 '18 at 21:36



0



Relative path `../` used to go back one directory. So, first check the file path, if its not contain your project root folder you are searching that jquery file somewhere else that even not exist.

If `node_modules` file and `angular.json` both in same directory you donot need to use relative path.

In Angular 6, you donot need to use relative path to go inside `node_modules` from `angular.json`(`../` or even like `./`).

answered Oct 8 '18 at 9:18



[Blasanka](#)

5,390 4 32 48



0



In your file '`tsconfig.json`', you make maybe

```
{
  "compileOnSave": false,
  "compilerOptions": {
    "baseUrl": "./",
    "outDir": "./dist/out-tsc",
    "sourceMap": true,
    "declaration": false,
    "moduleResolution": "node",
    "emitDecoratorMetadata": true,
    "experimentalDecorators": true,
    "target": "es5",
    "typeRoots": [
      "node_modules/@types"
    ],
    "lib": [
      "es2017",
```

```
    "dom"  
  ],  
},  
"include": ["node_modules/angular-bootstrap-md/**/*.ts", "src/**/*.ts"],  
}
```

You can replace

```
"include": ["node_modules/angular-bootstrap-md/**/*.ts", "src/**/*.ts"],
```

to

```
"include": ["src/**/*.ts", "node_modules/angular-bootstrap-md/**/*.ts" ],
```

Moreover, in your file 'angular.json', I delete '../' in front of node_modules in "styles" and "scripts".

And I copied lines of the "scripts" in the "scripts" in the category "test"

```
"test": {  
  ...  
  "styles": [  
    "src/styles.css"  
    "node_modules/bootstrap/dist/css/bootstrap.min.css",  
    "./assets/css/font-icon.css",  
    "node_modules/font-awesome/css/font-awesome.css"  
  ],  
  "scripts": [  
    "node_modules/jquery/dist/jquery.min.js",  
    "node_modules/popper.js/dist/umd/popper.min.js",  
    "node_modules/bootstrap/dist/js/bootstrap.min.js"  
  ],  
  ...  
}
```

answered May 15 '18 at 19:14



I had a similar issue...

0

The Jquery plugin didn't have an npm package ready : (
So I decided to put it inside the assets folder...
Evidently that didn't work.
so I did some testing...

Here's what worked for me:

- Navigate to `node_modules/jquery/dist/`
- — and simply insert the plugin file there.
- Once this is done change your angular.json file from:

```
"scripts": [ "node_modules/jquery/dist/jquery.min.js", "../assets/libraries/okshadow.min.js" ]
```

To:

```
"scripts": [  
  "node_modules/jquery/dist/jquery.min.js",  
  "node_modules/jquery/dist/okshadow.min.js"  
]
```

And your all set!

P.S. This is on Angular 7.0 rather than Angular 6

edited Jan 11 at 5:00



Siong Thye Goh

2,548 10 14 23

answered Jan 11 at 3:01



Techtiger255 Code
Mode

91 13

▲

0

"node_modules/bootstrap/dist/css/bootstrap.min.css" not "../node_modules/bootstrap/dist/css/bootstrap.min.css"

We don't use a relative path.

▼

answered Aug 14 at 22:33



Anushil Kumar

1



0



Paths in angular-cli.json are relative to the project root (src/ normally). For instance, you have the src/styles.css file, but in angular-cli.json it's listed only as styles.css.

answered Sep 1 at 7:45



Muthusankar

1 1