Angular2 show all form group validation errors

Asked 2 years, 4 months ago Active 1 year, 6 months ago Viewed 7k times



I am building a deep nested form with Angular2 and FormGroup, currently I have a form such as in a parent controller:

```
9
```

Then in a child component I have:

Now this child template works fine, and renders an error on screen if there is no input inside the text box. I then back in the parent controller have a submit button:

```
<button type="submit" class=" btn btn-success"
[disabled]="orderForm?.invalid">Submit</button>
```

Again, this works as expected, and only is enabled after an input is registered in the selectTypeahead input.

Now due to the large nature of this form, I want to have a display next to the submit button, that lists all form elements, which are

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.

```
{{orderForm.errors}}
```

But this stayed as "null" even when my form was invalid, how would I list all inputs from orderFrom that have currently not passed/matched their corresponding validation rules?



asked May 23 '17 at 13:28



take a look at this link it removes all the code from the html and places it in the ts files github.com/rahulrsingh09/AngularConcepts/blob/master/src/app/.... – Rahul Singh May 23 '17 at 13:53

Yea, so basically I need to subscribe to the form, when its changed, force all data through a validation, return errors to each component, then I can also return all errors as one to the template as a summary? – crooksey May 23 '17 at 14:05

- 1 I have decided to create a service, each component will connect to an observable there, if an input has a validation failure, it will report to this service, then I can subscribe to its result and view all current errors, will post a working plunker soon, crooksey May 23 '17 at 16:00
- 1 If {{orderForm.errors}} says null when it's invalid you have some other issue. Chrillewoodz May 25 '17 at 19:33

Thanks, I now know the root form errors property is now related to the actual form layout itself, other than validation errors. – crooksey May 26 '17 at 7:19

1 Answer



I think you have to recursively visit the descendants controls of your form to obtain all errors.





```
getAllErrors(form: FormGroup | FormArray): { [key: string]: any; } | null {
    let hasError = false;
    const result = Object.keys(form.controls).reduce((acc, key) => {
        const control = form.get(key);
        const errors = (control instanceof FormGroup || control instanceof FormArray)
        ? this.getAllErrors(control)
```

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.

```
hasError = true;
}
return acc;
}, {} as { [key: string]: any; });
return hasError ? result : null;
}
```

Then in your template

```
<!--
NOTE: This is just for displaying the result of the method
You should replace the `<pre><<code>` with whatever your snippet is like
-->
<<code>{{ getAllErrors(orderForm) | json }}</code>
```

edited Apr 3 '18 at 15:04



Edric

10.3k 7 41 55

answered Nov 6 '17 at 9:32



kimamula **3,447** 1 18 20

1 Added code to make it work with FormArrays. – RMorrisey Jan 26 '18 at 21:14

Perfect! Works great. Thanks – mc01 Apr 16 '18 at 22:20

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.