Use Stack Overflow for Teams at work to find answers in a private and secure environment. Get your first 10 users free. Sign up.

Angular 2: get all tags inside specific div

Asked 3 years, 1 month ago Active 6 months ago Viewed 2k times



I need a function to get all images inside a specific div, I tried to use BrowserDomAdapter but it's throwing this error el.querySelector is not a function, infact I haven't declared any el variable in my component







```
import { BrowserDomAdapter} from '@angular/platform-
browser/src/browser/browser adapter';
constructor(private dom:BrowserDomAdapter){
ngAfterContentInit(){
   this.lightboxImages();
lightboxImages(){
   let dom = new BrowserDomAdapter();
   let images = dom.querySelector('img','.post-body');
   console.log(images);
```

Update

If I have the tags inside a variable, how can I get the images from it?

```
export class Post{
  post:Post;
  @Input()
  set data(data:any) {
    this.post = new Post(data);
    this.lightboxImages(this.post.content());
```

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.

}



edited Aug 2 '16 at 8:01

asked Aug 2 '16 at 7:25



2 Answers



BrowserDomAdapter is not supposed to be used. It's for Angular internal use only.

4

I assume you want to query elements passed as children because you use ngAfterContentInit:



answered Aug 2 '16 at 7:31

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.

Can't I use @ContentChildren for this case? @ContentChildren('.post-body') - Murhaf Sousli Aug 2'16 at 7:32

Yes you can use it.b ut need to see how does your template look like? - micronyks Aug 2 '16 at 7:34 /

1 No, you can't use CSS selectors with <code>@ContentChildren()</code> . If the elements you want to query have a template variable like above <code>#wrapper</code> then you can use the name of the template variable to query for these elements directly using <code>@ContentChildren()</code> . I assumed this is not desired because it makes the element more cumbersome to use. – Günter Zöchbauer Aug 2 '16 at 7:35 <code>/</code>

one more thing, if I have these img tags inside a variable post.content, isn't it better to pass it to lightboxImages(content:any) instead of getting it from the dom? — Murhaf Sousli Aug 2 '16 at 7:39

1 @GünterZöchbauer I will post this in details in another question - Murhaf Sousli Aug 2 '16 at 8:19



this.containerBlock.nativeElement.getElementsByTagName("img")

Where containerBlock is template reference. This will return all the img tag inside div with template reference containerBlock.



edited Mar 12 at 6:58

answered Jul 31 '18 at 4:24



protected by eyllanesc Jul 31 '18 at 4:41

Thank you for your interest in this question. Because it has attracted low-quality or spam answers that had to be removed, posting an answer now requires 10 reputation on this site (the association bonus does not count).

Would you like to answer one of these unanswered questions instead?

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.