Liên kết khác

toilati123vn@gmail.com Bảng điều khiển Đăng xuất

# Sql server, .net and c# video tutorial

Free C#, .Net and Sql server video tutorial for beginners and intermediate programmers.

Support us .Net Basics C# SQL ASP.NET ADO.NET MVC Slides C# Programs Subscribe **Buv DVD** 

Angular datepicker tutorial

## **Suggested Videos**

Part 8 - Bootstrap checkbox in angular | Text | Slides

Part 9 - Angular bootstrap select list | Text | Slides

Part 10 - Angular select options from array | Text | Slides

#### In this video we will discuss

- Why is not a good practice to use the browser built-in DatePicker control
- Installing ngx-bootstrap
- Using ngx-bootstrap datepicker in Angular

Why is not a good practice to use the browser built-in DatePicker control: This is because the implementation of datepicker is different from browser vendor to vendor. This means our end users may have different experience depending on the browser they use. Let us understand this with an example.

On our "Create Employee" form we want to capture Date of Birth of an employee. Datepicker control is very useful in capturing dates from users. When we use the HTML5 input type date, the browser automatically displays it's built-in datepicker control. Include the following piece of HTML on "create-employee.component.html" file

# **PRAGIM**

# **TECHNOLOGIES**

Training + Placements

Best software training and placements in marathahalli, bangalore. For further details please call 09945699393.

# -Complete Tutorials-

JavaScript tutorial

Bootstrap tutorial

Angular tutorial for beginners

Angular 5 Tutorial for beginners

# Important Videos-

The Gift of Education

Web application for your business

just below the "Department" field HTML

```
<div class="form-group">
<label for="dateOfBirth">Date of Birth</label>
<input id="dateOfBirth" name="dateOfBirth" [(ngModel)]="dateOfBirth"
type="date" class="form-control" />
</div>
```

Notice we have set the input element type to date. At this point if we run the project and navigate to <a href="http://localhost:4200/create">http://localhost:4200/create</a> in Google chrome, we see the date-picker as shown below.



Now, if we navigate to the same url in firefox, we see a date-picker control that is very different from the date-picker control that is on Google chrome browser.

How to become .NET developer

Resources available to help you

#### -Dot Net Video Tutorials-

ASP.NET Core Tutorial

Angular 6 Tutorial

**Angular CRUD Tutorial** 

Angular CLI Tutorial

Angular 2 Tutorial

**Design Patterns** 

**SOLID Principles** 

ASP.NET Web API

Bootstrap

**AngularJS Tutorial** 

jQuery Tutorial

JavaScript with ASP.NET Tutorial

JavaScript Tutorial

**Charts Tutorial** 

LINQ

LINQ to SQL

LINQ to XML

**Entity Framework** 



So, this means our end users have different experience depending on the browser they use. What we want here is consistency. There are many third party Date-picker controls that we can use, to provide consistent experience to our end users. ngx-bootstrap datepicker control is one of them.

Please refer to the UI components section on the following page, to see the list of all third party UI components that we can use in Angular <a href="https://angular.io/resources">https://angular.io/resources</a>

**Installing ngx-bootstrap**: The following are the steps to install ngx-bootstrap

**Step 1**: Execute the following command to npm install ngx-bootstrap npm install ngx-bootstrap --save

**Step 2**: If you do not have Bootstrap installed, please install it using the following npm command. If you are following along we have already installed bootstrap in Part 1 of this Angular CRUD tutorial. So I am not going to execute this command again.

npm install bootstrap@3 --save

Please note: We are usng Bootstrap 3. We can also use Bootstrap 4 with ngx-

WCF

**ASP, NET Web Services** 

**Dot Net Basics** 

C#

**SQL** Server

ADO.NET

ASP.NET

GridView

ASP.NET MVC

Visual Studio Tips and Tricks

**Dot Net Interview Questions** 

# -Slides-

**Entity Framework** 

WCF

**ASP.NET Web Services** 

**Dot Net Basics** 

C#

**SQL Server** 

ADO.NET

**ASP.NET** 

bootstrap. Please refer to the documentation available at the following link on how to use Bootstrap 4 with ngx-bootstrap.

https://valor-software.com/ngx-bootstrap/#/getting-started

**Step 3**: Once Bootstrap is installed, open .angular-cli.json file and specify the path to the Bootstrap stylesheet (bootstrap.min.css) in the styles property as shown below. Again, we have already done this in Part 1 of Angular CRUD tutorial.

```
"styles": [
    "../node_modules/bootstrap/dist/css/bootstrap.min.css",
    "styles.css"
]
```

**Using ngx-bootstrap datepicker in Angular**: The following are the steps to use ngx-bootstrap datepicker in Angular

**Step 1**: In app.module.ts file, include the following import statement to import BsDatepickerModule

import { BsDatepickerModule } from 'ngx-bootstrap/datepicker';

Also, include BsDatepickerModule in the imports array of @NgModule decorator as shown below

```
@NgModule({
  imports: [BsDatepickerModule.forRoot(),...]
})
```

**Step 2**: In "create-employee.component.html" file, make the following 2 changes to the HTML that displays the "Date of Birth" field

- Change the "type" attribute value from "date" to "text"
- Include "bsDatepicker" directive on the input element

```
<div class="form-group">
<label for="dateOfBirth">Date of Birth</label>
<input id="dateOfBirth" name="dateOfBirth" [(ngModel)]="dateOfBirth"
type="text" bsDatepicker class="form-control" />
</div>
```

Step 3: Include a reference to the bs-datepicker.css file in .angular-cli.json file.

GridView

ASP.NET MVC

Visual Studio Tips and Tricks

#### -Java Video Tutorials-

Part 1: Video | Text | Slides

Part 2: Video | Text | Slides

Part 3: Video | Text | Slides

#### -Interview Questions


C#

**SQL** Server

Written Test

```
"styles": [
"../node_modules/bootstrap/dist/css/bootstrap.min.css",
"../node_modules/ngx-bootstrap/datepicker/bs-datepicker.css",
"styles.css"
]
```

At this point when you view the page in Google chrome or Firefox, you get the same datepicker and hence the same experience.



When we select a date from the date-picker control, the "Date of Birth" textbox is automatically populated with the selected date and it is also captured by the angular generated form model.


With this datepicker control, it is also very easy to capture a date range. For example, you have an open job role, and you want to capture a date range for accepting CV's, we can very easily do this. All we have to do is use bsDaterangepicker

directive instead of bsDatepicker directive on the input element as shown below.

```
<div class="form-group">
<label for="dateOfBirth">Date of Birth</label>
<input id="dateOfBirth" name="dateOfBirth" [(ngModel)]="dateOfBirth"
type="text" bsDaterangepicker class="form-control" />
```

#### </div>

The above simple change, will display Daterange picker as shown below. When we select a date range, the corresponding input field is automatically populated with the selected date range and it is also captured by the angular generated form model.



- At the moment, the Datepicker is using the **default green theme**. We want to change it to **dark-blue theme**, so it matches with the rest of the form.
- The date is captured in the textbox in mm/dd/yyyy format. We want to change it to dd/mm/yyyy format
- · At the moment there is no default date. We want to set a default date
- The input element is spanning across the entire width of the form. We want to limit it's width

Datepicker is a highly configurable component. We will discuss how to do all of the above in our next video.

# www.PRAGIMTECH.COM

# CLICK HERE FOR THE FULL ANGULAR CRUD TUTORIAL PLAYLIST

facebook.com/pragimtech | twitter.com/kudvenkat

### 14 comments:

# Anonymous April 10, 2018 at 7:01 PM

hi venkat, your videos are good, i' m getting this error while i want to implement bootstrap@4 version

could you please letme know how to solve this problem ???

ERROR in ./node\_modules/css-loader?

{"sourceMap":false,"importLoaders":1}!./node\_modules/postcss-loader/lib?

{"ident":"postcss","sourceMap":false}!./node\_modules/sass-loader/lib/loader.js?

 $\\ \{ "source Map": false, "precision": 8, "include Paths": \\$ 

[]}!./node\_modules/bootstrap/scss/bootstrap.scss Module build failed: BrowserslistError: Unknown browser major at error (E:\*\*\*\*\*\*\node\_modules\browserslist\index.js:37:11) at Function.browserslist.checkName

(E:\*\*\*\*\*\node modules\browserslist\index.js:320:18) at Function.select (E:\*\*\*\*\*\node modules\browserslist\index.js:438:37) at E:\*\*\*\*\*\node modules\browserslist\index.js:207:41 at Array.forEach () at browserslist (E:\*\*\*\*\*\node modules\browserslist\index.js:196:13) Browsers.parse (E:\*\*\*\*\*\node modules\autoprefixer\lib\browsers.js:44:14) new **Browsers** (E:\*\*\*\*\*\*\node modules\autoprefixer\lib\browsers.js:39:28) **loadPrefixes** at (E:\*\*\*\*\*\*\node modules\autoprefixer\lib\autoprefixer.js:56:18) at plugin (E:\*\*\*\*\*\*\node modules\autoprefixer\lib\autoprefixer.js:62:18) LazyResult.run (E:\*\*\*\*\*\node modules\postcss-loader\node modules\postcss\lib\lazy-(E:\*\*\*\*\*\node modules\postcssresult.js:270:20) LazyResult.asyncTick LazyResult.asyncTick loader\node modules\postcss\lib\lazy-result.js:185:32) at (E:\*\*\*\*\*\node modules\postcss-loader\node modules\postcss\lib\lazy-(E:\*\*\*\*\*\node modules\postcss-LazyResult.asyncTick result.js:197:22) loader\node modules\postcss\lib\lazy-result.js:197:22) (E:\*\*\*\*\*\*\node modules\postcssprocessing.Promise.then.\_this2.processed loader\node modules\postcss\lib\lazy-result.js:224:20) at new Promise 4:14-164 ./node\_modules/bootstrap/scss/bootstrap.scss (a) multi ./node modules/bootstrap/scss/bootstrap.scss ./node modules/font-awesome/scss/font-./node\_modules/ng2-toastr/bundles/ng2-toastr.min.css awesome.scss ./node modules/owl.carousel/dist/assets/owl.carousel.css ./node\_modules/owl.carousel/dist/assets/owl.theme.default.css ./node modules/froalaeditor/css/froala editor.pkgd.min.css ./node modules/froalaeditor/css/froala style.min.css ./node modules/ng-pickdatetime/assets/style/picker.min.css ./src/styles.scss

### Reply

### Anonymous April 14, 2018 at 1:45 PM

i got same error but i resolved using npm uninstall bootstrap@4 --save

then again npm install@3 --save

if anyone find to implement bootstrap 4 let me know

Reply

# Anonymous May 29, 2018 at 4:12 AM

Cannot read property 'schedule' of undefined issue

#### Reply



#### **Sumon** June 5, 2018 at 4:45 AM

BsDatepickerModule is under development, BREAKING CHANGES are possible, PLEASE, read changelog

Firstly, above warning messages shows

and then, when i clicked into the textbox it gives below error

BsDatepickerContainerComponent\_Host.ngfactory.js? [sm]:1 ERROR TypeError:

Cannot read property 'schedule' of undefined

at ObserveOnSubscriber.scheduleMessage (observeOn.js:99)

at ObserveOnSubscriber. error (observeOn.js:105)

at ObserveOnSubscriber.Subscriber.error (Subscriber.js:108)

at BehaviorSubject.Observable.\_trySubscribe (Observable.js:177)

at BehaviorSubject.Subject.\_trySubscribe (Subject.js:97)

at BehaviorSubject.Observable.subscribe (Observable.js:160)

at ObserveOnOperator.call (observeOn.js:74)

at AnonymousSubject.Observable.subscribe (Observable.js:157)

at ScanOperator.call (scan.js:72)

at AnonymousSubject.Observable.subscribe (Observable.js:157)

# Reply



#### **Sunil** June 15, 2018 at 3:50 AM

how to validate in angular 4 datepicker?

# Reply



# chinmaya parija July 15, 2018 at 6:05 AM

Hello venkat, i got bellow error

ERROR typeError: Ubable to get property 'schedule' of undefined or null reference kindly help me

# Reply



#### Vijay July 15, 2018 at 11:30 PM

Hi,

I am Getting Billow Error while implementing this DatePicker

ERROR TypeError: "this.scheduler is undefined"

scheduleMessagewebpack-

internal:///../../rxjs/\_esm5/operators/observeOn.js:105:9\_errorwebpack-

internal:///../../rxjs/\_esm5/operators/observeOn.js:111:9errorwebpack-

internal:///../../rxjs/\_esm5/Subscriber.js:110:13\_trySubscribewebpack-

internal:///../../rxjs/Observable.js:177:13\_trySubscribewebpack-

internal:///../../rxjs/Subject.js:97:20subscribewebpack-

internal:///../../rxjs/Observable.js:160:88callwebpack-

internal:///../../rxjs/\_esm5/operators/observeOn.js:80:16

#### Reply



#### Unknown October 31, 2018 at 1:12 AM

Hi Venkat, encountered below prob when installed ngx-bootstrap. My bootstrap version is 3.3.7.

npm WARN notsup SKIPPING OPTIONAL DEPENDENCY: Unsupported platform for fsevents@1.2.4: wanted {"os":"darwin","arch":"any"} (current: {"os":"win32","arch":"x64"}

# Reply



#### Dinesh Marathe November 27, 2018 at 3:05 AM

use command for bootstrap 4: npm install npm install bootstrap@3.3.7 --save

# Reply

#### Replies



# Dinesh Marathe November 28, 2018 at 4:33 AM

npm install bootstrap@3.3.7 -- save

### Reply



### Ajay Saini January 18, 2019 at 5:54 AM

there is no error in shown but datepicker is not working means not shown any date picker only textbox is shown

#### Reply

# Replies



## Vijay Maurya February 17, 2019 at 9:30 AM

I am facing same error but when i use proper order in app module it work for me imports: [
BrowserModule,FormsModule,
BsDatepickerModule.forRoot(),
RouterModule.forRoot(appRoutes),
AppRoutingModule,

# Reply



# jayesh gupta February 1, 2019 at 11:06 PM

Hi kudvenkat sir, can u help me on this when i am selecting the date from date-picker control loses it's focus so how cab handle this problem

# Reply



#### Unknown April 9, 2019 at 2:34 AM

Hi Venkat,

Thanks for the wonderful video. I have got some error, when implement date picker please help.

# Error Below: ERROR in node\_modules/ngx-bootstrap/chronos/utils/type-checks.d.ts(8,62): error TS2304: Cannot find name 'Extract'. node\_modules/ngx-bootstrap/datepicker/reducer/bs-datepicker.actions.d.ts(5,33): error TS1039: Initializers are not allowed in ambient contexts. **Thanks** Reply Enter your comment... Comment as: toilati123vn@g ▼ **Preview Publish** If you like this website, please share with your friends on facebook and Google+ and recommend us on google using the g+1 button on the top right hand corner. Links to this post Create a Link

Newer Post Home Older Post

Subscribe to: Post Comments (Atom)

Powered by Blogger.