

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)

CSS :focus Selector

[< Previous](#)[CSS Selectors Reference](#)[Next >](#)

Example

Select and style an input field when it gets focus:

```
input:focus {  
  background-color: yellow;  
}
```

[Try it Yourself »](#)

More "Try it Yourself" examples below.

Definition and Usage

The **:focus** selector is used to select the element that has focus.

Tip: The :focus selector is allowed on elements that accept keyboard events or other user inputs.

Version:	CSS2
-----------------	------

Browser Support

The numbers in the table specifies the first browser version that fully supports the selector.

Selector					
:focus	4.0	8.0	2.0	3.1	9.6

Note: For :focus to work in IE8, a <!DOCTYPE> must be declared.

CSS Syntax

```
:focus {  
  css declarations;  
}
```

Demo

More Examples

Example

When an `<input type="text">` gets focus, gradually change the width from 100px to 250px:

```
input[type=text] {  
  width: 100px;  
  transition: ease-in-out, width .35s ease-in-out;  
}  
  
input[type=text]:focus {  
  width: 250px;  
}
```

Try it Yourself »

Related Pages

CSS tutorial: [CSS Pseudo classes](#)

[< Previous](#)[CSS Selectors Reference](#)[Next >](#)



COLOR PICKER



HOW TO

- Tabs
- Dropdowns
- Accordions
- Side Navigation
- Top Navigation
- Modal Boxes
- Progress Bars
- Parallax
- Login Form
- HTML Includes
- Google Maps
- Range Sliders
- Tooltips
- Slideshow
- Filter List
- Sort List

SHARE



CERTIFICATES

HTML

CSS

JavaScript

SQL

Python

PHP

jQuery

Bootstrap

XML

[Read More »](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Java Tutorial](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Java Examples](#)
[XML Examples](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Angular Reference](#)
[Java Reference](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2019 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.



