We're committed to working with you to build the future of Stack Overflow. Your input matters in our "Through the loop" survey.

Find size of git repo

Asked 8 years ago Active 1 month ago Viewed 114k times



What's a simple way to find the size of my git repository? And I don't mean du -h on the root directory of my repo. I have a lot of ignored files so that size would be different from my total repo size. I essentially want to know how much data would be transferred upon cloning my repo.



265





edited Nov 23 '15 at 8:19
BH2017

961 2 11 29

asked Nov 18 '11 at 16:03

mschallert
2,919 2 13 10

See the size of a github repo before cloning it? – azzamsa Mar 6 '18 at 21:48 🖍

7 Answers



UPDATE git 1.8.3 introduced a more efficient way to get a rough size: git count-objects -vH (see answer by @VonC)

246

For different ideas of "complete size" you could use:



git bundle create tmp.bundle --all
du -sh tmp.bundle



Close (but not exact:)

With the latter, you would also be counting:

- hooks
- config (remotes, push branches, settings (whitespace, merge, aliases, user details etc.)
- stashes (see Can I fetch a stash from a remote repo into a local branch? also)
- rerere cache (which can get considerable)
- reflogs
- backups (from filter-branch, e.g.) and various other things (intermediate state from rebase, bisect etc.)





answered Nov 18 '11 at 16:06



sene

36 370 493

Thanks! The first behavior more accurately reflected the total clone size but the second was also pretty close. - mschallert Nov 18 '11 at 16:14

7 Note: this answer is out of date. See VonC's answer instead for git versions >= 1.8.3. – John Dibling Nov 14 '14 at 21:43 /

Note also my answer is a ways more complete, which could have it's own merit. - sehe May 17 '16 at 12:47

Can you please add what git bundle and git gc actually does? will it create another (unwanted) archive and then measure the size? – Ramesh Pareek May 25 '16 at 11:02


1 @RameshPareek yes. This is pretty clear because I'm using du to measure the size of that file. – sehe May 25 '16 at 11:48



If the repository is on <u>github</u>, you can use the open source android app <u>octodroid</u> which displays the approximate size of the repository by default. For example with the <u>mptcp</u> repository







```
git clone git@github.com:RMPR/mptcp.git
Cloning into 'mptcp'...
remote: Enumerating objects: 39, done.
remote: Counting objects: 100% (39/39), done.
remote: Compressing objects: 100% (26/26), done.
Receiving objects: 98% (6827909/6925734), 1.71 GiB
```

Disclaimer: I didn't create octodroid.







I *think* this gives you the total list of all files in the repo history:





You can replace --all with a treeish (HEAD , origin/master , etc.) to calculate the size of a branch.

answered Jun 1 at 3:06

Mehrdad

174k 96 435 776



You could use git-sizer. In the --verbose setting, the example output is (below). Look for the Total size of files line.

1

\$ git-sizer --verbose
Processing blobs: 1652370
Processing trees: 3396199
Processing commits: 722647
Matching commits to trees: 722647
Processing annotated tags: 534
Processing references: 539

| Processing references: 539 | | |
|----------------------------|----------|------------------|
| Name | Value | Level of concern |
| | | |
| Overall repository size | | |
| * Commits | | |
| * Count | 723 k | * |
| * Total size | 525 MiB | ** |
| * Trees | | |
| * Count | 3.40 M | ** |
| * Total size | 9.00 GiB | **** |
| * Total tree entries | 264 M | ***** |
| * Blobs | | |
| * Count | 1.65 M | * |
| * Total size | 55.8 GiB | ***** |
| * Annotated tags | | |
| * Count | 534 | |
| | | |

| | Biggest objects | | | I | ļ. | |
|---|---|--------|---------------|--------------------------------|----------------|--|
| | * Commits | | | | | |
| | * Maximum size | [1] | | * | | |
| | * Maximum parents | [2] | 66 | ***** | | |
| | * Trees | | | | | |
| | * Maximum entries | [3] | 1.68 k | * | | |
| | * Blobs | | | | | |
| | * Maximum size | [4] | 13.5 MiB | * | 1 | |
| | | | | | 1 | |
| | History structure | | | | | |
| | * Maximum history depth | | 136 k | ĺ | İ | |
| | * Maximum tag depth | [5] | 1 | i I | į | |
| | | | İ | | j | |
| | Biggest checkouts | | İ | | j | |
| | * Number of directories | [6] | 4.38 k | ** | j | |
| | * Maximum path depth | [7] | | * | j | |
| | * Maximum path length | | | * | İ | |
| | * Number of files | | 62.3 k | * | İ | |
| | * Total size of files | [9] | 747 MiB | İ | i | |
| | * Number of symlinks | | | İ | i | |
| | * Number of submodules | [] | 0 | İ | i | |
| | 1 | | | I | 1 | |
| | [1] 91cc53b0c78596a73fa7 | 08cceh | 7313e7168bb14 | 46 | | |
| | [2] 2cde51fbd0f310c8a2c5 | | | | | |
| | | | | | /hoot/dts) | |
| | [3] 4f86eed5893207aca2c2da86b35b38f2e1ec1fc8 (refs/heads/master:arch/arm/boot/dts) [4] a02b6794337286bc12c907c33d5d75537c240bd0 | | | | | |
| | | | | ude/asic_reg/vega10/NBIO/nbio_ | 6 1 sh mask.h) | |
| | | | | 8c (refs/tags/v2.6.11) | | |
| | [6] 1459754b9d9acc2ffac8 | | | , | | |
| (589b754df3f37ca0a1f96fccde7f91c59266f38a^{tree}) | | | | | | |
| [7] 78a269635e76ed927e17d7883f2d90313570fdbc | | | | | | |
| | (dae09011115133666e47c35673c0564b0a702db7^{tree}) | | | | | |
| | [8] ce5f2e31d3bdc1186041fdfd27a5ac96e728f2c5 (refs/heads/master^{tree}) | | | | | |
| [9] 532bdadc08402b7a72a4b45a2e02e5c710b7d626 | | | | | | |
| (e9ef1fe312b533592e39cddc1327463c30b0ed8d^{tree}) | | | | | | |
| | , | | | | | |

answered Sep 19 '18 at 4:01

serv-inc

20.8k 6 99 102

1 This is nice because it shows more information than just the total cloning size. One thing it doesn't show that I'd still like to know is how hig the ZIP will

By using our site, you acknowledge that you have read and understand our Cookie Policy, Privacy Policy, and our Terms of Service.

[10] f29a5ea76884ac37e1197bef1941f62fda3f7b99
(f5308d1b83eba20e69df5e0926ba7257c8dd9074^{tree})

@IndrajeetGour: you need to install from <u>github.com/github/git-sizer/#getting-started</u>. Downloads are at <u>github.com/github/git-sizer/releases</u>. – serv-inc Jan 11 at 13:06

Would the @downvoter care to explain his reasoning, or not? - serv-inc Feb 5 at 3:37



If you use git LFS, git count-objects does not count your binaries, but only the pointers to them.



If your LFS files are managed by Artifactorys, you should use the REST API:



- Get the www.jfrog.com API from any search engine
- Look at Get Storage Summary Info

edited Oct 6 '17 at 11:56

answered Oct 5 '17 at 10:04





Note that, since git 1.8.3 (April, 22d 2013):

233

" git count-objects " learned " --human-readable " aka " -H " option to show various large numbers in $\kappa i / Mi / GiB$ scaled as necessary.



That could be combined with the -v option mentioned by <u>Jack Morrison</u> in <u>his answer</u>.

```
git gc
git count-objects -vH
```

(git gc is important, as mentioned by A-B-B's answer)

Plus (still git 1.8.3), the output is more complete:

"git count-objects -v "learned to report leftover temporary packfiles and other garbage in the object store.



1 1



10k 3

335

2972

1 Worked like a charm thanks @VonC - niri9428480 Nov 13 at 6:32



The git command

107

git count-objects -v



will give you a good estimate of the git repository's size. Without the -v flag, it only tells you the size of your unpacked files. This command may not be in your \$PATH, you may have to track it down (on Ubuntu I found it in /usr/lib/git-core/, for instance).

From the Git man-page:

-v, --verbose

In addition to the number of loose objects and disk space consumed, it reports the number of in-pack objects, number of packs, disk space consumed by those packs, and number of objects that can be removed by running git prune-packed.

Your output will look similar to the following:

count: 1910 size: 19764 in-pack: 41814 packs: 3

size-pack: 1066963 prune-packable: 1

garbage: 0

The line you're looking for is size-pack. That is the size of all the packed commit objects, or the smallest possible size for the new cloned repository.

edited Dec 19 '12 at 13:44 user1338062

answered Nov 18 '11 at 16:23

Morrison

- 4 In my experience, git count-objects -v works when git-count-objects -v does not (because it is not in my PATH). mwolfetech Aug 7 '12 at 16:55 /
 - It doesn't work as expected, produces always size-pack: 0 psihodelia Mar 28 '13 at 16:37
- 5 @psihodelia It seems you might have to run git gc before running git count-objects -v because your repository may not have been packed yet. See the first answer here for evidence: stackoverflow.com/questions/3532740/... Jack Morrison Mar 29 '13 at 20:20
- 5 You can use grep to get only the desired line: git count-objects -vH | grep 'size-pack' . The H is to show it in human readable format, as @VonC said in his answer. alko989 Jun 18 '14 at 11:44
- 2 size-pack in KB? Steven Du Apr 26 '15 at 7:12