

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▾](#)**w3schools.com**

THE WORLD'S LARGEST WEB DEVELOPER SITE

# CSS word-wrap Property

[< Previous](#)[Complete CSS Reference](#)[Next >](#)

## Example

Allow long words to be able to break and wrap onto the next line:

```
div {  
  word-wrap: break-word;  
}
```

[Try it Yourself »](#)

The **word-wrap** property allows long words to be able to be broken and wrap onto the next line.

<b>Default value:</b>	normal
<b>Inherited:</b>	yes
<b>Animatable:</b>	no. <a href="#">Read about animatable</a>
<b>Version:</b>	CSS3
<b>JavaScript syntax:</b>	<code>object.style.wordWrap="break-word"</code> <a href="#">Try it</a>

## Browser Support

The numbers in the table specify the first browser version that fully supports the property.

Property					
word-wrap	4.0	5.5	3.5	3.1	10.5

## CSS Syntax

```
word-wrap: normal|break-word|initial|inherit;
```



HTML

CSS

JAVASCRIPT

MORE ▼



Value	Description
normal	Break words only at allowed break points
break-word	Allows unbreakable words to be broken
initial	Sets this property to its default value. <a href="#">Read about <i>initial</i></a>
inherit	Inherits this property from its parent element. <a href="#">Read about <i>inherit</i></a>

## Related Pages

CSS tutorial: [CSS Text Effects](#)

[< Previous](#)[Complete CSS Reference](#)[Next >](#)

COLOR PICKER



[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)[Tabs](#)[Dropdowns](#)[Accordions](#)[Side Navigation](#)[Top Navigation](#)[Modal Boxes](#)[Progress Bars](#)[Parallax](#)[Login Form](#)[HTML Includes](#)[Google Maps](#)[Range Sliders](#)[Tooltips](#)[Slideshow](#)[Filter List](#)[Sort List](#)

SHARE



CERTIFICATES

[HTML](#)[CSS](#)[JavaScript](#)

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)[PHP](#)[jQuery](#)[Bootstrap](#)[XML](#)[Read More »](#)[REPORT ERROR](#)[PRINT PAGE](#)[FORUM](#)[ABOUT](#)

## Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP 5 Tutorial](#)
- [PHP 7 Tutorial](#)
- [jQuery Tutorial](#)
- [Java Tutorial](#)

## Top Examples

## Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [jQuery Reference](#)
- [Angular Reference](#)
- [Java Reference](#)

## Web Certificates

[HTML](#)[CSS](#)[JAVASCRIPT](#)[MORE ▼](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[jQuery Examples](#)[Java Examples](#)[XML Examples](#)[JavaScript Certificate](#)[SQL Certificate](#)[Python Certificate](#)[jQuery Certificate](#)[PHP Certificate](#)[Bootstrap Certificate](#)[XML Certificate](#)[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2019 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

