NEW

Fresh features and 1-Click Apps for DigitalOcean Kubernetes >



Community



☐ Subscribe



# How to copy files from one server to another droplet



By: synergies.unlimited

Hi,

I broke my website and now I am trying to spin a new droplet and copy the files from one droplet to another.

Can anyone let me know how I can do this?

Thanks a lot.

Mark

Sign In to Comment

## 7 Answers



ryanpq MOD December 2, 2014

6

It's pretty easy. You can use scp to transfer your files over ssh.

scp -r /path/to/my/files root@0.0.0:/path/on/remote/droplet



Of course you will need to replace 0.0.0.0 with your new droplet's IP and update the paths included above. This command would copy everything in /path/to/my/files to the directory /path/on/remote/droplet on the other droplet.

^ clove2827 March 23, 2015

O Hi Ryan,

If I'm using another port, where can I put it into that command line?


⊹ r

ryanpq MOD March 23, 2015

To scp to a different port (2222 in this example) you can use the -P flag:

scp -P 2222 -r /path/to/my/files root@0.0.0:/path/on/remote/droplet

tarekjo19 July 14, 2018



synergies.unlimited December 2, 2014

@ryanpq

Thanks so much. It worked so well.

- rturcotte December 1, 2016
- Does this also copy the mysql database?
- sijanshrestha2 December 16, 2016
- What if the data to be transferred is around 30 GB +? What do you suggest? Lets say i am trying to copy from softlayer to a droplet?
- Flipman February 23, 2017
- Maybe a stupid question. But if I use this function it is saying. Connection refused. I am using SSH. So don't have a root password. Does anybody know how to run the sudo scp command between servers what that?

- aptrishu April 10, 2017
- o are you able to ssh to your ip?
- seekastrology July 18, 2017
- <sup>0</sup> [deleted]
- narayananprasad July 18, 2017
- scp -P 2222 -r -i /path/to/my/openSSH/key /path/to/my/files <a href="mailto:root@0.0.0.0">root@0.0.0.0</a>:/path/on/remote/droplet you need to specify key of your remote droplet. if needed use puttygen to convert your key to OpenSSH your openSSH key should not accessible by others. example: permission 0400.

Udana

## Have another answer? Share your knowledge.

Answer a question...

Sign In to Answer



#### **BECOME A CONTRIBUTOR**

You get paid; we donate to tech nonprofits.



## Find a DigitalOcean Meetup near you.




Featured on Community Intro to Kubernetes Learn Python 3 Machine Learning in Python Getting started with Go Migrate Node.js to Kubernetes

DigitalOcean Products Droplets Managed Databases Managed Kubernetes Spaces Object Storage Marketplace

### Welcome to the developer cloud

DigitalOcean makes it simple to launch in the cloud and scale up as you grow – whether you're running one virtual machine or ten thousand.

Learn More





© 2019 DigitalOcean, LLC. All rights reserved.

Company	Products	Community
About	Products Overview	Tutorials
Leadership	Pricing	Q&A
Blog	Droplets	Tools and Integrations
Careers	Kubernetes	Tags
Partners	Managed Databases	Product Ideas
Referral Program	Spaces	Meetups
Press	Marketplace	Write for DOnations
Legal & Security	Load Balancers	Droplets for Demos
	Block Storage	Hatch Startup Program
	Tools & Integrations	Shop Swag
	API	Research Program
	Documentation	Currents Research
	Release Notes	Open Source

#### Contact

Support

Sales

Report Abuse

System Status