

- [Home](#)
- [Oracle PL / SQL](#)
- [Aggregate Functions](#)
- [Analytical Functions](#)
- [Char Functions](#)
- [Constraints](#)
- [Conversion Functions](#)
- [Cursor](#)
- [Data Type](#)
- [Date Timezone](#)
- [Hierarchical Query](#)
- [Index](#)
- [Insert Delete Update](#)
- [Large Objects](#)
- [Numeric Math Functions](#)
- [Object Oriented Database](#)
- [PL SQL](#)
- [Regular Expressions](#)
- [Report Column Page](#)
- [Result Set](#)
- [Select Query](#)
- [Sequence](#)
- [SQL Plus](#)
- [Stored Procedure Function](#)
- [Subquery](#)
- [System Packages](#)
- [System Tables Views](#)
- [Table](#)
- [Table Joins](#)
- [Trigger](#)
- [User Privilege](#)
- [View](#)
- [XML](#)

Get current user name : Current_User « User Previliege « Oracle PL / SQL

1. [Oracle PL / SQL](#)
2. [User Previliege](#)
3. [Current_User](#)
- 4.

Get current user name

```
SQL> select user from dual;
```

```
USER
```

```
-----
```

```
JAVA2S
```

```
SQL>
```

Related examples in the same category

1. [Display current user](#)
2. [Get current user](#)
3. [Use current user name in where clause](#)

java2s.com | Email:info at java2s.com | © Demo Source and Support. All rights reserved.