

How are we doing? Please help us improve Stack Overflow. [Take our short survey](#)

Rounding SQL DateTime to midnight

Asked 7 years, 9 months ago Active 1 month ago Viewed 126k times



71

I am having a small problem with my SQL query. I'm using the GETDATE function, however, let's say I execute the script at 5PM, it will pull up records between 12/12/2011 5PM to 12/18/2011 5PM. How can I make it pull up records for the whole entire 12/12/2011 - 12/18/2011 basically ignore time.



My script:



9

```
WHERE Orders.OrderStatus = 'Shipped'  
AND Orders.ShipDate > (GETDATE()-6)
```

sql



sql-server

sql-server-2005

getdate

edited Dec 18 '11 at 22:37

[DaveShaw](#)

42.8k 14 94 127

asked Dec 18 '11 at 22:24

[henryaaron](#)

3,248 18 47 75

9 Answers



102

In SQL Server 2008 and newer you can cast the `DateTime` to a `Date`, which removes the time element.

```
WHERE Orders.OrderStatus = 'Shipped'  
AND Orders.ShipDate >= (cast(GETDATE()-6 as date))
```



In SQL Server 2005 and below you can use:

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

edited Nov 7 '16 at 20:08

answered Dec 18 '11 at 22:29



DaveShaw

42.8k 14 94 127

-
- 1 I got this Type date is not a defined system type. – [henryaaron](#) Dec 18 '11 at 22:31
-
- 2 I guess you're not using SQL 2008 then :) – [DaveShaw](#) Dec 18 '11 at 22:31
-
- @user1090389 that's why I put the string conversion option ;D – [Bassam Mehanni](#) Dec 18 '11 at 22:33
-
- @DaveShaw - Missing a DATEADD in there – [MatBailie](#) Dec 18 '11 at 22:38
-
- It say Incorrect Syntax near "," – [henryaaron](#) Dec 18 '11 at 22:40
-

Here is the simplest thing I've found

46

-- Midnight floor of current date

```
SELECT Convert(DateTime, DATEDIFF(DAY, 0, GETDATE()))
```

The DATEDIFF returns the integer number of days before or since 1900-1-1, and the Convert Datetime obligingly brings it back to that date at midnight.

Since DateDiff returns an integer you can use add or subtract days to get the right offset.

```
SELECT Convert(DateTime, DATEDIFF(DAY, 0, GETDATE()) + @dayOffset)
```

This isn't rounding this is truncating...But I think that is what is being asked. (To round add one and truncate...and that's not rounding either, that the ceiling, but again most likely what you want. To really round add .5 (does that work?) and truncate.

It turns out you can add .5 to GetDate() and it works as expected.

-- Round Current time to midnight today or midnight tomorrow

```
SELECT Convert(DateTime, DATEDIFF(DAY, 0, GETDATE() + .5))
```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

edited Jun 20 '12 at 23:10

answered Jun 20 '12 at 22:29



Taryn ♦

200k 47 306 366



Darrel Lee

1,593 15 18

This works in 2k5 just tested it. where [ScanDate] >= convert(datetime, datediff(day, 0, getdate())) and [ScanDate] < convert(datetime, datediff(day, -1, getdate())) – nulltron Mar 21 at 20:19

8

```
--
-- SQL DATEDIFF getting midnight time parts
--
SELECT GETDATE() AS Now,
       Convert(DateTime, DATEDIFF(DAY, 0, GETDATE())) AS MidnightToday,
       Convert(DateTime, DATEDIFF(DAY, -1, GETDATE())) AS MidnightNextDay,
       Convert(DateTime, DATEDIFF(DAY, 1, GETDATE())) AS MidnightYesterday

go
Now                MidnightToday        MidnightNextDay    MidnightYesterday
-----
8/27/2014 4:30:22 PM 8/27/2014 12:00:00 AM 8/28/2014 12:00:00 AM 8/26/2014 12:00:00 AM
```

answered Aug 27 '14 at 23:33



edvox1138

191 2 2

```
SELECT getdate()
```

4

Result: 2012-12-14 16:03:33.360

```
SELECT convert(datetime,convert(bigint, getdate()))
```

Result 2012-12-15 00:00:00.000

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).



2 Try to explain your answer and format your code. – JSuar Dec 18 '12 at 2:08

1 Thanks for the feedback. What I was trying to highlight that the convert to bigint and back does the rounding for you. – Jeremy Atkinson Dec 18 '12 at 21:50

This code rounds it up to the midnight at the end of the day if the time is after midday which causes this to be wrong for half the day. – ChrisM Jul 30 at 11:10

Using this method can cause performance impacts later with larger datasets. – PerpetualJ Aug 2 at 15:27

As @BassamMehanni mentioned, you can cast as DATE in SQL Server 2008 onwards...

3

```
SELECT
    *
FROM
    yourTable
WHERE
    dateField >= CAST(GetDate() - 6 AS DATE)
    AND dateField < CAST(GetDate() + 1 AS DATE)
```

The second condition can actually be just `GetDate()`, but I'm showing this format as an example of `Less Than DateX` to avoid having to cast the `dateField` to a `DATE` as well, thus massively improving performance.

If you're on 2005 or under, you can use this...

```
SELECT
    *
FROM
    yourTable
WHERE
    dateField >= DATEADD(DAY, DATEDIFF(DAY, 0, GetDate()) - 6, 0)
    AND dateField < DATEADD(DAY, DATEDIFF(DAY, 0, GetDate()) + 1, 0)
```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).



Try using this.

3

```
WHERE Orders.OrderStatus = 'Shipped'
AND Orders.ShipDate >= CONVERT(DATE, GETDATE())
```

edited May 7 '14 at 9:39



09stephenb

4,823 11 44 78

answered May 7 '14 at 9:19



UttamG

31 2

This might look cheap but it's working for me

1

```
SELECT CONVERT(DATETIME, LEFT(CONVERT(VARCHAR, @dateFieldOrVariable, 101), 10) + ' 00:00:00.000')
```

answered Jan 18 '17 at 16:41



Jean-Louis Gervais

16 2

I usually do

0

```
SELECT *
FROM MyTable
WHERE CONVERT(VARCHAR, MyTable.dateField, 101) = CONVERT(VARCHAR, GETDATE(), 101)
```

if you are using SQL SERVER 2008, you can do

```
SELECT *
FROM MyTable
WHERE CAST(MyTable.dateField AS DATE) = CAST(GETDATE() AS DATE)
```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

answered Dec 18 '11 at 22:28

**Bassam Mehanni****13.1k** 1 27 37

3 If you use the first example you *destory* the optimiser's ability to use indexes, etc. Using String functions to do Date arithmetic and comparisons is a very bad idea. It shouldn't ever (imo) even be mentioned, it's that poor an option. – [MatBailie](#) Dec 18 '11 at 22:30

You don't have to if you are using SQL Server 2008, otherwise, I am not sure how else you could do it in SQL Server 2000/2005, an example would be appreciated, thanks. – [Bassam Mehanni](#) Dec 18 '11 at 22:32

@Dems Yes an example would be appreciated... – [henryaaron](#) Dec 18 '11 at 22:33

To be fair. Both options destroy the optimizer's ability to use indexes. You should perform and functionality on the filter predicate column. This includes casts. – [pim](#) May 31 '17 at 17:12



You could round down the time.

0

Using `ROUND` below will round it down to midnight.



```
WHERE Orders.OrderStatus = 'Shipped'  
AND Orders.ShipDate > CONVERT(datetime, (ROUND(convert(float, getdate()-6.5),0)))
```

edited Jul 30 at 11:07

answered Jul 30 at 11:00

**ChrisM****305** 2 12