


Worksheet


JANUARY 14, 2013 - 3 MINS READ

The Worksheet in Oracle SQL Developer is your primary interface for writing and running your SQL and PL/SQL code. As you can imagine, I've already written quite a bit about how the worksheet 'works'.

Today I want to spend just a few moments explaining the two different buttons for launching a new worksheet. With a worksheet open and active, you'll see the following two buttons on two different toolbars:








Open a new worksheet – you specify the connection.

If you just click the button, SQL Developer will prompt you to 'Select a connection.' The worksheet will then open with said connection established. The drop-down attached to the button allows you to specify the connection as you click, so it's one less step.

Worksheet Toolbar New Worksheet Button



Unshared? What is that again?

Clicking this button will indeed open a new worksheet connected to the same database the current worksheet is using. So yeah, it's a 'faster click' than the previous method, but the underlying mechanics are much different.






Note the worksheet label!


This new worksheet will have a new dedicated connection. As I've talked about before, if you have a long running query holding you up, you can always open an unshared worksheet to continue working on that database.

The unshared worksheet creates a new dedicated session which is not 'shared' by the rest of SQL Developer. Or in simpler terms, you would have two worksheets open to the database WITH two separate database connections. So if I were to update/insert/delete a row in the unshared worksheet, those changes wouldn't be observed in the rest of SQL Developer until I issued a COMMIT from the unshared worksheet.


My kids already get this as I've been reading them this book for years:







Disable this under Tools - Preferences - Database - Worksheet





I'm a Senior Principal Product Manager at Oracle for Oracle SQL Developer. My mission is to help you and your company be more efficient with our database tools.



PREV POST

Exporting Table Column Comments to Excelusing Oracle SQL Developer Data Modeler

- 3 MINS READ



NEXT POST

Preserving Privilege Grants Whilst Editing
Views in Oracle SQL Developer

- 4 MINS READ

Related Posts



p/*varchar2*/.p_employee_id=>p
/*varchar2*/.p_employee_id=>p/

Code Completion for your PL/SQL

MARCH 4, 2019

SQL Developer & the PL/SQL Hierarchical Profiler

FEBRUARY 23, 2019



Generating User DDL in SQLcl

FEBRUARY 18, 2019

Video: PL/SQL Debugger Demo

FEBRUARY 11, 2019

19.X SQLcl Teaser: LIQUIBASE

JANUARY 31, 2019



Data Pump your Data to the Oracle Autonomous Database

JANUARY 24, 2019

6 Comments

Achim • REPLY



Hi Jeff,

8 MONTHS AGO

I have a startup script which runs when opening a new worksheet. The dbms_output is generated

into the message-log sheet.

Is it possible to get the dbms_message from the startup script into the script output pane of the new worksheet.

Kind Regards, Achim.



https://docs.oracle.com/cd/E11882_01/network.112/e41945/concepts.htm#NET AG002

thatjeffsmith POST AUTHOR



3 YEARS AGO

we create an additional connection that is setup such that nothing else in the tool (save that new worksheet) can use it





6 YEARS AGO

THX For clear explanation. I wonder why it isn't possible to open an unshared connection from another unshred connection? What is the thinking behind this decision?

thatjeffsmith POST AUTHOR



6 YEARS AGO

I don't know. I'm sure there's thinking behind the decision though ${\color{blue} oldsymbol{arphi}}$

The developer says the connection credentials remain with the original worksheet, so it's much less complicated to only support launching an unshared worksheet from there.



Write A Comment

Name	Email	Website
Enter your comment here		
		//
Save my name, email, and website in this browser for the next time I comment.		
POST COMMENT		
Check the box to prove you're a	real person	
If A New Comment Is Posted:		
Do Not Send Email Notifications	5.	▼



Top 10 Preferences to Tweak when using SQL Developer
Resetting Your Oracle User Password with SQL Developer
Keyboard Shortcuts in Oracle SQL Developer
Enabling DBMS_OUTPUT by default in SQL Developer
How To: Generate an ERD for Selected Tables in SQL Developer
Oracle SQL Developer 4.0 Is Finally Here

Subscribe - Posts Emailed To You!

Your Email SUBSCRIBE ME!

Mostly Making Oracle Easy, Mostly



Privacy Policy



© JEFF SMITH AND THATJEFFSMITH, 2019

^ TOP