Multiline editing in VSCode



Is it possible to enable multiline editing like in Sublimetext?

393

Eg. press Ctrl to place additional cursor carets and being able to write/delete on multiple places in the document at one time.



visual-studio-code



122



asked May 4 '15 at 18:55



2 In many mac apps (e.g. TextEdit) I can also Option-drag the mouse to select a box. Is this available in VS Code? – Simon Woodside Apr 5 '17 at 4:15

Related post here. – RBT Oct 21 '17 at 3:00

2 From April 2018 (version 1.23), we can use middle mouse button to select multiple columns. code.visualstudio.com/updates/... – blueray May 28 '18 at 3:19

For anyone looking for the name of this command in the keyboard shortcuts section, it's: editor.action.insertCursorAtEndOfEachLineSelected — enzoborgfrantz May 13 at 10:54 /

20 Answers



On Windows, you hold [Ctrl] + [Alt] while pressing the up $[\]$ or down $[\]$ arrow keys to add cursors. On Mac and Linux, the equivalents are $[\]$ [Cmd] + $[\]$ [Cmd] + $[\]$ [Alt] + $[\]$ $[\]$ $[\]$ $[\]$ $[\]$ respectively.

768




Note that third party software may interfere with these shortcuts, preventing them from working as intended (particularly Intel's HD Graphics software on Windows: see comments for more details).

Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up

OR SIGN IN WITH





Or, as Isidor Nikolic points out, you can hold Alt and left click to place cursors arbitrarily.

Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up

OR SIGN IN WITH



You can view and edit keyboard shortcuts via:

 $File \rightarrow Preferences \rightarrow Keyboard Shortcuts$

Documentation:

https://code.visualstudio.com/docs/customization/keybindings

Official VSCode Keyboard shortcut cheatsheets:

https://code.visualstudio.com/shortcuts/keyboard-shortcuts-windows.pdf https://code.visualstudio.com/shortcuts/keyboard-shortcuts-macos.pdf https://code.visualstudio.com/shortcuts/keyboard-shortcuts-linux.pdf

edited Sep 6 '18 at 1:31

answered May 4 '15 at 21:05



125 On windows, the first option just flips my screen. :-/ - Kristoffer la Cour Apr 14 '16 at 7:20

Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up

OR SIGN IN WITH



ordate a new eareer. The passioned set of respective energiates of that be eater adde. Then of the Entire at 10.07

@AlexC the shortcuts are **not** out of date; download the latest build and look at the configuration yourself. If you're finding that the shortcuts listed are flipping your screen, I'd wager it's because you have an Intel GPU and are running the Intel software for it which intercepts these shortcuts by default. Open the HD Graphics software and disable or rebind hotkeys if it bothers you, but do not edit my post to add incorrect information. The shortcuts listed are accurate, and I am not going to list every piece of 3rd party software that may or may not interfere with them. – Nacimota Feb 25 '17 at 8:26



Solved using just two steps!

97

1. Ctrl + F



2. Alt + Enter

it's equal to sublime text Alt + F3

Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up





edited Nov 8 '17 at 18:01

Jon
5 183 5 33 52

answered Jul 24 '17 at 9:52 user8202629

- 13 The same effect gives you hitting ctrl+F2 ksopyla Nov 2 '17 at 10:49
- Can we select all lines at a time containing that keyword? Sublime text had it Ctrl + F > Alt + F3 > Ctrl + L Anirban Feb 27 '18 at 21:21

Very useful, thank you – Jeff S. Jun 17 at 9:10

Join Stack Overflow to learn, share knowledge, and build your career.


Email Sign Up

OR SIGN IN WITH



1,204 | |/





4 Question is, how to edit its Key Binding (What is Alt + Click 's name?) - David Refoua May 15 '17 at 22:06 /



Box Selecting

48

Windows: shift + alt + Mouse Left Button



macOS: shift + option + Click

Contrary as mentioned here https://stackoverflow.com/questions/30384442/does-visual-studio-code-have-box-select-multi-line-edit/36650448

edited May 23 '17 at 12:34



answered Jan 17 '17 at 17:26 user4023394



use CTRL+D to use multi word edit of same words in windows and linux, use CMD + D for Mac.

19

edited Nov 19 '18 at 17:53

answered Jan 30 '18 at 5:39



Krishnaraj R 405 3 8

Command + D on mac :smile: - Sandip Subedi Nov 15 '18 at 21:59

As @Krishnaraj said, Ctrl + D work. Actually both VSCode and Sublime support this. Make sure apply Ctrl + D on all later occurrence without releasing ctrl. Yeah, you still need manually select, it just help you free your mouse. MacOS Command + D – Oscar Zhang Apr 24 at 2:39

Join Stack Overflow to learn, share knowledge, and build your career.

OR SIGN IN WITH

Email Sign Up



P.S. Modifier "follow link" from this moment will be alt

edited Jul 6 '17 at 7:15

Yan Foto



6,814 3 35 62

answered Jun 9 '17 at 6:36



16k 5 53 69



On Mac it is:

16

option + command while pressing the up ↑ or down ↓ arrow keys



answered Aug 5 '16 at 9:34



kiewic

10.7k 10 61 78



(Windows 10 pro x64) Here have some ways!

12



3. keybindings : ctrl + click (??? it doesn't work!)

Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up



G Google

```
"when": "editorHasDocumentFormattingProvider &&
       { "key": "ctrl+k ctrl+f",
                                           "command": "editor.action.formatSelection",
                                                                                                            "key": "shift+ctrl+/",
                                                     "editorHasDocumentFormattingProvider &&
                                                                                                            "command": "editor.action.blockComment",
       { "key": "f12",
                                                     "editor.action.goToDeclaration",
                                                                                                            "when": "editorTextFocus && !editorReadonly"
                                                     "editorHasDefinitionProvider && editorTe:
                                          "command": "editor.action.inPlaceReplace.down",
       { "key": "ctrl+shift+.",
                                             "when": "editorTextFocus && !editorReadonly"
                                                                                                            "key": "ctrl+alt+up",
                                          "command": "editor.action.inPlaceReplace.up",
       { "key": "ctrl+shift+,",
                                                                                                            "command": "editor.action.insertCursorAbove",
                                             "when": "editorTextFocus && !editorReadonly" },
                                                                                                            "when": "editorTextFocus"
       { "key": "ctrl+]",
                                          "command": "editor.action.indentLines",
                                             "when": "editorTextFocus && !editorReadonly" }
         "key": "ctrl+alt+up",
                                           "command": "editor.action.insertCursorAbove",
                                                                                                            "key": "shift+alt+i",
                                              "when": "editorTextFocus" },
                                                                                                            "command": "editor.action.insertCursorAtEndOfEachLineSelected"
                                          "command": "editor.action.insertCursorAtEndOfEachling
         "key": "shift+alt+i",
                                                                                                            "when": "editorTextFocus"
                                              "when": "editorTextFocus" },
                                                                                                        ),
         "key": "ctrl+alt+down",
                                          "command": "editor.action.insertCursorBelow",
                                             "when": "editorTextFocus" },
       { "key": "ctrl+enter",
                                          "command": "editor.action.insertLineAfter",
                                                                                                            "key": "ctrl+alt+down",
                                             "when": "editorTextFocus && !editorReadonly" }
                                                                                                            "command": "editor.action.insertCursorBelow",
                                                                                                            "when": "editorTextFocus"
       { "key": "ctrl+shift+enter",
                                          "command": "editor.action.insertLineBefore",
                                             "when": "editorTextFocus && !editorReadonly" },
                                          "command": "editor.action.jumpToBracket",
       { "key": "ctrl+shift+\\",
                                             "when": "editorTextFocus" },
                                          "command": "editor.action.marker.next",
                                             "when": "editorFocus && !editorReadonly" },
       { "key": "shift+f8",
                                          "command": "editor.action.marker.prev",
                                                                                                                                               Define Keybinding (Ctrl+K Ctrl+K)
                                             "when": "editorFocus && !editorReadonly" },
                                           "command": "editor.action.moveLinesDownAction",
ages* C Ø1A0
                                                                                                                                       Ln 17, Col 6 Spaces: 4 UTF-8 LF JSON
```

edited Dec 4 '16 at 22:30

answered Dec 4 '16 at 22:25



marketplace.visualstudio.com/... - xggfrms Dec 4 '16 at 22:25

meta.stackexchange.com/questions/1777/... – xgqfrms Dec 4 '16 at 22:29



I wanted to select multiple line and hit "something" to have a cursor for each select lines (similar to Ctrl - Shift - L in Sublime Text). This action in VS Code is called "Add Cursors to Line Ends".

Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up or sign in with



2. Simply hit Alt - Shift - I

You now have one cursor per selected line.

edited Dec 27 '18 at 1:11



answered Apr 18 '18 at 13:40



Maxime

5.725 2

Didnt work for me: (- Manza Jun 20 '18 at 23:33

@Manza In VS Code, you it's ALT-SHIFT-I (like i not L). The font doesn't help to see correctly. I use this command multiple times per day on both Mac and Windows and just tested once again with the latest version of VS Code: 1.24.1 and I assure you it works. Maybe you have a plugin causing conflict? - Maxime Jun 21 '18 at 12:37

wow yeah, that do the trick, thank you so much, i was still flipping between sublime becaase of this feature, is the soooo handy - Manza Jun 22 '18 at 1:32 🧪

for me it's CTRL-SHIFT-L (windows) – specimen Jan 3 at 14:04



I am using the vscodevim extension, so I'm not sure if this is a common problem. But, I was having the issue where Ctrl+Alt+UpArrow flipped my screen upside down.



Looking at the VSCode Basics (ldk if they changed this in a recent update), it says to use:



Hope this helps!

edited Feb 28 '18 at 11:26



Lves CHIOUKH

answered Feb 17 '17 at 17:24



Andrew

Ctrl + Alt + [Arrow Key] is a common keyboard shortcut for screen rotation, certainly with Intel graphics drivers and / or associated software. I imagine it

Join Stack Overflow to learn, share knowledge, and build your career.

OR SIGN IN WITH

Email Sign Up





As of April 2018 (version 1.23) you can now also use the middle mouse button to multiline select / box select.

8



edited Feb 14 at 2:19 Gama11

14.3k 6

answered May 8 '18 at 16:09



Thanks for that, it is a time save are there an option for key board? like highlight and then ctrl + I in sublime? – Manza Jun 20 '18 at 23:32

That's a slightly different feature, but you're probably looking for ctrl+ i. code.visualstudio.com/docs/getstarted/keybindings – Jemmeh Jun 21 '18 at 20:56



Step 1:

Select the word to be replaced 5



Step 2:

this will select it's multiple occurrences Ctrl +

Step 3:

this will set cursor at all the found occurrences Alt

Step 4:

Just start typing the new word

answered Jul 19 '18 at 15:49

Join Stack Overflow to learn, share knowledge, and build your career.

OR SIGN IN WITH

Email Sign Up



G Google



1 @Andres Thanks! This did solve my issue at Windows, the other solutions flip my screen. – Tarik Hacialiogullari Nov 30 '18 at 4:05 🖍



I think it depends on your VSCODE version.



Mine is Linux version vscode 1.7.2



The point is the shortcuts are not same in all machines, so you should check your configuration. Go to menu:

File → Preferences → Keyboard Shortcuts

Search for editor.action.insertCursorAbove and editor.action.insertCursorBelow and see your current configurations. You may change them if they conflict with operating system's shortcut keys.

answered Dec 9 '16 at 4:40



Han

2.**520** 2 16 31

Adding the SHIFT + ALT + UP/DOWN to my user settings worked on Windows 10 - SteveC Feb 4 at 9:47



In the latest release of VS Code, you can now drag the cursor while holding Option (Alt on Windows) to select the same column on

Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up



G Google

From the VS Code Release Notes 1.32.0:

In the following video, the selection begins as a regular selection and then Alt is pressed and held until the mouse button is released:

```
302
          define(KeyCode{.F1, 'F1');
303
          define(KeyCodes.F2, 'F2');
304
          define(KeyCodes.F3, 'F3');
305
          define(KeyCodes.F4, 'F4');
306
          define(KeyCodes.F5, 'F5');
307
          define(KeyCodes.F6, 'F6');
308
          define(KeyCodes.F7, 'F7');
309
          define(KeyCodes.F8, 'F8');
310
          define(KeyCodes.F9, 'F9');
311
          define(KeyCodes.F10, 'F10');
312
          define(KeyCodes.F11, 'F11');
313
314
          define(KeyCodes.F12, 'F12');
315
          define(KeyCodes.F13, 'F13');
          define(KeyCodes.F14, 'F14');
316
          define(KeyCodes.F15, 'F15');
317
          define(KeyCodes.F16, 'F16');
318
          define(KeyCodes.F17, 'F17');
319
          define(KeyCodes.F18, 'F18');
320
321
          define(KeyCodes.F19, 'F19');
322
```

answered Mar 13 at 20:48



Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up

OR SIGN IN WITH





edited Mar 13 at 20:50



TylerH **16.3k** 10 71 answered Sep 12 '18 at 19:57 Dnyneshwar



If you'r using Linux, there's a possibility of a conflict with Alt + Click, which is the default for "moving window".



You can go to Settings > window behavior > window behavior > actions tab



Just remove Alt + left (hold) and it will work).

This is the best way, because you don't need to hold two + keys to do such a simple task.

answered Jan 4 '18 at 12:19 Marcelo Agimóvel **726** 1 8 17



In vs code just press alt and move your cursor to edit place.





edited Mar 9 '18 at 7:08 DingLi

answered Mar 8 '18 at 11:06



Robin **660** 4 15

2 This answer seems incomplete – Spangen Mar 8 '18 at 11:15



My settings: Windows 8.1 64bits, VSCode Version 1.33.1



Problem: Conflict with keyboard shortcuts of Intel HD Graphics 4000

Join Stack Overflow to learn, share knowledge, and build your career.

OR SIGN IN WITH

Email Sign Up



Google



answered May 4 at 13:41



In Windows 7 you can right click the desktop, select graphics options -> hotkeys -> disable. - Moritz Roessler May 18 at 14:11



I am using sublime keymap and the keybinding provided by the top answer did not seem to work :(Could be some conflicts between VS code and sublime keymaps.



The keybinding recommended by <a><u>@Han</u> works for me (much appreciated!):



- Enter multiline cursor mode with Ctrl + Shift + Up / Down
- Exit with Esc

[Sidenote] Below is a small example of using <u>Emmet</u> together with the multiline cursor(enabled and disabled with these key bindings listed above):

Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up





```
<div class="item item2">Item 02</div>
    <div class="item item3">Item 03</div>
    <div class="item item4">Item 04/div>
  </div>
  <style>
    .container {
     display: grid;
     grid-gap: 20px;
      border: 10px solid var(--yellow);
      grid-template-columns: repeat(auto-fill, 150px);
  </style>
</body>
</html>
```

edited Dec 25 '18 at 20:36

answered Dec 25 '18 at 18:46



Join Stack Overflow to learn, share knowledge, and build your career.

Email Sign Up OR SIGN IN WITH G Google Facebook





protected by eyllanesc Jun 21 '18 at 20:00

Thank you for your interest in this question. Because it has attracted low-quality or spam answers that had to be removed, posting an answer now requires 10 reputation on this site (the association bonus does not count).

Would you like to answer one of these unanswered questions instead?

Join Stack Overflow to learn, share knowledge, and build your career.

OR SIGN IN WITH

Email Sign Up



