Podcast: We chat with Major League Hacking about all-nighters, cup stacking, and therapy dogs. Listen now.

## What is the shortcut to skip all break-points in VS?

Asked 10 years ago Active 2 years, 6 months ago Viewed 25k times



When I am at a breakpoint and if I want to ignore all the rest of breakpoints and move on, what shortcut should I use?



visual-studio breakpoints shortcut ignore





edited Jun 17 '17 at 12:09

Archmede

906 1 8 25

asked Dec 2 '09 at 16:01

pencilCake
40.2k 64 191

2 Really good question but I can't see a single answer that really answers the question, i.e. skipping all breakpoints, **not** disabling them. – Andreas Mar 28 '18 at 6:17

@mrt I agree. Place to vote: visualstudio.uservoice.com/forums/121579-visual-studio-ide/... - nawfal May 17 '18 at 5:10

## 6 Answers



You can select "Disable All Breakpoints" from the Debug menu.

67

This and then continue with F5.



You could set this up as a keyboard shortcut under *Tools/Options/Keyboard*.



edited Apr 23 '14 at 21:22



7 34

answered Dec 2 '09 at 16:11



Matt 3,187

**7** 3 24

thanks! It was useful and quick to implement. You can also assign a shortcut for "Enable All Breakpoints" I have used CTRL + 7 for disabling and CTRL + 8 for enabling. Most of the shortcuts are reserved already. – pencilCake Dec 3 '09 at 9:29

4 You need to set Debug.DisableAllBreakpoints or Debug.EnableAllBreakpoints - Rohit Jul 25 '11 at 8:41

In Visual Studio 2012 it's slightly different. You can set up your own breakpoints by going to Tools -> Options -> Environment -> Keyboard. – bstrong Mar 10 '15 at 18:35

1 If you have Resharper and struggled to find 2 free shortcut keys for Disable/Enable All Breakpoints, I've used [[ Ctrl + Shift + ` ]] for Disable , [[ Ctrl + Alt + ` ]] for Enable – Francis Aug 16 '16 at 17:47 /



Well, you can:

13

- 1. **delete** all breakpoints using Ctrl + Shift + F9
- 2. **disable** all breakpoints from the ->Debug menu.

Disabling breakpoints does not have a shortcut defined, but you define your own in ->Tools->Options menu under Environment->Keyboard. Also Shift + F5 stops debugging altogether.

edited Apr 23 '14 at 21:22



xav

**240** 7 34

answered Dec 2 '09 at 16:07



Klaus Byskov Pedersen 93.5k 23 167 214



Ctrl + Shift + F9 will delete them all.

To disable all breakpoints - either you do it from the menu - or you go to option -> environment -> keyboard, and create a shortcut there.



edited May 11 '14 at 21:22



xav

**40** 7 34 5

answered Dec 2 '09 at 16:08



Dani

**6k** 11 5





Enabled / Disabled just one break point at a time with Ctrl + F9.

4

Though the cursor has to be on the given line of code.



edited Jun 20 '17 at 9:34



answered Apr 30 '13 at 9:49





By default there is no option available to Disable/Enable all breakpoints, so you need to add it. Steps to add Disable/Enable breakpoints are as :-

- 0
- 1) Under Tools tab select Customize.
- 2) Then under Commands tab, you would find 3 options(drop-downs) Menu bar, Toolbar and Context menu.
- 3) So under Menu bar drop-down, scroll down and select option Debug.
- 4) And now under **Controls** section, select the command you need to add i.e here you would select command **Enable All Breakpoints/Disable All Breakpoints** and click **Add Command**.
- 5) Close this pop-up and boom, now you would find this option under **Debug** section of the main console.

No need to thank, just an upvote would work..!! :P :P






Shortcut to delete all break-points: CTRL + SHIFT + F9







edited Apr 23 '14 at 21:27



**,240** 7 34 5

answered May 7 '13 at 9:54

Amar HR

What do you mean? The short cut which I am suggesting is not correct for deleting breakpoints? - Amar HR Jul 12 '13 at 6:04 🎤

Sorry, I meant The OP asked., how could he disable all break points. (Not to delete all break points). - Muthu Ganapathy Nathan Jul 12 '13 at 6:08

i.e Disable/Skip, so that he could add it later - Muthu Ganapathy Nathan Jul 12 '13 at 6:09

