

The results are in! See what nearly 90,000 developers picked as their most loved, dreaded, and desired coding languages and more in the 2019 Developer Survey.

Method to Find GridView Column Index by Name

[Ask Question](#)

20

I'm trying to write a small method to loop through and find a `GridView` Column by its Index, since it can change position based on what might be visible.



Here is what I have so far:



7

```
private int GetColumnIndexByName(GridView grid, string name)
{
    foreach (DataColumn col in grid.Columns)
    {
        if (col.ColumnName.ToLower().Trim() == name.ToLower().Trim()) return
col.Ordinal;
    }

    return -1;
}
```

In this case, `DataColumn` doesn't appear to be the right type to use, but I'm kind of lost as to what I should be doing here.

I can only use .NET 2.0 / 3.5. I can't use 4.0.

[c#](#)[asp.net](#)

edited Mar 29 '16 at 11:23



Maroun

74.8k

19

146

207

asked Oct 13 '10 at 15:13



Delebrin

764 3 9 19

7 Answers



Here's a VB version

0



```
Protected Function GetColumnIndexByHeaderText(grid As GridView, findHeader As String) As Integer
    Dim i As Integer = 0
    For i = 0 To grid.Columns.Count - 1
        If grid.Columns(i).HeaderText.ToLower().Trim() = findHeader Then
            Return i
        End If
    Next

    Return -1
End Function
```

answered Dec 16 '18 at 16:27



Eric Barr

2,508 1 21 36



In case if you need a column itself and not just its index you can use some Linq magic:

0



```
DataControlField col=GridView1.Columns.Cast<DataControlField>().FirstOrDefault(c => c.HeaderText == "Column_header")
```

answered Mar 16 '18 at 11:44

montonero



632 3 9



0



```
//Get index of column by header text.
int GetColumnIndexByName(GridViewRow row, string headerText)
{
    int columnIndex = 0;
    foreach (DataControlFieldCell cell in row.Cells)
    {
        if (cell.ContainingField is TemplateField) {
            if (((TemplateField)cell.ContainingField).HeaderText.Equals(headerText))
            {
                break;
            }
        }
        if (cell.ContainingField is BoundField) {
            if (((BoundField)cell.ContainingField).HeaderText.Equals(headerText))
            {
                break;
            }
        }
        columnIndex++;
    }

    return columnIndex;
}
```

answered Jun 19 '17 at 11:21



shefter

1

Home

PUBLIC



I figured it out, I needed to be using `DataControlField` and slightly different syntax.



The working version:



```
private int GetColumnIndexByName(GridView grid, string name)
{
    foreach (DataControlField col in grid.Columns)
    {
        if (col.HeaderText.ToLower().Trim() == name.ToLower().Tr
        {
            return grid.Columns.IndexOf(col);
        }
    }

    return -1;
}
```

edited Mar 29 '16 at 11:23



Maroun

74.8k 19 146 207

answered Oct 13 '10 at 15:30



Delebrin

764 3 9 19



This way, works for me (.NET Gridview):

0



```
private int GetColumnIndexByName(GridView grid, string name)
{
    for (int i = 0; i < grid.HeaderRow.Cells.Count; i++)
    {
        if (grid.HeaderRow.Cells[i].Text.ToLower().Trim() == name
        {
            return i;
        }
    }

    return -1;
}
```

answered Oct 9 '14 at 12:21



Marcos Paulo Soares

9 1

It would appear that `HeaderRow` isn't initialised until after data is bound. – [Matt](#) Jun 12 '16 at 23:41

Correction: until after `DataSource` is set. – [Matt](#) Jun 13 '16 at 0:09



Better solution which works for `DataField`, `SortExpression` and `headerText`.

2



```
public static int GetBoundFieldIndexByName(this GridView gv, string name)
{
    int index = 0;
    bool found = false;
    foreach (DataControlField c in gv.Columns)
    {
        if (c is BoundField)
        {
            BoundField field = (BoundField)c;
            if (name == field.DataField ||
                name == field.SortExpression ||
                name == field.HeaderText)
            {
                found = true;
                break;
            }
        }
        index++;
    }
    return found ? index : -1;
}
```

answered Oct 7 '14 at 13:04



Hiren Shah

21 1



17

I prefer collection iteration but why bother with the overhead of `foreach` and `grid.Columns.IndexOf` call in this case? Just iterate through array with an index.



```
private int GetColumnIndexByName(GridView grid, string name)
{
    for(int i = 0; i < grid.Columns.Count; i++)
    {
        if (grid.Columns[i].HeaderText.ToLower().Trim() == name.ToLo
        {
            return i;
        }
    }

    return -1;
}
```

edited Dec 12 '12 at 10:47



[Răzvan Flavius Panda](#)

16.4k 12 87 139

answered Aug 27 '12 at 18:29



[David Sopko](#)

2,297 22 27