

The results are in! See what nearly 90,000 developers picked as their most loved, dreaded, and desired coding languages and more in the 2019 Developer Survey.

pass parameter into a function with asp:Button

[Ask Question](#)

I'm trying to pass a parameter into a function `onClick` of an `asp:Button`

6



```
<asp:Button name='ProductID' onclick="confirm_product_Click" ID="confirmitem"
runat="server" Text="accept">
```



the parameter is `<%=product.ProductId %>` .

1

I cant use `CommandArguments` because the value is passed like plain text.

I tried with hidden input but it failed.

I also tried using form action:

```
<form method="post" action="?ProductID=<%=product.ProductId %>">
<asp:Button name='ProductID' onclick="confirm_product_Click" ID="confirmitem"
runat="server" Text="accept">
</form>
```

but it doesn't send the value to the function. Can someone help me solve this problem?

[asp.net](#)[forms](#)[aspbutton](#)

edited May 26 '15 at 16:01

[rogerdeuce](#)

[Home](#)[PUBLIC](#)[Stack Overflow](#)[Tags](#)[Users](#)[Jobs](#)**Teams**

Q&A for work

[Learn More](#)

1,266 6 23 32

asked May 26 '15 at 14:13

[Yanay Hollander](#)

68 1 1 10

1 Answer



in your aspx

12



```
<asp:Button ID="test" runat="server" CommandArgument='<%#Eval("prod'
CommandName="ThisBtnClick" OnClick="MyBtnHandler" />
```



in code behind

```
void MyBtnHandler(Object sender, EventArgs e)
{
    Button btn = (Button)sender;
    switch (btn.CommandName)
    {
        case "ThisBtnClick":
            DoWhatever(btn.CommandArgument.ToString());
            break;
        case "ThatBtnClick":
            DoSomethingElse(btn.CommandArgument.ToString());
            break;
    }
}
```

edited May 30 '18 at 17:56

[kristech](#)

270 2 10

answered May 26 '15 at 15:53

[Zohaib Waqar](#)



869 7 17

zohaib thank you for your time. but its still doesnt work, the CommandArgument is empty: "". – [Yanay Hollander](#) May 26 '15 at 18:18

1 if product id is in int then parse it.. int.parse (btn.CommandArgument.ToString()) if still not work try this also try this <%=Eval("product.ProductId")%> – [Zohaib Waqar](#) May 27 '15 at 15:14
