Make your voice heard. Take the 2019 Developer Survey now

Where does Windows store its "Open With" settings?

Ask Question



I'm trying to programmatically check file associations by the file extension (for example .jnlp files). I keep reading that



27


 $\label{thm:local_machine} \begin{tabular}{l} HKEY_LOCAL_MACHINE\SOFTWARE\Classes\JNLPFile\Shell\Open\Command\\ \end{tabular}$



is the Registry key to check. However, if you change the association through Windows Explorer:

Open With > Choose Program > (Always use the selected program)

the change isn't at all reflected in this Registry key. Where else is this information stored?



edited Dec 1 '16 at 16:28

DavidRR

9,380 11 61 131

asked Oct 13 '10 at 14:27



152 1 2

3 Answers



Take a look in:

24

HKEY_CURRENT_USER\Software\Microsoft\



and the sub-key of that is the extension you reassigned. Under that there will be the UserChoice and



OpenWithList sub-keys which will contain your redefinition.

You may also want to read http://support.microsoft.com/kb/9505
05 which talks about your issue.

edited Jun 27 '13 at 13:34

answered Oct 13 '10 at 14:35





This is a two-part look-up.



First, you look up the default value of HKEY_CLASSES_ROOT\
[file_extension]. For your extensions, .jnlp, the value is "JNLPFile". Let's call this the [file_descriptor].

Now you can look up the default value of HKEY_CLASSES_ROOT\
[file_descriptor]\Shell\
[action]\command (where [action] is the shell action you are interested in, e.g.: Open, Print, Edit, etc.).

edited May 15 '14 at 22:04



answered Oct 13 '10 at 14:38





On:



HKEY_CURRENT_USER\Software\Microsoft\v



Tip: Edit>Find is pretty handy at these situations. :)

edited Oct 13 '10 at 14:39

answered Oct 13 '10 at 14:32

Ruel

