

Super User is a question and answer site for computer enthusiasts and power users. Join them; it only takes a minute:

[Sign up](#)

Here's how it works:

Anybody can ask a question

Anybody can answer

The best answers are voted up  
and rise to the top



## Keyboard shortcut to minimize Remote Desktop

[Ask Question](#)



112

Is there a way, using the keyboard, to switch from a maximized (full screen) Remote Desktop Connection back to the main computer?



I have about 4 Remote Desktop connections that I am switching between and it would be nice to not have to go to the mouse each time I want to switch.



28

I know I can press `Ctrl + Alt + Break` and that normalizes the remote desktop screen. That is close, but I would like a

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

[windows-7](#)[keyboard-shortcuts](#)[remote-desktop](#)

edited Jun 12 '13 at 16:49

[poq david](#)**396** 1 4 17

asked Nov 5 '10 at 15:39

[Vaccano](#)**3,057** 19 52 68

## 13 Answers

**69**

**CTRL** + **ALT** + **BREAK** will minimize the maximized window to the host PC.

answered May 4 '12 at 13:26

[Gustav Westling](#)**814** 7 4

- 
- 5 For me that just "Normalizes" it. But that is good enough. (Alt + Tab can then be used.) – [Vaccano](#) May 4 '12 at 15:52
- 
- 7 For me, a second ctrl-alt-break will re-maximize the window. – [Ben Mosher](#) Nov 13 '12 at 19:05
- 
- 1 CTRL + ALT + PAUSE also works if you don't have the BREAK key or if have to type FN to reach BREAK. – [hobbes3](#) Feb 4 '14 at 16:00
- 
- 1 ctrl + alt + pause doesn't work with MS sculpt keyboard (Windows 8). – [Sridhar Ratnakumar](#) Jun 18 '14 at 2:15
-

42

machine (at least in Win 8). **Ctrl** + **Alt** + **Home** then **Win** will open the windows menu on your local machine.

With virtual machine use, I often have multiple RDP sessions open, and switch by **Ctrl** + **Alt** + **Home** then **Win** + **T** then arrow keys to pick the RDP session I want to be in.

edited Jun 25 '13 at 11:34



AvID

306 3 6 27

answered Jun 7 '13 at 15:37



Guest

421 4 2

After pressing Ctrl + Alt + Home, in Windows 10, I can use Alt + Tab in local machines – [Harun](#) Jul 11 '18 at 6:47

19

This bugged me for the longest time as well.

Initial attempts to solve it with AutoHotkey failed, because the Remote Desktop client installs a keyboard hook and swallows all input.

I finally discovered that the **Caps Lock** key gets passed through to the local system.

So, this AutoHotkey script will do the trick, making **Ctrl** + **Shift** + **CapsLock** minimize Remote Desktop:

```
#IfWinActive ahk_class TscShellContainerClass
^+CapsLock::
    ; Need a short sleep here for focus to restore properly
    Sleep 50
```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

Home

Questions

Tags

Users

Unanswered

```
return  
#IfWinActive
```

Corrected version that works for me:

```
#IfWinActive ahk_class TSSHELLWND  
^Capslock::          ; Ctrl+Caps Lock (couldn't make Ct  
some reason  
    ; Need a short sleep here for focus to restore properl  
    Sleep 50  
    WinMinimize A      ; need A to specify Active window  
    ;MsgBox, Received Remote Desktop minimize hotkey      ;  
return  
#IfWinActive
```

edited Jun 12 '13 at 16:41



poq david

396 1 4 17

answered Jul 3 '11 at 18:04



Russell Davis

1,099 8 14

---

Same issue as dnk.nitro on Win7 64-Bit. Upon changing the ahk\_class Ctrl+Shift+CapsLock works for me. – [koushik](#) Jun 4 '14 at 9:59

---

This did not work for me under Windows 10 because of #IfWinActive did not detect the remote desktop. I used the spy to try several different detection methods. So I removed the #IfWinActive line and it works! Of course, it now minimizes all apps, not just remote desktop, but i can live with that. – [Knox](#) Oct 27 '17 at 17:27

---




For me on Windows 10 I had to change IfWinActive to #IfWinActive Remote Desktop Connection ahk\_class TscShellContainerClass and put SetTitleMatchMode, 2 at beginning so it checks if window title contains "Remote Desktop Connection" text – [CichyK24](#) May 24 '18 at 13:14 ✎



By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).





10

It is possible to use that normal, comfortable keyboard shortcut to get out of a full screen Remote Desktop, but requires a slightly different setup before connecting. Instead of minimizing the remote system, I just switch to another local program and leave the remote system in the background with the following:

1. Before connecting to the remote machine with Remote Desktop Connection, on the "Local Resources" tab, I set "Keyboard" to "On this computer". This allows using  to get you back to any other program on the local system.
2. When I want to switch between programs on the remote system, I use , which works just like  would, but only on the remote system.

In addition, you can use  (or ) to cycle through the active programs on the remote system in reverse.

One caveat [Luc](#) mentioned should be pointed out: using this setup, all keyboard shortcuts using the  are sent to the local system. An example would be  to open Windows Explorer, which will get you to the local file system, not the remote one.

It took a short amount of time to get used to, but this setup has worked well for me without the need for additional software or more than one shortcut.

edited Mar 20 '17 at 10:16



Community ♦

1



kevinmicke

585 3 8 20

Very good to know this, though it doesn't direct all other input to the remote machine. Using windowskey+E for example is performed locally. +1 anyway. – Luc Mar 27 '13 at 8:29

@Luc - That is a side effect I should have mentioned - I'll add that to the answer. It can be helpful or frustrating always having the Windows Key local depending on what you want at the moment. Thanks. – kevinmicke Mar 27 '13 at 15:35

This is exactly what I'd want, but I'm not sure how to configure it. Here there's a link in browser that opens the client so it's impossible configure anything before that. And just opening the citrix client asks for some email which never resolves to anything. Would there be any way to configure this? Maybe some config file on my pc I can edit? – T\_D Jan 28 '16 at 11:07

@T\_D - Off hand I'd guess you won't be able to control it if you're only able to access it through a browser, and I haven't used Citrix myself. While they may not help, a couple places to try would be: 1. C:\Users\YOUR\_USERNAME\Documents\Default.rdp where you'd want to change to "keyboardhook:i:0" 2. If that doesn't work, you could try the same setting under here in the registry: HKEY\_CURRENT\_USER\Software\Microsoft\Terminal Server Client\Default (found here [msdn.microsoft.com/en-us/library/...](https://msdn.microsoft.com/en-us/library/...)). Good luck! – kevinmicke Jan 29 '16 at 18:48



5



For me in Windows 7 64 bit to make scrip work I had to change 1st line from #IfWinActive ahk\_class TSSHELLWND to " IfWinActive ahk\_class TscShellContainerClass so the full script now looks like:

```
#IfWinActive ahk_class TscShellContainerClass
    ^Capslock::          ; Ctrl+Caps Lock (couldn't make Ct
some reason
```

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

```
;MsgBox, Received Remote Desktop minimize hotkey ;  
return  
#IfWinActive
```

edited Nov 29 '11 at 20:21



[Simon Sheehan](#)

**7,765** 12 43 69

answered Nov 29 '11 at 18:44



[dnk.nitro](#)

**151** 1 2

---

This worked perfectly for me in Win7 Ultimate 64-bit bootcamp on a Mac. Thanks! – [John Bubriski](#) Mar 10 '15 at 16:08

---



Not quite what you asked for, but might be helpful enough:

4

+ + - switches you to the host computer



+ + - switches you back to the remote computer

[Source](#)

edited May 16 '11 at 5:01



[3498DB](#)

**16.1k** 11 48 63

answered Nov 5 '10 at 18:47



[Ryan Berger](#)

**564** 2 8 20




---





4 Yes, but this does not work if you chose to not propagate all








By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).

mentioned by the OP do work even in this case, with the flaws mentioned. – [Marcel](#) Jan 5 '11 at 15:32

- 3 Hope people trying this solution do not have intel graphics card :D – [anishsane](#) Jul 4 '15 at 15:39

▲  
3  +  +  brings focus to the Remote Desktop Connection bar. The connection bar includes the minimize button.

▼ In Windows 7, if I un-check "Display the connection bar when I use the full screen" option when making the connection, then the keys to minimize the RPD session are  +  +   .

If the connection bar is set to show (which is the default) then it requires hitting  a couple of times to minimize the RDP session:  +  +     .

answered Mar 3 '14 at 22:16









[Tim Lewis](#)

183 5

▲ Bring up the host's Task Manager, then task-switch:

2

- ▼
-  +  +  (Windows Security)
  -  (Task Manager)
  -  +  (task-switch on host computer)

edited Jul 1 '13 at 22:39



[Michel de Ruiter](#)

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).





Brian Tkatch

21 1



I found that you need two combinations of shortcuts. It works in Windows 7.

2



1. **CTRL** + **ALT** + **BREAK** will minimize the maximized window to the host PC.

2. **Win** + **M** Minimize your remote Desktop window

or in the first step you can change of window with **ALT** + **TAB**.

edited Mar 17 '16 at 11:40



StackzOfZtuff

1,066 8 18

answered Nov 4 '13 at 12:13



Nome

21 1

WIN + M doesn't work. ALT + TAB as well as you understand. It must be absolute solution, but not only for some particular configuration. – Kirby Dec 13 '17 at 14:24



1



I do the same thing. The best solution I found in XP was virtual dimension with the virtual desktops always on top. Then I can switch among 4 remote desktops in full screen with one mouse click each. However, Virtual Dimension doesn't work quite right in Windows 7 (at least in 64 bit). It seems to work but it loses the "always on top" though the checkbox stays on, the virtual desktop switcher does not.

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).



**Alt + Caps Lock** without Caps Lock annoying state changes (**Good if you don't have Scroll Lock**)

1



At first annoying to set up, but in the long term the most comfortable. I like to be able to quickly switch with left hand only

Dexpot 1. Set next desktop to Alt + Scroll Lock (If like I you don't have scroll lock use windows on-screen keyboard to press "ScrLk") 2. Set previous desktop to Alt + Scroll Lock 3. Set screens overview to Ctrl + Scroll Lock

Now use Autohotkey to make redirections (this way Caps Lock will be prevented from changing it's state):

```
GetKeyState, state, Capslock ;
; Alt + Caps Lock becomes Alt + Scroll Lock
!Capslock::
    send !{ScrollLock}
    return
; Alt + Shift + Caps Lock becomes Alt + Shift + Scroll
!+Capslock::
    send !+{ScrollLock}
    return
; Ctrl + Caps Lock becomes Ctrl + Scroll Lock
^Capslock::
    send ^{ScrollLock}
    return
```

Done. Now you can use Alt + Caps Lock to switch between screens without Caps Lock changing it's states. Also if you only need 2 screens you can set dexpot to use only 2 desktops which will make alt + caps lock quick toggle for remote desktop.



Pawel

141 3



I found this workaround using a mutli-desktop manager:

0



1. Install [Dexpot](#)

2. Configure Hotkey for "Next Desktop" to +

3. Configure Remote Desktop to Capture all Keys in Fullscreen Mode

Then you can switch between Fullscreen Desktops mit

+ .

I set the number of Desktops to 2, as I only have 1 remote desktop.

Additionally, I have installed [Clavier](#), which allows me use just to switch between desktops. (Clavier config: Add-> Write Text... -> Shortcut: ScrollLock -> OK -> Write-Text: [ALT+ScrollLock] )

edited May 13 '13 at 12:19

answered May 13 '13 at 7:31



Synox

174 1 7



+ + worked for me. I am using Windows

By using our site, you acknowledge that you have read and understand our [Cookie Policy](#), [Privacy Policy](#), and our [Terms of Service](#).



a terminal server running. I was able to pin the terminal server connection bar.

edited Nov 18 '15 at 3:02



Heptite

15.3k 5 45 60

answered Nov 18 '15 at 2:05



user523271

1

**protected** by [Community](#) ♦ Apr 7 '17 at 12:29

Thank you for your interest in this question. Because it has attracted low-quality or spam answers that had to be removed, posting an answer now requires 10 [reputation](#) on this site (the [association bonus](#) does not count).

Would you like to answer one of these [unanswered questions](#) instead?