

Index

B

Bayesian inference, 75, 77
binary mixture model, 32
block model, 58

C

classification
 expectation-maximization,
 22, 28
cluster
 analysis, 1
 number of, 14, 51
clustering, 1
 crossed, 53
 fuzzy, 8, 24
 model-based, 11
complete data, 16
components number of, 14
conditional independence, 59

D

data
 binary, 32
 categorical, 36
 contingency, 41
 continuous, 26

 high dimensional, 9
 qualitative, 36
distribution
 Bernoulli, 32
 Gaussian, 26
dynamic cluster method, 7, 22,
57

E

EM algorithm, 15, 17–20
entropy, 19, 26, 170
error rate, 64–66
expectation-maximization, 15

G, H

Gaussian mixture model, 26,
28
hierarchical clustering, 4
 Ward's method, 3

I

inertia
 intraclass, 30
 within-group, 2
initialization, choice of, 51

K

- k -means, 5
 - algorithm, 3
 - fuzzy, 8
- k -medoids, 8
- k -modes, 8

L

- latent class model, 32
- latent block model, 59, 60
- likelihood
 - classification, 21
 - complete-data, 16

M

- map
 - Kohonen, 8
 - self-organizing, 8
- maximum *a posteriori*, 20

- mixture, 11

- binary, 32
 - Gaussian, 26

MNDKI2, 41, 47, 48

model

- choice of, 51
 - latent class, 32
 - mixture, 11
 - parsimonious, 33, 38

multimonial mixture model,
43

S

- sparse data, 77
- sum of squares within-group,
2, 3, 23, 30

T

table contingency, 41, 43, 47