



Confidential material: This page is confidential. Do not share or discuss until authorized to do so.

Method: accounts.mediationReport.generate



Page Summary



Generates an AdMob Mediation report based on the provided report specification. Returns result of a server-side streaming RPC. The result is returned in a sequence of responses.

HTTP request

POST

`https://admob.googleapis.com/v1alpha/{parent=accounts/*}/mediationReport:generate`

The URL uses [gRPC Transcoding](https://google.aip.dev/127) (<https://google.aip.dev/127>) syntax.

Path parameters

Parameters

parent	string
	Resource name of the account to generate the report for. Example: accounts/pub-9876543210987654

Request body

The request body contains data with the following structure:

JSON representation

```
{
  "reportSpec": {
    object (MediationReportSpec (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts:generate))
  }
}
```

Fields

reportSpec	object (<u>MediationReportSpec</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationReport/generate#MediationReportSpec)) Network report specification.
-------------------	---

Response body

The streaming response for the AdMob Mediation report where the first response contains the report header, then a stream of row responses, and finally a footer as the last response message.

For example:

```
[{
  "header": {
    "dateRange": {
      "startDate": {"year": 2018, "month": 9, "day": 1},
      "endDate": {"year": 2018, "month": 9, "day": 1}
    },
    "localizationSettings": {
      "currencyCode": "USD",
      "languageCode": "en-US"
    }
  },
},
{
  "row": {
    "dimensionValues": {
      "DATE": {"value": "20180918"},
      "APP": {
        "value": "ca-app-pub-8123415297019784~1001342552",
        "displayLabel": "My app name!"
      }
    },
    "metricValues": {
      "ESTIMATED_EARNINGS": {"decimal_value": "1324746"}
    }
  },
},
{
}
```

```
"footer": {"matchingRowCount": 1}
}]
```

If successful, the response body contains data with the following structure:

JSON representation

```
{
  // Union field payload can be only one of the following:
  "header": {
    object (ReportHeader (/admob/api/v1/early-access-program/reference/rest/v1alpha/ReportHeader))
  },
  "row": {
    object (ReportRow (/admob/api/v1/early-access-program/reference/rest/v1alpha/ReportRow))
  },
  "footer": {
    object (ReportFooter (/admob/api/v1/early-access-program/reference/rest/v1alpha/ReportFooter))
  }
  // End of list of possible types for union field payload.
}
```

Fields

Union field **payload**. Each stream response message contains one type of payload. **payload** can be only one of the following:

header	object (<u>ReportHeader</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/ReportHeader)) Report generation settings that describes the report contents, such as the report date range and localization settings.
row	object (<u>ReportRow</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/ReportRow)) Actual report data.
footer	object (<u>ReportFooter</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/ReportFooter)) Additional information about the generated report, such as warnings about the data.

Authorization scopes

Requires one of the following OAuth scopes:

- <https://www.googleapis.com/auth/admob.readonly>
- <https://www.googleapis.com/auth/admob.report>

For more information, see the [OAuth 2.0 Overview \(/identity/protocols/OAuth2\)](#).

MediationReportSpec

The specification for generating an AdMob Mediation report. For example, the specification to get observed ECPM sliced by ad source and app for the 'US' and 'CN' countries can look like the following example:

```
{
  "dateRange": {
    "startDate": {"year": 2021, "month": 9, "day": 1},
    "endDate": {"year": 2021, "month": 9, "day": 30}
  },
  "dimensions": ["AD_SOURCE", "APP", "COUNTRY"],
  "metrics": ["OBSERVED_ECPM"],
  "dimensionFilters": [
    {
      "dimension": "COUNTRY",
      "matchesAny": {"values": [{"value": "US", "value": "CN"}]}
    }
  ],
  "sortConditions": [
    {"dimension": "APP", "order": "ASCENDING"}
  ],
  "localizationSettings": {
    "currencyCode": "USD",
    "languageCode": "en-US"
  }
}
```

For a better understanding, you can treat the preceding specification like the following pseudo SQL:

```
SELECT AD_SOURCE, APP, COUNTRY, OBSERVED_ECPM
FROM MEDIATION_REPORT
WHERE DATE >= '2021-09-01' AND DATE <= '2021-09-30'
```

```
AND COUNTRY IN ('US', 'CN')
GROUP BY AD_SOURCE, APP, COUNTRY
ORDER BY APP ASC;
```

JSON representation

```
{
  "dateRange": {
    object (DateRange (/admob/api/v1/early-access-program/reference/rest/v1alpha/DateRange))
  },
  "dimensions": [
    enum (Dimension (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationRepo
  ],
  "metrics": [
    enum (Metric (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationReport/g
  ],
  "dimensionFilters": [
    {
      object (DimensionFilter (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.m
    }
  ],
  "sortConditions": [
    {
      object (SortCondition (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.med
    }
  ],
  "localizationSettings": {
    object (LocalizationSettings (/admob/api/v1/early-access-program/reference/rest/v1alpha/Localiz
  },
  "maxReportRows": integer,
  "timeZone": string
}
```

Fields

dateRange	object (<u>DateRange</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/DateRange)) The date range for which the report is generated.
dimensions[]	enum (<u>Dimension</u> (/admob/api/v1/early-access- program/reference/rest/v1alpha/accounts.mediationReport/generate#Dimension))

Fields

	List of dimensions of the report. The value combination of these dimensions determines the row of the report. If no dimensions are specified, the report returns a single row of requested metrics for the entire account.
metrics[]	enum (<u>Metric</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationReport/generate#Metric)) List of metrics of the report. A report must specify at least one metric.
dimensionFilters[]	object (<u>DimensionFilter</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationReport/generate#DimensionFilter)) Describes which report rows to match based on their dimension values.
sortConditions[]	object (<u>SortCondition</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationReport/generate#SortCondition)) Describes the sorting of report rows. The order of the condition in the list defines its precedence; the earlier the condition, the higher its precedence. If no sort conditions are specified, the row ordering is undefined.
localizationSettings	object (<u>LocalizationSettings</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/LocalizationSettings)) Localization settings of the report.
maxReportRows	integer Maximum number of report data rows to return. If the value is not set, the API returns as many rows as possible, up to 100000. Acceptable values are 1-100000, inclusive. Values larger than 100000 return an error.
timeZone	string A report time zone. Accepts an IANA TZ name values, such as "America/Los_Angeles." If no time zone is defined, the account default takes effect. Check default value by the get account action. Warning: The "America/Los_Angeles" is the only supported value at the moment.

Dimension

The dimensions of the mediation report. Dimensions are data attributes to break down or refine the quantitative measurements (metrics) by certain attributes, such as the ad format or the platform an ad was viewed on.

Enums

DIMENSION_UNSPECIFIED Default value for an unset field. Do not use.

DATE	A date in the YYYYMMDD format (for example, "20210701"). Requests can specify at most one time dimension.
MONTH	A month in the YYYYMM format (for example, "202107"). Requests can specify at most one time dimension.
WEEK	The date of the first day of a week in the YYYYMMDD format (for example, "20210701"). Requests can specify at most one time dimension.
HOURL	The hour in HH format in PST time. For example, "05" for 5am PST, "13" for 1pm PST.
AD_SOURCE	The <u>unique ID of the ad source</u> (/admob/api/v1/adSources) (for example, "5450213213286189855" and "AdMob Network" as label value).
AD_SOURCE_INSTANCE	The unique ID of the ad source instance (for example, "ca-app-pub-1234:asi:5678" and "AdMob (default)" as label value).
AD_UNIT	The unique ID of the ad unit (for example, "ca-app-pub-1234/8790"). If AD_UNIT dimension is specified, then APP is included automatically.
APP	The unique ID of the mobile application (for example, "ca-app-pub-1234~1234").
PLACEMENT_ID	The unique ID of the ad placement as an integer (e.g. 2501777723).
PLACEMENT_DISPLAY_LABEL	The name of the ad placement (e.g. "My Ad Placement").
MEDIATION_GROUP	The unique ID of the mediation group (for example, "ca-app-pub-1234:mg:1234" and "AdMob (default)" as label value).
MEDIATION_AB_TEST	The name of the mediation A/B experiment.
MEDIATION_AB_TEST_ID	The unique id of the mediation A/B experiment. It's a numeric string like "1234567890".
VARIANT	The mediation A/B experiment variant (for example, "Variant A" or "Variant B"). Deprecated: Please use MEDIATION_AB_TEST_VARIANT instead.

Enums

 This item is deprecated!

MEDIATION_AB_TEST_VARIANT	The mediation A/B experiment variant (for example, "Variant A" or "Variant B").
COUNTRY	CLDR country code of the place where the ad views/clicks occur (for example, "US" or "FR"). This is a geography dimension.
FORMAT	Format of the ad unit (for example, "banner", "native"), an ad delivery dimension.
PLATFORM	Mobile OS platform of the app (for example, "Android" or "iOS").
MOBILE_OS_VERSION	Mobile operating system version, e.g. "iOS 13.5.1".
GMA_SDK_VERSION	GMA SDK version, e.g. "iOS 7.62.0".
APP_VERSION_NAME	For Android, the app version name can be found in <code>versionName</code> in <code>PackageInfo</code> . For iOS, the app version name can be found in <code>CFBundleShortVersionString</code> .
SERVING_RESTRICTION	Restriction mode for ads serving (e.g. "Non-personalized ads").
ATT_CONSENT_STATUS	Use this dimension to understand identifier for advertisers (IDFA) user permission status and its impact on monetization. For details, refer to https://support.google.com/admob/answer/11252672 (https://support.google.com/admob/answer/11252672).

Metric

The metrics of the mediation report. Metrics are quantitative measurements indicating how the publisher business is performing. They are aggregated from the individual ad events and grouped by the report dimensions. The metric value is either integer, or decimal (without rounding).

Enums

METRIC_UNSPECIFIED	Default value for an unset field. Do not use.
AD_REQUESTS	The number of requests. The value is an integer.
CLICKS	The number of times a user clicks an ad. The value is an integer.
ESTIMATED_EARNINGS	The estimated earnings of the AdMob publisher. The currency unit (USD, EUR, or other) of the earning metrics are determined by the localization setting for currency.

Enums

	The amount is in micros. For example, \$6.50 would be represented as 6500000. Estimated earnings per mediation group and per ad source instance level is supported dating back to October 20, 2019. Third-party estimated earnings will show 0 for dates prior to October 20, 2019.
IMPRESSIONS	The total number of ads shown to users. The value is an integer.
IMPRESSION_CTR	The ratio of clicks over impressions. The value is a double precision (approximate) decimal value.
MATCHED_REQUESTS	The number of times ads are returned in response to a request. The value is an integer.
MATCH_RATE	The ratio of matched ad requests over the total ad requests. The value is a double precision (approximate) decimal value.
OBSERVED_ECPM	The third-party ad network's estimated average eCPM. The currency unit (USD, EUR, or other) of the earning metrics are determined by the localization setting for currency. The amount is in micros. For example, \$2.30 would be represented as 2300000. The estimated average eCPM per mediation group and per ad source instance level is supported dating back to October 20, 2019. Third-party estimated average eCPM will show 0 for dates prior to October 20, 2019.
BID_REQUEST	The number of requests made to the bidding ad source.
BIDS_IN_AUCTION	The number of bids submitted by the ad source that participated in bidding auctions.
WINNING_BIDS	The number of bids that won a bidding auction.

DimensionFilter

Describes which report rows to match based on their dimension values.

JSON representation

```
{
  "dimension": enum (Dimension (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.

  // Union field operator can be only one of the following:
  "matchesAny": {
    object (StringList (/admob/api/v1/early-access-program/reference/rest/v1alpha/StringList))
  }
}
```

JSON representation

```
// End of list of possible types for union field operator.
}
```

Fields

dimension	enum (<u>Dimension</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationReport/generate#Dimension))
------------------	--

Applies the filter criterion to the specified dimension.

Union field **operator**. Filter operator to be applied. **operator** can be only one of the following:

matchesAny	object (<u>StringList</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/StringList))
-------------------	--

Matches a row if its value for the specified dimension is in one of the values specified in this condition.

SortCondition

Sorting direction to be applied on a dimension or a metric.

JSON representation

```
{
  "order": enum (SortOrder (/admob/api/v1/early-access-program/reference/rest/v1alpha/SortOrder)),

  // Union field sort_on can be only one of the following:
  "dimension": enum (Dimension (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediatic
  "metric": enum (Metric (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediatic
  // End of list of possible types for union field sort_on.
}
```

Fields

order	enum (<u>SortOrder</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/SortOrder))
--------------	--

Sorting order of the dimension or metric.

Fields

Union field **sort_on**. Identifies which values to sort on. **sort_on** can be only one of the following:

dimension	enum (<u>Dimension</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationReport/generate#Dimension))
------------------	---

Sort by the specified dimension.

metric	enum (<u>Metric</u> (/admob/api/v1/early-access-program/reference/rest/v1alpha/accounts.mediationReport/generate#Metric))
---------------	---

Sort by the specified metric.



Try this method

Call this method on live data and see the result.
Experiment with authorization and field settings.
For help, check the [APIs Explorer documentation](#).

Request parameters

parent

string

[Show standard parameters](#) ▾

Request body

▾

{
 + [Add request body parameters](#)
}

📋

For suggestions, press control+space or click one of the blue "add" circles.

Credentials ?

☒ Google OAuth 2.0

OAuth 2.0 provides authenticated access to an API.

[Show scopes](#) ▾

☒ API key

An API key is a unique string that lets you access an API.

Execute

By clicking above, I agree that my use of the APIs Explorer is governed by the [Terms](#) and [Privacy Policy](#).