

Meta Business Manager — Partner Onboarding Guide

Version: 1.0 **Last Updated:** April 2026 **Meta API Version:** v25.0 (Graph API) **Audience:** Partners providing Business Manager (BM) accounts to Amobear **Purpose:** Guide partners on granting permissions and issuing tokens so Amobear can integrate the BM into the Mediation Pro / Amobear Nexus platform

1. CONTEXT & OBJECTIVES

1.1. Partnership Model

Amobear is a Mobile App Marketing operations platform, specializing in running and optimizing User Acquisition (UA) campaigns for a portfolio of 200+ applications. In the partnership model:

- **Partner:** Owns and provides **Business Manager (BM)** accounts together with the associated **Ad Accounts**. The partner is responsible for **billing, credit line, and payment** with Meta.
- **Amobear:** Receives API-based access to **create, operate, optimize, and report** on campaigns; **does not interfere** with the partner's billing or payment matters.

1.2. Why integrate via API instead of direct Business Suite access?


Concern	Direct Business Suite access	API integration (recommended)
Partner privacy	Amobear personal accounts must be added to the partner's BM	Partner only issues a System User token — no personal identities exposed
Financial data security	Amobear team can see billing, credit, invoices	Amobear only sees campaign data, NOT billing
Operational mistakes	Staff may accidentally change BM settings	API only allows whitelisted actions
Auditability	Hard to trace who did what	Every action is logged through Amobear Nexus
Scalability	Each UA Marketer needs a separate account → hard to scale with 10+ BMs	One token per BM, with internal permissions managed inside Amobear

1.3. Expected outcomes after onboarding

Once the partner completes the steps in this guide, Amobear will be able to:

1. Create/edit/pause campaigns, ad sets, and ads on the partner's BM.
2. Pull performance metrics (spend, impressions, clicks, installs, ROAS, etc.) into internal dashboards.
3. Automatically optimize budgets and pause underperforming ads via the rule engine.
4. Grant internal, per-BM permissions to individual Amobear UA Marketers **WITHOUT** giving them direct BM account access.

2. HIGH-LEVEL OPERATING FLOW



Clear responsibility split:

Area	Partner	Amobear
BM ownership	✓	✗
Credit line / billing management	✓	✗ (no view access)
Token issuance & rotation	✓	✗
Create / edit / pause campaigns	✗	✓ (via API)
Performance monitoring	✗	✓
Internal UA Marketer permissioning	✗	✓ (within Amobear system)

3. PARTNER-SIDE REQUIREMENTS

To enable integration, the partner needs to prepare the following:

3.1. Prerequisites

- ☐ **Business Manager is verified** (Business Verification complete). See: <https://www.facebook.com/business/help/2058515294227817>
- ☐ **Ad Account(s)** are added to the BM with an **active credit line** (valid payment method).
- ☐ **Primary Page** is linked to the BM.
- ☐ The partner has a personal Facebook account with **Admin role** on the BM to perform the steps below.
- ☐ (Optional) A dedicated **Meta Developer App** for issuing the System User token — if not available, Amobear can provide an App ID that has passed App Review.

3.2. Information to share with Amobear

When complete, the partner must send the following to Amobear through a secure channel:

Information	Example	Notes
Business Manager ID	123456789012345	15-digit number, taken from Business Settings > Business Info
Ad Account ID(s)	act_987654321098765	All ad accounts to be integrated
System User ID	100012345678901	ID of the newly created System User

System User Access Token	EAAB... (long string)	Non-expiring token
Meta App ID (if using the partner's App)	1234567890123456	Not required if using Amobear's App
List of granted permissions	(see section 5)	Checklist

4. HOW TO CREATE A SYSTEM USER TOKEN

Amobear requires the partner to use a **System User Token** (not a personal User Access Token) for the following reasons:

Attribute	User Access Token	System User Token 
Lifetime	Short-lived (~1h), extendable to 60 days	Never expires
Tied to an individual	Yes (expires when the user leaves the company)	No — tied to the BM
Automation-friendly	No — needs constant refresh	 Yes
Security risk	High (exposes personal credentials)	Low — scope limited to assigned assets

4.1. Steps to create a System User

Step 1: Open Business Settings

1. Log into Facebook with an Admin account of the BM.
2. Go to: <https://business.facebook.com/settings/>
3. Select the correct BM in the top-left corner.

Step 2: Create a System User

1. Left menu → **Users** → **System Users**.
2. Click **Add** (top-right).
3. Fill in:
 - **Name:** Amobear Nexus Integration (or any clear, identifiable name)
 - **System User Role:** Choose **Admin** (to grant Amobear full control over this BM) or **Employee** (limited scope — see section 5).
4. Click **Create System User**.
5. Confirm via 2FA if prompted.

☐ Official reference: <https://developers.facebook.com/docs/business-management-apis/system-users>

Step 3: Assign Assets to the System User

The newly created System User **has no access** to any asset yet. You must assign them manually:

1. Click the System User you just created.
2. **Assigned Assets** tab → **Add Assets**.
3. For each asset type:

- **Ad Accounts:** Select all ad accounts Amobear should operate → choose **Full control** (Manage Campaigns + Reporting + Manage).
- **Pages:** Select the Pages used to run ads → choose **Create Content, Moderate, Advertise, Analyze**.
- **Pixels:** (if any) → choose **View and Edit**.
- **Catalogs:** (if running DPA/DABA) → choose **Manage Catalog**.

4. Click **Save Changes**.

Step 4: Generate the Access Token

1. On the same System User screen → click **Generate New Token**.
2. Select the **App** that will issue the token:
 - If the partner has their own Meta Developer App → select it.
 - If using Amobear's App → Amobear will provide the App ID & App name in advance.
3. For **Access Token Expiration**, choose **Never** (System User tokens are non-expiring by default).
4. For **Permissions (Scopes)**, tick all permissions listed in [section 5](#) below.
5. Click **Generate Token**.
6. **Copy the token immediately** and paste it into the Bitwarden Send link provided by Amobear. Meta will **not display** the token again after the dialog is closed.

 Reference: <https://developers.facebook.com/docs/marketing-api/system-users/create-retrieve-update>

5. REQUIRED PERMISSIONS

When generating the token in Step 4, the partner must tick the following permissions:

5.1. Core permissions (required)

Permission	Purpose	Required?
ads_management	Create, edit, pause, delete campaigns / ad sets / ads	 Required
ads_read	Read performance data (impressions, spend, ROAS, ...)	 Required
business_management	Read BM metadata, list users, list assigned assets	 Required

5.2. Optional permissions (use-case dependent)

Permission	When needed	Does Amobear use it?
pages_manage_metadata	Manage Pages (upload creatives under a Page's name)	 Yes — required for Page Post Ads
pages_read_engagement	Read Page engagement data	Optional — enable for organic metric reporting
instagram_basic	Run ads via an IG account	 Yes — enable when running IG ads
instagram_manage_insights	Read IG insights	Optional
catalog_management	Run Dynamic Product Ads (DPA)	Optional — only for e-commerce catalogs

leads_retrieval	Pull Lead Ads data	Optional
-----------------	--------------------	----------

5.3. Permissions NOT to grant (Amobear does not use them)

To reduce risk, **do NOT tick** the following:


- ✗ whatsapp_business_management — Amobear does not run WhatsApp Ads.
- ✗ commerce_account_manage_orders — Amobear does not touch orders.
- ✗ Any finance_* permission — Amobear **does not need and must not see** billing.

📖 Full permissions list: <https://developers.facebook.com/docs/permissions>


6. BASIC SYSTEM OPERATING FLOWS

After receiving the token, Amobear operates the partner's BM through 4 main flows:


6.1. Flow 1 — Onboarding & Token Storage




6.2. Flow 2 — UA Marketer creates a campaign (no Business Suite needed)



6.3. Flow 3 — Data sync & reporting




6.4. Flow 4 — Automated optimization (Rule Engine)



7. AMOBEAR INTERNAL PERMISSIONING (Partner does not need the details)

So the partner understands that **issuing a single token to Amobear does NOT mean every Amobear employee can access the BM**:



- 1 token = 1 BM. Amobear stores tokens in an encrypted vault.
- Only **Backend Services** read the token. UA Marketers **never** see it.
- Every action requires SSO login → RBAC check → audit log entry.
- When an Amobear employee leaves: simply disable their SSO account, with **no impact** on the partner's token.

8. TOKEN SECURITY — AMOBEAR'S COMMITMENTS

Amobear commits to the following controls for tokens provided by the partner:

Control	Description
Encryption at rest	Tokens are encrypted with AES-256 in PostgreSQL. Encryption keys are managed by AWS KMS / HashiCorp Vault.
No logging	Tokens do not appear in logs, error traces, or analytics.
No query string	All requests to Meta API use Authorization: Bearer header, never ?access_token=.
Principle of least privilege	Only 2–3 backend service accounts can read tokens. No regular users have access.
Audit trail	Every token read is logged: timestamp, service, endpoint called, result.
IP whitelist	Meta API calls originate only from registered production IP ranges.
Rotation support	If the partner wishes to rotate tokens periodically (recommended: quarterly), Amobear supports a zero-downtime swap process.

The partner can revoke the token at any time via Business Settings → System Users → select user → **Revoke Access**. Amobear will immediately lose access.

9. ACCEPTANCE CHECKLIST

Upon completion, both parties verify:

Partner confirms:

- ☐ BM is verified
- ☐ System User is created with an appropriate role (Admin / Employee)
- ☐ All required Ad Accounts are assigned to the System User
- ☐ Pages / Pixels / Catalogs (if any) are assigned
- ☐ Token is generated with all permissions from section 5
- ☐ Token has been delivered to Amobear through a secure channel
- ☐ Received confirmation from Amobear that API tests passed

Amobear confirms:

- ☐ Token is stored in the vault (encrypted)
- ☐ GET /{bm_id} test returns correct metadata
- ☐ GET /{bm_id}/owned_ad_accounts lists the correct ad accounts
- ☐ Successfully created a PAUSED test campaign and rolled back (deleted) it
- ☐ Insights sync job is running normally
- ☐ Assigned at least one UA Marketer and tested the end-to-end flow
- ☐ Onboarding completion report delivered to the partner

10. CONTACT & SUPPORT

Role	Email	Response SLA
------	-------	--------------

Technical Lead (Amobear)	quangnguyen@amobear.vn	Within 4 business hours
Account Manager (Amobear)	thudh@amobear.vn	Within 1 business day
Security Escalation (suspected token leak)	tuan@amobear.vn	Immediate — 24/7

11. OFFICIAL META REFERENCE DOCUMENTATION

11.1. Business Manager & Account Setup

Document	URL
Business Manager Overview	https://www.facebook.com/business/help/113163272211510
Business Verification Guide	https://www.facebook.com/business/help/2058515294227817
Business Settings	https://business.facebook.com/settings/

11.2. System Users & Access Tokens

Document	URL
System Users Guide	https://developers.facebook.com/docs/business-management-apis/system-users
Create & Retrieve System User	https://developers.facebook.com/docs/marketing-api/system-users/create-retrieve-update
Access Tokens Overview	https://developers.facebook.com/docs/facebook-login/guides/access-tokens
Long-Lived & Non-Expiring Tokens	https://developers.facebook.com/docs/facebook-login/guides/access-tokens/get-long-lived

11.3. Permissions

Document	URL
Permissions Reference (full)	https://developers.facebook.com/docs/permissions
ads_management	https://developers.facebook.com/docs/permissions#ads_management
ads_read	https://developers.facebook.com/docs/permissions#ads_read
business_management	https://developers.facebook.com/docs/permissions#business_management
App Review Process	https://developers.facebook.com/docs/app-review

11.4. Marketing API & Business Management API

Document	URL
Marketing API Overview	https://developers.facebook.com/docs/marketing-apis

Business Management API	https://developers.facebook.com/docs/business-management-apis
Business Manager API Reference	https://developers.facebook.com/docs/marketing-api/reference/business/
Ad Account Management	https://developers.facebook.com/docs/business-management-apis/business-asset-management/guides/ad-accounts/
Graph API Explorer (test tool)	https://developers.facebook.com/tools/explorer/
API Changelog	https://developers.facebook.com/docs/graph-api/changelog
Marketing API Changelog	https://developers.facebook.com/docs/marketing-api/marketing-api-changelog

11.5. Security & Best Practices

Document	URL
Rate Limiting	https://developers.facebook.com/docs/marketing-api/overview/rate-limiting
Securing Requests (appsecret_proof)	https://developers.facebook.com/docs/graph-api/security
Data Use Policy	https://developers.facebook.com/terms

12. APPENDIX — QUICK TEST COMMANDS

The partner can self-verify the newly created token with the following commands before sending it to Amobear:

```
# Test 1: Validate token & inspect BM info
curl -H "Authorization: Bearer {ACCESS_TOKEN}" \
  "https://graph.facebook.com/v25.0/{BM_ID}?fields=id,name,verification_status"

# Test 2: List ad accounts the System User can access
curl -H "Authorization: Bearer {ACCESS_TOKEN}" \
  "https://graph.facebook.com/v25.0/{BM_ID}/owned_ad_accounts?fields=id,name,account_status,currency"

# Test 3: Inspect token permissions
curl -H "Authorization: Bearer {ACCESS_TOKEN}" \
  "https://graph.facebook.com/v25.0/debug_token?input_token={ACCESS_TOKEN}"
```

Expected result of Test 3 (the JSON response should contain):

```
{
  "data": {
    "app_id": "...",
```

```
"type": "SYSTEM_USER",
"is_valid": true,
"expires_at": 0,
"scopes": [
  "ads_management",
  "ads_read",
  "business_management",
  "pages_manage_metadata"
]
}
```

- expires_at: 0 → token **never expires** ✓
- type: SYSTEM_USER → correct type ✓
- scopes → contains all permissions listed in section 5 ✓