
Group 09

PageRhythm
Working Software Document

Version 1.1

PageRhymth	Version: 1.1
Working Software Document	Date: 21/12/2024
<document identifier>	

Revision History

Date	Version	Description	Author
12/12/2024	1.0	The initial version of the document	Nguyen Hoang Minh
21/12/2024	1.1	The demo video and the progress of implemented use-cases were updated The link to the website that hosts the working software was added	Nguyen Hoang Minh

PageRhythm	Version: 1.1
Working Software Document	Date: 21/12/2024
<document identifier>	

Table of Contents

1 The demo video	4
2 The implemented and working use-cases	4
3 The source code and deployment	4
4 Using application	4

PageRhythh	Version: 1.1
Working Software Document	Date: 21/12/2024
<document identifier>	

1 The demo video

The demo video for the current working software version can be found in the following Youtube [link](#).

2 The implemented and working use-cases

Our group has finalized the implementation of the software. Therefore, all key features of the application have been completely implemented and worked.

3 The source code and deployment

The source code can be found in the following [Github repository](#).

Additionally, the front-end part of the application was deployed to the Render cloud platform with the following URL: <https://page-rhythm-front-end.onrender.com>

Similarly, the back-end part of the application was also deployed to the Render cloud platform with the following URL: <https://page-rhythm-back-end.onrender.com>

4 Using application

The final version of our application has been deployed to the Render cloud platform and is accessible via the following URL:

<https://page-rhythm-front-end.onrender.com/>

Additionally, the application can also be run locally by following these instructions:

- The back-end component can be started by executing the “**app.py**” file, with the root directory located at the “**page-rhythm/src/BackEnd/PageRhythm**” path.

It is also important to ensure that the required packages are installed before running the component. These packages can be installed easily using the command: “**pip install -r requirements.txt**”.

Furthermore, the “**.env**” file is also needed to be created and configured before running the component. The necessary fields for the file can be found in the “**.env.example**” template.

- The front-end component can be started by running the command “**npm run build**” from the root directory located at “**page-rhythm/src/FrontEnd/PageRhythm**”.