





Tools
Tasks & Contexts
Generate JavaDoc...
XML Actions
Markdown Converter
JShell Console...
Cling
Groovy Console
Kotlin
Device Manager
SDK Manager
Resource Manager
Troubleshoot Device Connections
Android SDK Upgrade Assistant
Firebase
App Links Assistant
Layout Inspector
AGP Upgrade Assistant...
Assistant
Firebase
Analytics
Authentication
Realtime Database
Cloud Firestore
Cloud Storage for Firebase
2023-11-24 10:19:27: Launching app on 'Pixel 3a API 30'.
Starting: Intent { act=android.intent.action.MAIN cat=[android.intent.category.LAUNCHER] cmp=com.codingstuff.loginandsignup/.SignInActivity }
Connected to process 19677 on device 'emulator-5554'.



Assistant
Firebase
Firebase › Authentication
Authenticate using Google
You can let your users authenticate with Firebase using their
Launch in browser
1
Connect your app to Firebase
Connect to Firebase





Bật xác thực theo email và password






https://console.firebase.google.com/u/0/project/crud42024/authentication/providers
Microsoft Edge
Would you like to set Microsoft Edge as your default browser?
Set as default
Not Now
Firebase
crud42024
Authentication
Project Overview
Project shortcuts
Realtime Database
Authentication
Product categories
Build
Release & Monitor
Analytics
Engage
All products
Spark
No-cost $0/month
Upgrade
Sign-in providers
Add new provider
Provider
Status
Email/Password
Enable
Allow users to sign up using their email address and password. Our SDKs also provide email address verification, password recovery, and email address change primitives. Learn more
Email link (passwordless sign-in)
Enable
Delete provider
Cancel
Save
Advanced


https://console.firebase.google.com/u/0/project/crud42024/authentication/providers
Microsoft Edge
Would you like to set Microsoft Edge as your default browser?
Set as default
Not Now
Firebase
crud42024
Authentication
Project Overview
Project shortcuts
Realtime Database
Authentication
Product categories
Build
Release & Monitor
Analytics
Engage
All products
Spark
Upgrade
Sign-in providers
Add new provider
Provider
Status
Email/Password
Enabled
Advanced
SMS Multi-factor Authentication
Allow your users to add an extra layer of security to their account. Once enabled, integrated and configured, users can sign in to their account in two steps, using SMS. Learn more
MFA and other advanced features are available with Identity Platform, Google Cloud's complete customer identity solution built in partnership with Firebase. This upgrade is available on both the Spark and Blaze plans.
Upgrade to enable


https://console.firebase.google.com/u/0/project/crud42024/authentication/users
Microsoft Edge
Would you like to set Microsoft Edge as your default browser?
Set as default
Not Now
Firebase
crud42024
Project Overview
Project shortcuts
Realtime Database
Authentication
Product categories
Build
Release & Monitor
Analytics
Engage
All products
Spark
No-cost $0/month
Upgrade
Authentication
Users
Sign-in method
Templates
Usage
Settings
Extensions
Search by email address, phone number, or user UID
Add user
Identifier
Providers
Created
Signed In
User UID
quan@gmail.com
Nov 24, 2023
Nov 24, 2023
jwM74fAVJDTvxlb3FnPK7zG682V2
vui@gmail.com
Nov 24, 2023
Nov 24, 2023
NyKIjOb2AiXSUbTQBR33v7Xx0M...
abc@gmail.com
Nov 24, 2023
Nov 24, 2023
ag49yiahTZU3ocyEXle1hS4XTg62
lequan009@gmail.com
Nov 24, 2023
4Psgm2vrkCOkXNBLRr0aRPAmcx...
lequan@gmail.com
Nov 24, 2023
Nov 24, 2023
NIIMyeGJ9gPAMtMmt132J1Ka4o...
Rows per page:
50
1 – 5 of 5


Tools
Tasks & Contexts
Generate JavaDoc...
XML Actions
Markdown Converter
JShell Console...
Cling
Groovy Console
Kotlin
Device Manager
SDK Manager
Resource Manager
Troubleshoot Device Connections
Android SDK Upgrade Assistant
Firebase
App Links Assistant
Layout Inspector
AGP Upgrade Assistant...
Assistant
Firebase
Analytics
Authentication
Realtime Database
Cloud Firestore
Cloud Storage for Firebase
2023-11-24 10:19:27: Launching app on 'Pixel 3a API 30.
$ adb shell am start -n "com.codingstuff.loginandsignup/com.codingstuff.loginandsignup.SignInActivity" -a android.intent.action.MAIN -c android.intent.category.LAUNCHER
Starting: Intent { act=android.intent.action.MAIN cat=[android.intent.category.LAUNCHER] cmp=com.codingstuff.loginandsignup/.SignInActivity }
Open logcat panel for emulator Pixel 3a API 30
Connected to process 19677 on device 'emulator-5554'.


app
Pixel 3a API 30
Assistant
Firebase
Firebase
Firebase gives you the tools and infrastructure from Google to help you develop, grow and earn money from your app. Learn more
Analytics
Measure user activity and engagement with free, easy, and unlimited analytics.
More info
Authentication
Sign in and manage users with ease using popular login providers like Google, Facebook, and others. You can even use a custom authentication system. More info
Authenticate using Google
Authenticate using Google [Java]
Authenticate using Facebook Login
Authenticate using Facebook Login [Java]
Authenticate using a custom authentication system
android.intent.action.MAIN -c android.intent.category.LAUNCHER
uff.loginandsignup/.SignInActivity }
Notifications
Gradle
Device Manager
Assistant
Running Devices



Firebase Authentication

Firebase Authentication là chức năng dùng để xác thực người dùng bằng Password, số điện thoại hoặc tài khoản Google, Facebook hay Twitter, v.v.

Việc xác thực người dùng là một chức năng quan trọng trong phát triển ứng dụng. Tuy nhiên, việc đối ứng với nhiều phương pháp xác thực khác nhau sẽ tốn nhiều thời gian và công sức.

Firebase Authentication giúp thực hiện việc chia sẻ ID giữa các ứng dụng, giúp người dùng dễ dàng tiếp cận sản phẩm hơn. Vì thế, nó là một chức năng rất quý.

Bước 1. Tạo class điều hướng

```
package com.example.midterm

sealed class Screen(val rout: String){
    object Home : Screen( rout: "home")
    object Signin : Screen( rout: "signin")
    object Signup : Screen( rout: "signup")
}
```


Bước 2. Tạo hàm Mynavigarion()

```
@Composable
fun Mynavigation()
{
    val navController = rememberNavController()

    NavHost(
        navController = navController,
        startDestination = Screen.Signin.rout
    ){
        composable(Screen.Signin.rout){
            SignIn(navController = navController)
        }
        composable( Screen.Home.rout){
            HomeScreen(navController = navController)
        }
        composable(Screen.Signup.rout){
            SignUp(navController = navController)
        }
    }
}
```

Gọi hàm này ở MainActivity.kt

Bước 3 Thiết kế giao diện SignInActivity




Code sự kiện Click

```
if (username.isNotEmpty() && password.isNotEmpty()) {
     firebaseAuth.signInWithEmailAndPassword(username,
password).addOnCompleteListener {
          if (it.isSuccessful) {
         navController.navigate(Screen.Home.rout)
        } else {
           Toast.makeText(context, it.exception.toString(),
Toast.LENGTH_SHORT).show()

         }
   }
 } else {
      Toast.makeText(context, "Empty Fields Are not Allowed !!",
Toast.LENGTH_SHORT).show()

  }
```

Đăng nhập thành công chuyển qua HomeScreen


3:16
PIZZERIA
Delivering
Deliciousness right
to your door!
START ORDER
SignOut

Code cho buttong SignOut

```
var firebaseAuth = FirebaseAuth.getInstance()
firebaseAuth.signOut()
navController.navigate(Screen.Signin.rout)
```

