```
-- MySQL dump 10.18 Distrib 10.3.27-MariaDB, for debian-linux-gnueabihf (armv81)
-- Host: localhost Database: users
-- Server version 10.3.27-MariaDB-0+deb10u1
/*!40101 SET @OLD_CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
/*!40103 SET @OLD TIME ZONE=@@TIME ZONE */;
/*!40103 SET TIME ZONE='+00:00' */;
/*!40014 SET @OLD UNIQUE CHECKS=@@UNIQUE CHECKS, UNIQUE CHECKS=0 */;
/*!40014 SET @OLD FOREIGN KEY CHECKS=@@FOREIGN KEY CHECKS, FOREIGN KEY CHECKS=0 */;
/*!40101 SET @OLD SQL MODE=@@SQL MODE, SQL MODE='NO AUTO VALUE ON ZERO' */;
/*!40111 SET @OLD SQL NOTES=@@SQL NOTES, SQL NOTES=0 */;
-- Table structure for table `temp humid`
DROP TABLE IF EXISTS `temp humid`;
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE `temp humid` (
  `id` mediumint(9) NOT NULL AUTO INCREMENT,
  `temperature` float NOT NULL,
  `humidity` float NOT NULL,
`creat_at` datetime DEFAULT current_timestamp(),
 PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO INCREMENT=62 DEFAULT CHARSET=utf8mb4;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `temp humid`
LOCK TABLES `temp humid` WRITE;
/*!40000 ALTER TABLE `temp humid` DISABLE KEYS */;
```

```
INSERT INTO `temp humid` VALUES (1,28.6,87.2,'2021-06-02 16:13:06'),(2,28.7,86.8,'2021-
06-02 \ 16:13:08'), (3,28.6,86.6,'2021-06-02 \ 16:13:10'), (4,28.7,86.7,'2021-06-02
16:13:13'), (5,28.7,86.7,'2021-06-02 16:13:15'), (6,28.6,86.6,'2021-06-02
16:15:54'), (7,29,86.3,'2021-06-02 16:15:56'), (8,28.9,86.1,'2021-06-02
16:15:59'), (9,28.9,86,'2021-06-02 16:16:01'), (10,28.9,85.9,'2021-06-02
16:16:03'), (11,28.9,85.9,'2021-06-02 16:16:05'), (12,28.9,85.9,'2021-06-02
16:16:08'), (13,28.9,85.9,'2021-06-02 16:16:41'), (14,28.9,86.1,'2021-06-02
16:16:46'), (15,28.9,86.1,'2021-06-02 16:16:48'), (16,30.1,46,'2021-06-03
10:05:45'), (17,30.2,47.4,'2021-06-03 10:05:52'), (18,30.2,47.4,'2021-06-03
10:05:54'), (19,30.2,47.3,'2021-06-03 10:05:56'), (20,30.2,47.2,'2021-06-03
10:05:58'), (21,30.2,47.2,'2021-06-03 10:06:01'), (22,30.2,47.1,'2021-06-03
10:06:03'), (23,30.2,47.2,'2021-06-03 10:06:05'), (24,30.2,47.1,'2021-06-03
10:06:07'), (25,30.2,47.1,'2021-06-03 10:06:10'), (26,30.2,47.3,'2021-06-03
10:06:12'), (27,30.2,50,'2021-06-03 10:06:14'), (28,30.2,51,'2021-06-03
10:06:16'), (29,30.2,51.7,'2021-06-03 10:06:19'), (30,30.3,52,'2021-06-03
10:06:21'), (31,30.3,52.2,'2021-06-03 10:06:23'), (32,30.3,52,'2021-06-03
10:06:26'), (33,30.3,51.3,'2021-06-03 10:06:28'), (34,30.3,50.5,'2021-06-03
10:06:30'), (35,30.3,49.8,'2021-06-03 10:06:32'), (36,30.4,49.3,'2021-06-03
10:06:35'), (37,30.3,48.7,'2021-06-03 10:06:37'), (38,30.3,48.4,'2021-06-03
10:06:39'), (39,30.4,48.2,'2021-06-03 10:06:41'), (40,30.3,47.9,'2021-06-03
10:06:44'), (41,30.4,47.8,'2021-06-03 10:06:46'), (42,30.4,47.6,'2021-06-03
10:06:48'), (43,30.3,47.5,'2021-06-03 10:06:50'), (44,30.3,47.4,'2021-06-03
10:06:53'), (45,30.3,47.4,'2021-06-03 10:06:55'), (46,30.3,47.3,'2021-06-03
10:06:57'), (47,30.3,47.3,'2021-06-03 10:07:00'), (48,30.3,47.2,'2021-06-03
10:07:02'), (49,30.3,47.2,'2021-06-03 10:07:04'), (50,30.3,47.2,'2021-06-03
10:07:06'), (51,30.3,47.1,'2021-06-03 10:07:09'), (52,30.3,47.1,'2021-06-03
10:07:11'), (53,30.3,47.1,'2021-06-03 10:07:13'), (54,30.3,47.1,'2021-06-03
10:07:15'), (55,30.3,47.1,'2021-06-03 10:07:18'), (56,30.3,47.1,'2021-06-03
10:07:20'), (57,30.3,47.1,'2021-06-03 10:07:22'), (58,30.3,47.1,'2021-06-03
10:07:24'), (59,30.3,47,'2021-06-03 10:07:27'), (60,30.3,47,'2021-06-03
10:07:29'), (61, 30.3, 47, '2021-06-03 10:07:31');
/*!40000 ALTER TABLE `temp humid` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `users`
DROP TABLE IF EXISTS `users`;
/*!40101 SET @saved cs client
                                  = @@character set client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE `users` (
  `id` mediumint(9) NOT NULL AUTO INCREMENT,
  `username` varchar(50) NOT NULL,
  `pass` varchar(255) NOT NULL,
  `email` varchar(255) NOT NULL,
  PRIMARY KEY ('id'),
 UNIQUE KEY `username` (`username`)
) ENGINE=InnoDB AUTO INCREMENT=5 DEFAULT CHARSET=utf8mb4;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `users`
LOCK TABLES `users` WRITE;
/*!40000 ALTER TABLE `users` DISABLE KEYS */;
INSERT INTO `users` VALUES
(1, 'nguyen', '123456', '123'), (2, 'hieu', '123456', '18146299@student.hcmute.edu.vn'), (3, 'so
```

```
n','123456','18146366@student.hcmute.edu.vn'),(4,'quoc','123456','18146363@student.hcmu
te.edu.vn');
/*!40000 ALTER TABLE `users` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40101 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;
```